(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
3 October 2002 (03.10.2002)

PCT

(10) International Publication Number
WO 02/077278 A1

(51) International Patent Classification[7]: C12Q 1/68

(21) International Application Number: PCT/IN01/00055

(22) International Filing Date: 28 March 2001 (28.03.2001)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant *(for all designated States except US)*: **COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH** [IN/IN]; Rafi Marg, New Delhi 110 001 (IN).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **VERMA, Sunil, Kumar** [IN/IN]; Centre for Cellular and Molecular Biology, Hyderabad 500 007 (IN). **SINGH, Lalji** [IN/IN]; Centre for Cellular and Molecular Biology, Hyderabad 500 007 (IN).

(74) Agent: **GABRIEL, Devadoss, Calab**; Kumaran & Sagar, 84-C, C6 Lane, (Off Central Avenue), Sainik Farms, New Delhi 110 062 (IN).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *with international search report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/077278 A1

(54) Title: UNIVERSAL PRIMERS FOR WILDLIFE IDENTIFICATION

(57) Abstract: The invention provides novel universal primers that can amplify the fragment of cytochrome b gene of any animal species in polymerase chain reaction (PCR) and reveal the identity of the biological material of any unknown animal origin and a method for identification of the specific animal from a given biological sample.

UNIVERSAL PRIMERS FOR WILDLIFE IDENTIFICATION

TECHNICAL FIELD

The invention relates to the identification of novel universal primers that can amplify the fragment of cytochrome b gene of any animal species in polymerase chain reaction (PCR) and reveal the identity of the biological material of any unknown animal origin at species and sub-species sources. The invention also provides a method for the identification of fragments on mitochondrial cytochrome b gene in biological material of unknown origin.

BACKGROUND ART

A large number of studies in evolutionary biology utilize phylogenetic information obtained from mitochondrial cytochrome b gene. *It has been identified a potent molecule* to distinguish the phylogenetic depth of different lineages to family, genus and species in molecular taxonomy[1-66]. A vast database of the sequences of cytochrome b gene of different animal species has accumulated in public databases such as GenBank, NCBI (http://www.ncbi.nlm.nih.gov) etc. We have utilized this capacity of cytochrome b gene in *establishing the identity of the origin of animal parts and product to its family, genus and* species sources. The technique developed is based on a pair of universal primer that can amplify a small fragment of cytochrome b gene from a vast range of animal species.

Establishing identity of confiscated animal parts and products is a great challenge to law enforcement agencies because none of the methods available till date is too efficient to reveal the identity of animal remains beyond a reasonable doubt. Morphological markers, described for certain species allow the identification of complete specimen of animals[67]. However, a complete specimen is confiscated very rarely by the investigation agencies; therefore, these marker are not practical in wildlife forensics. The biochemical traits such as the bile characteristics[68] blood heam analysis[69,70] etc. have also been employed in wildlife forensic for identification of individual species. The difficulty of these markers are that these markers are limited in number and are rarely found in their natural forms in which these were originally described as the characteristic of a particular species.

The molecular approaches such as micro-satellite based identification[71], Restriction fragment length polymorphism analysis of mitochondrial genes or PCR based species specific STS markers require the prior information of the species to establish the identity[72,73]. These methods also need a significant amount of DNA material to be analysed. We may not have the prior information about the species origin of confiscated animal parts and product in forensics. therefore, these methods are not really useful and

practical in wildlife identification. The technique invented by us is universal, therefore does not require any background information to establish the identity of any unknown confiscated remains at family, genus and species sources. Being a PCR based procedure it can be applied with trace amount of any biological material. Because the amplicon length is small (472 bp); therefore, it can work perfectly with the mutilated remains, which are commonly seized by the crime investigation agencies. It does not require the large amount of genetic material i.e. DNA to be analyzed to establish the identity, hence, can detect a minute amount of adulteration in food products. The procedure described is simple and very fast. Due to the said advantages, the procedure invented by us is most suited for forensic wildlife identification.

OBJECTS OF THE INVENTION

The main object of the invention is to identify a fragment on mitochondrial cytochrome b gene capable of significantly discriminating among various evolutionary lineages of different animal species.

Another object is to identify a fragment on mitochondrial cytochrome b gene which is flanked by the highly conserved sequences at a vast range of animal species.

Yet another object is to detect a fragment on mitochondrial cytochrome b gene which is polymorphic inter-specifically, but monomorphic at intra species sources.

Still another object is to develop the universal primers to amplify the fragment on mitochondrial cytochrome b gene using polymerase chain reaction.

Another object is to develop a PCR protocol that works universally with DNA template of any unknown origin (i.e. all the animal species).

Yet another object is to provide a universal method for identification of species of analyzed material (i.e. the DNA isolated from confiscated animal remain of unknown origin) using the public databases such as GenBank, NCBI etc.

Still another object is to provide a universal method of animal identification to establish the crime with the criminal beyond a reasonably doubt.

Another object is provide a universal method to establish the identity of biological materials such as skin, horns etc confiscated from animal poachers, if it is that of an endangered species.

Yet another object is to provide a universal method for establishment of the identity of confiscated animal parts and products of endangered animal species for the purpose of production of molecular evidence of animal hunting and related crime in the court of law, so that the human violation to the wildlife resources could be controlled.

Still another object is to provide a universal technique to have an idea of the geographical location of the commitment of wildlife crime based on the haplotype of poached animal identified by the universal primer invented.

Another object is to provide a universal technique of animal identification to detect the adulteration of animal meat/products in vegetarian food product for the purpose of food fortification, by the food fortification agencies.

Yet another object is to provide a universal technique for detection of the origin of blood or blood stains etc collected from the scene of crime related to offences such as murder, rape etc, in order to establish the origin of blood found at scene of crime when it sounds as if criminals have wontedly spread the blood of an animal at the scene of crime, to confuse the crime investigation agencies and forensic scientists with human blood.

Another object is to invent and authenticate a universal technique that can be converted to a (a) 'MOLECUALR KIT' and (b) 'DNA CHIPS' based application to meet the requirements of above objectives.

SUMMARY OF THE INVENTION

Accordingly, the invention provides novel universal primers that can amplify the fragment of cytochrome b gene of any animal species in polymerase chain reaction (PCR) and reveal the identity of the biological material of any unknown animal origin

DETAILED DESCRIPTION OF THE INVENTION

Keeping in view the above objectives, the cytochrome b gene sequences (1140 bp) of 221 distantly related animal species (listed in Table 1) representing various families were obtained from public database NCBI (http://www.ncbi.nlm.nih.gov). These sequences were aligned using the software *Clustal X(1.8)*(NCBI, USA) and a fragment (of 472 bp, alignment shown in Table 2) of gene was identified which had all the features mentioned above under column 1, 2 and 3 of sub-heading 'Objectives of invention'. As for the identity of this fragment we would like to mention that it includes the nucleotides between 398 to 869 in *Antilope cervicapra* and *Felis catus*; however, 399 to 870 in *Homo sapiens sapiens* species. Except at few positions (marked as star (*) in Table 2, the nucleotide sequences of this fragment are highly variable amongst the animal species, giving rise to their unique molecular signature. These molecular signatures are characteristic of its species and form the basis of revealing the identity of the biological material of an unknown animal origin by the procedure invented by us. Considering *Antilope cervicapra* as a representative species, the sequence of this fragment is mentioned herewith:

Mitochondrial cytochrome b gene sequence (398-869 bp) of *Antilope cervicapra:*

"taccatgaggacaaatatcttttgaggagcaacagtcatcaccaatctcctttcagcaatcccatacatcggtacaaacctagtaga
atgaatctgaggagggttctcagtagataaagcaacccttacccgatttttcgccttccactttatcctcccatttatcattgcagcctt
accatagtacacctactgtttctccacgaaacaggatccaacaaccccacaggaatctcatcagacgcagacaaaattccattccac
ccctactacactatcaaagatatcctaggagctctactattaattttaaccctcatgcttctagtcctattctcaccggacctgcttggag
acccagacaactatacaccagcaaacccacttaatacacccccacatatcaagcccgaatgatacttcctatttgcatacgcaatcct
ccgatcaattcctaacaaactaggagg".

A pair of universal primer was designed to amplify this fragment in polymerase chain reaction (PCR). These primers were named as 'mcb398' and 'mcb869' because of its property to amplify a region of mitochondrial cytochrome b gene between nucleotides 398 to 869 of *Antilope cervicapra*, a representative animal species for this invention. We took this animal species as representative species because the idea of developing such a novel primers came in the mind of inventors while they were working on the genome of this animal in Centre for Cellular and Molecular Biology, Hyderabad, India. These primers work universally because its 3' end are highly conserved amongst a vast range of animal species (shown in Table 2). As mentioned above, the DNA fragment (sequence of which is shown above) targeted by these primers is highly polymorphic inter-specifically; however, it is monomorphic among the individual of same species (Tables 6, 7a, 7b, 7c, 7d and 8, respectively). These unique features of the targeted region enable these primers to generate the molecular signatures of an individual species; thereby, enabling them to differentiate amongst the animals of different species (see in Figure 1c). The variation within the fragment amplified by these primers increase with increasing distances of evolutionary lineages of two animals (Table 8). These unique features of the fragment amplified by the universal primers 'mcb398' and 'mcb869' invented by the applicants fulfill the objectives of invention.

Thus, the primers invented by us can generate the molecular signature from any biological material of unknown animal origin, which actually is the characteristic of its family, genus and more precisely, the species. When these signatures are compared *in-silico* with the signatures already available in public databases (viz., GenBank, NCBI database etc) using '*BLAST* software[73], it indicates identity of the family, genus or species of the analyzed material, which in turn is confirmed practically by comparing with the reference animals of the revealed family, genus or species, by including them in the further analysis by the primers 'mcb398' and 'mcb869'. The complete procedure involved in the *analyses* (the word, '*analyses*' should be understood with the stepwise procedure to establish the identity of the biological remain of any unknown animal origin for the aims mentioned in columns

1-13 under sub-heading 'Objectives of invention') is briefed under 'Examples 5 and 6, respectively, as well as illustrated in Figures 1a, 1b and 1c, respectively.

BRIEF DESCRIPTION OF DRAWING AND TABLES

Figure 1a. Illustration of the step-wise procedure involved in *analyses*. The unknown biological material i.e. 'adil.flesh' refers to the confiscated skin mentioned in 'Example 6'. The arrow marks indicate the stepwise procedure involved. The brief description of Figure 1a is as follows:

The biological material i.e. the confiscated skin 'adil.flesh' was subjected to DNA isolation using the standard procedures[74]. The DNA obtained was amplified using the primers 'mcb398' and 'mcb869' in PCR, fractionated in 2% (w/v) agarose gel, visualized and photographed under UV light using Gel Documentation System (Syngene, USA). The lane 'M' shown in the photograph represents the molecular weight marker (Marker XIII, Boehringer mannheim). Lane 1 shows the PCR amplicon (472 bp) obtained from 'adil.flesh' using primers 'mcb398' and 'mcb869'. The PCR amplicon obtained were sequenced at both the strand using "ABI Prism 3700 DNA Analyzes, PE-Applied Bio-systems). The chromatogram shows the sequences (about 80 bp long, i.e. between 150-230 bp of sequence (328 bp), revealed from the PCR product of 472 bp length) obtained from 'adil.flesh'.

Figure 1b. Illustrates the further steps involved in *analyses*. The sequence (328 bp) revealed from 'adil.flesh' was subjected to homology search in *nr (i.e. non-redundant)* database of Netional Centre for Biological Information (NCBI), USA. The sequences producing significant alignments are shown along with its bits score and E values. It indicates the extent of homology amongst the sequence enquired (i.e. the 328 bp sequence from adil.flesh) and the sequences registered in *nr* database of NCBI. BLAST analysis revealed the highest homology of the sequence revealed from 'adil.flesh' with the sequence of *Panthera pardus* (gene bank registration number 'AY005809'), indicating the identity of adil.flesh as that of a leopard (*Panthera pardus*) origin. Figure 1b further illustrates the multiple alignments of the sequences obtained from reference animals (listed in Table 5) along with the sequence obtained from 'adil.flesh'. The sequences of 'adil.flesh' is similar to the sequences of 'gz1L' further confirming the identity of the source of confiscated remain 'adil.flesh' as that of a *Panthera pardus* origin.

Figure 1c illustrates the NJ-tree (Neighbor Joining tree) constructed using CLUSTAL X (1.8) from the sequences revealed from 'adil.flesh' and reference animals listed in Table 5.

The animals belonging to similar species cluster together; however, the animals of different species group in different clusters. The confiscated material under investigation (i.e. 'adil.flesh') clusters with 'gz1L' (i.e. the known normal leopard *'Panthera pardus'*) indicating the identity of the species of 'adil.flesh' as that of a *Panthera pardus* source.

Figure 2 shows the Agarose gel electrophorogram showing the PCR amplicons (472 bp) obtained from the reference animals of family felidae listed in Table 5, using universal primers 'mcb398 and 'mcb869'. Description of different lanes is as follows:

Lanes 1-21: The PCR profiles of the animals 1-21, respectively, listed in Table 5.

Lane 22: The PCR profiles of DNA isolated from confiscated skin of unknown animal origin 'i.e. adil.flesh'

Lane 23: Negative control (no DNA)

Lane M: Molecular weight marker (marker XIII, Boehringer mannheim)

Figure 3. Shows PCR amplicons obtained from animals listed in Table 9. The primers used in PCR are 'AFF' and 'AFR'. The description of different lanes shown is as follows:

Lane 1-4: The PCR profiles of animals 1-4, respectively, listed in Table 9, showing amplicons of 354 bp.

Lane M: Molecular weight marker (marker XIII, Boehringer mannheim)

Figure 4. Shows PCR amplicons obtained from animals listed in Table 12. This experiment demonstrates the universal nature of our primers among a vast range of animal species. Description of different lanes shown is as follows:

Lanes 1-23: The PCR profiles of the animals 1-23, respectively, listed in Table 12. The PCR product of 472 bp is amplified universally from all the animal species analyzed.

Lane 24: Negative control (no DNA)

Lane M: Molecular weight marker (marker XIII, Boehringer mannheim)

Table 1. List of 221 animal species used for *In-silico* analysis to design the universal primers *'mcb398' and 'mcb869'. Table also demonstrate the 'P,S scores'* of 'mcb398' and 'mcb869' for different templates. The descriptions of various symbols used in this table are as follows:

Symbol (#) refers to Number

Symbol (*) refers to the animal species which is either protected species (listed in Wildlife (Protection) Act , 1972 (Central Act NO 53 of 1972), or an endangered/rare animal species

Symbol ($P,S/F) refers to Probability of match and Stability of match of primer 'mcb398' with different templates (i.e. the cytochrome b gene from different species origin). A higher P, S score refers to the higher probabilities of significant amplification of specific

template by the primer. It is calculated by *Amplify (1.2)* software.

Symbol ($^{\Psi}$P,S/R) refers to Probability of match and Stability of match of primer 'mcb869' with different templates. A higher P,S score refers to the higher probabilities of significant amplification of specific template by the primer. It is calculated by *Amplify (1.2)* software.

Table 2. Multiple sequence alignment of 472 bp fragment of mitochondrial cytochrome b gene (identified by inventors to fulfill the requirements of column 1, 2 and 3 mention under sub-heading 'Objectives of invention') of 221 animal species listed in Table 1. Alignments also show the binding sites for universal primers 'mcb398' and 'mcb869'. The symbol (*) refers to the nucleotide bases which are conserved amongst 221 animal species listed in Table 1). The alignments have been done using software *CLUSTAL X (1.8)*. The nucleitide positions that are unmarked are variable amongst 221 animal species analyzed. These variable sites together constitute the molecular signature of an individual species, giving rise to molecular basis of species identification by our primers.

Table 3. Results of the blast analysis of the sequence revealed from 'adil.flesh' in '*mito*' database of NCBI. It shows the most significant alignment of cytochrome b sequence (328 bp) revealed from confiscated skin piece 'adil.flesh' with *felis catus* cytochrome b gene sequence (genbank registration number NC_001700.1, bits score 365, E value, e-101) registered in NCBI database (bits score 365 and E value e-101). It gives an indication that the species of analyzed material belongs to family felidae. It also fulfills the requirements of column 6 mention above under sub-heading 'Objectives of invention'.

Table 4. Results of the blast analysis of the sequence revealed from 'adil.flesh' in '*nr*' database of NCBI. It shows the most significant alignment of cytochrome b sequence (328 bp) revealed from confiscated skin piece 'adil.flesh' with *Panthera pardus* cytochrome b gene sequence (genbank registration number AY005809, bits score 603, E value, e-170) registered in NCBI database. It gives an indication that the species of analyzed material belongs to *Panthera paurdus origin. It also fulfills the requirements* of column 6 mention above under sub-heading 'Objectives of invention'.

Table 5. Reference animal belonging to family felidae selected for comparison with 'adil.flesh' to confirm the findings of BLAST analysis results of which are mentioned in Table 3 and 4, respectively. The animals listed in SN. 1-21 represent different species of family felidae. SN. 22 and 23 are primate species taken for out-group comparisons.

Table 6 Multiple sequence alignments of cytochrome b sequences (328 bp) revealed from 'adil.flesh' and reference animals listed in Table 5. The positions that have a common nucleotide in all the animal species under investigation are shown with a star (*) mark:

however, the positions that are variable in any of the animals under investigation are unmarked. The nucleotides at these positions constitute the molecular signature of an individual species, which are unique and highly specific for its species. These signatures are the molecular basis of identification of individual animal species using our primers 'mcb398' and 'mcb869'.

Table 7 (Tables 7a, 7b, 7c and 7d). The comparison of the molecular signatures of different animal species investigated along with 'adil.flesh', the confiscated skin of unknown animal origin. This table demonstrates the variable positions (i.e. the positions which are not marked with star (*) symbol in Table 6), amongst the 328 bp fragment revealed from the animals listed in Table 5. The dot (.) mark represents the presence of the similar nucleotide as listed in lane 1 i.e. the sequence from "adil.flesh' at that position. It demonstrates that the signatures of each species are unique and specific to its species. The molecular signatures of 'adil.flesh' are comparable (except for position 37 which has a transition from 'T' to 'C') to the molecular signature of 'gz1L' i.e. the known leopard *'Panthera pardus'* source, indicating the identity of the source of confiscated skin 'adil.flesh' as that of a leopard *'Panthera pardus'* source. The nucleotide variations (at the positions 153, 198, 223, 264, among the known leopards, (i.e. gz1L, gz2L, and gz3L, respectively)), give an idea about the geographical habitat of each animals. Various studies referring to molecular evolution of different animal species support this hypothesis[75]; however, it could further be confirmed by taking the reference animals from different geographical areas and analyzing by our primers 'mcb 398' and 'mcb869'. If we could generate the database of different haplotypes (i.e. habitat specific molecular signatures) of the animal species, it would also enable our primers to reveal the geographical location of the commitment of wildlife crime.

Table 8. Percent similarity matrix calculated by pair-vise comparisons of nucleotide sequences aligned (illustrated in Table 6). The cytochrome b gene sequence of DNA isolated from confiscated material had maximum similarity (99.7% and 98.2%, with the lineages of animals 'gz2L' and 'gz3L', respectively) with the sequences obtained from known normal leopard source, indicating its identity as that of a leopard origin. The similarity matrix has been calculated using the software *PHYLIP (3.5)*.

Table 9. Animals selected for validation of minimum P,S score for efficient amplification of cytochrome b gene of different origin by the primers 'mcb398' and 'mcb869'. P,S score of primers 'AFF' and 'AFR' for these animals are shown.

Table 10. BLAST analysis of primers 'mcb398' in *nr* database of NCBI . It demonstrates

that the 3' end of this primer is highly conserved among a vast range of animal species. It also shows the significant homology among the primer and templates (i.e. the cytochrome b gene fragment of different animal species), confirming the universal nature of our primer

Table 11. BLAST analysis of primers 'mcb869' in *nr* database of NCBI. It demonstrates that the 3' end of this primer is highly conserved among a vast range of animal species. It also shows the significant homology among the primer and templates (i.e. the cytochrome b gene fragment of different animal species), confirming the universal nature of our primer.

Table 12. Other animal belonging to distantly related animal species, investigated to confirm the universal nature of primers 'mcb398' and 'mcb869'. Gel photograph showing the PCR amplicons from these animals are shown in Figure 4.

The mitochondrial cytochrome b gene has very widely been used in molecular taxonomic studies. It has immense capabilities to reveal different evolutionary lineages of animals in family, genus and species specific manner. It has also been used to classify the population of a particular species according to its demographic distributions[75]. The vast database of cytochrome b sequences of different animal species has accumulated in public databases such as Genbank and NCBI[1-65]. We have explored these unique characteristics of cytochrome b gene to establish the identity of confiscated remains of any unknown animal by inventing a pair of novel primers, 'mcb398' and 'mcb869', that can amplify a small fragment (472 bp) of cytochrome b gene of wide range of animal species in universal manner. These primers work universally because its 3' ends target within a highly conserved region.

The fragment of cytochrome b gene identified had all the features mentioned in columns 1, 2 and 3 listed under sub-heading 'Objective of invention'. We identified this fragment by aligning the cytochrome b gene sequences (1140 bp) of 221 different animal species listed *in Table 1. These sequences are publicly available in NCBI DNA databases.* These sequences were aligned using the software *CLUSTAL X (1.8)*. As mentioned before, the 472 bp fragment of cytochrome b gene identified by us to have the features mentioned in columns 1, 2 and 3 listed under sub-heading 'Objective of invention' includes the nucleotides between 398 to 869 in *Antilope cervicapra* and *Felis catus*; however, 399 to 870 in *Homo sapiens sapiens* species. Except at few positions (marked as star (*) in Table 2, the nucleotide sequences of this fragment are highly variable amongst the animal species, revealing the identity of the biological material belonging to that of an unknown animal origin by the procedure invented by us. As for identity of this fragment we are

considering *Antilope cervicapra* as a representative species, and the sequence the above fragment of cytochrome b gene of *Antilope cervicapra* is mentioned herewith:

Mitochondrial cytochrome b gene sequence (398-869 bp) of *Antilope cervicapra*

"taccatgaggacaaatatcttttgaggagcaacagtcatcaccaatctcctttcagcaatcccatacatcggtacaaacctagtaga
atgaatctgaggagggttctcagtagataaagcaacccttacccgatttttcgccttccactttatcctcccatttatcattgcagcctt
accatagtacacctactgtttctccacgaaacaggatccaacaaccccacaggaatctcatcagacgcagacaaaattccatttccac
ccctactacactatcaaagatatcctaggagctctactattaattttaaccctcatgcttctagtcctattctcaccggacctgcttggag
acccagacaactatacaccagcaaacccacttaatacacccccacatatcaagcccgaatgatacttcctatttgcatacgcaatcct
ccgatcaattcctaacaaactaggagg

Table 2 presents the alignment of the above fragment of cytochrome b gene of 221 animal species. Each species in table 2 has been represented by a unique code, which is decoded in Table 1. We selected these species to represent the vast range of animal families of distant orders. Of 221 species, about 65 were the protected/endangered or rare species listed in Wildlife (Protection) Act , 1972 (Central Act NO 53 of 1972). These species are marked with symbol (*) in Table 1. The NCBI accession number refers to its registration number in NCBI database and the number in superscript represent the reference cited. Based on the aligned cytochrome b sequences of different 221 animal species the primers designed were as follow:

Primers name	Sequence (5'-3')
'mcb398'	"TACCATGAGGACAAATATCATTCTG"
'mcb869'	"CCTCCTAGTTTGTTAGGGATTGATCG"

Tables 2, 10 and 11, respectively, demonstrates that the 3' ends of the primers are highly conserved amongst all the animal species analyzed *in-silico* (In total 221 animal species listed in Table 1 and about 500 species listed in Tables 10 and 11, respectively) Also, the 5' end of the primers were selected within the conserved region of cytochrome b gene to *improve the probability and stability of match of the primers to their target sequences* (*i.e.* the above mentioned 472 bp fragment of cytochrome b gene). The primers were thoroughly checked for internal stabilities, loop or dimmer formation using different software viz., 'Amplify (1.2)', 'Primer3' (http://www.genome.wi.mit.edu/cgi-bin/primer/primer3.cgi) as well as manually. . We assigned the P,S score (P=Probability of match, S=Stability of match) to the primers for each template using the software *Amplify (1.2)*. The higher scores of P and S ensure a good amplification if all other conditions standard (which are mentioned under 'Example 3') are optimum. The Highest score for 'mcb398' was 98.63 (i.e. the situation where the primer has perfect match with template);

however, the highest P, S for 'mcb869' was recorded as 98, 68 for a complete match between the primer and template. The lowest P,S score observed for 'mcb398' was 81,50 for species *Talpa europaea* whereas 'mcb869' had a high P, S score for this species (92, 57). The another species which have lowest P, S score for one of the two primers were *Eumeces egregious* and *Equus ainus*. *Eumeces egregious* had P, S score 86, 55 and 73,51 for 'mcb398' and 'mcb869', respectively; however, the P, S score of *Equus ainus was calculated as* 91,61 and 73, 51 for 'mcb398' and 'mcb869', respectively. All other animals had higher P, S scores then the above mentioned species. To ensure that these primers would work efficiently with the DNA template from the animals having the lowest P, S score for one of the primers, we designed an another experiment to validate the lower limits of one of the two primers sufficient for efficient amplification in PCR. We designed an another primer pair (AFF= 5'tagtagaatgaatctgaggagg3' and AFR=5'atgcaaataggaagtatcattc3'.) having more mis-pairing at their annealing sites (but not at ends), therefore have less internal stability and lower P, S scores for its templates (listed in Table 9). The P,S scores of 'AFF' and 'AFR' were as calculated as low as 41 and 49 for *Platanista gangetica* and *Sus scrofa* These species were amplified efficiently using the primers 'AFF' and 'AFR' (results shown in Figure 3) (keeping all other conditions standard i.e. the conditions mentioned in 'Example 3'). The lowest P,S scores (86, 55 and 73,51 for species *Eumeces egregious*) for our primers 'mcb398' and 'mcb869', respectively, were higher then the above range of combined P, S scores of 'AFF' and 'AFR' for species *Sus scrofa* (87, 52 and 87, 41), which was efficiently amplified by the primers 'AFF' and 'AFR'. It gives an indication that the primers 'mcb 398' and 'mcb 869' would work with all the species including *Eumeces egregious* efficiently to give rise to the expected product in PCR. This experiment confirmed that the primers 'mcb398' and 'mcb 869' are capable of amplifying the cytochrome b fragment of most of the animal species in *a universal manner.*

For further confirmation of universal nature of our primers, we blasted the sequence of our primers against the *mito* and *nr* databases of NCBI using BLAST software. The results of these analyses are shown in Tables 10, and 11, respectively.

Finally, the universal nature of the primers was tested in our laboratory with some more animal species listed in Table 12. These primers amplified all the animal species efficiently, giving rise to the band of expected size (472 bp). The results are shown in Figure 4. This experiments substantiated the results of P,S analysis and other *in-silico* analyses to show that the primers 'mcb398'and 'mcb 869' are universal primers.

The flow chart of establishing identity of the species of biological material of unknown animal origin using primers 'mcb398' and 'mcb869'



Examples

Example 1

Example for identification of a fragment of cytochrome b gene fulfilling the requirements of columns 1, 2 and 3 mentioned under sub-heading 'Objectives of invention' of heading 'Brief summary of invention'

The cytochrome b molecule has very vastly been used in molecular taxonomic studies. Being a slow evolving gene, It has a tremendous information in its nucleotide sequences to distinguish the animals to their family, genus and species sources[1-65]. A vast database of the sequences of cytochrome b gene of different animal species has accumulated in the *nr* and *mito* databases of NCBI. We have explored these qualities of cytochrome b gene to establish the identity of confiscated remains of unknown animal origin to its family, genus and species sources. For this purpose, we have identified a fragment of cytochrome b gene which is highly polymorphic inter-specifically, however, it is monomorphic among the individual of same species, therefore it can group the individual of an unknown species with the known individuals of reference species to which it belongs. In order to amplify this fragment from DNA isolated form any unknown origin, it was necessary that it remain flanked with the highly conserved sequences amongst a vast range of animal families. To identify such a unique fragment within the cytochrome b gene, we aligned the sequences of 221 distantly related animal species (listed in Table 1) representing various families using software CLUSTAL X (1.8). These sequences were obtained from public database NCBI (http://www.ncbi.nlm.nih.gov). The aligned data was examined carefully for the conserved sites amongst all the species included in *in-silico* analysis. We identified a fragment (472 bp) of cytochrome b gene that was fulfilling all the requirements mentioned above and also under column 1, 2 and 3 of sub-heading 'Objectives of invention'.

As for the identity of this fragment we would like to mention that it includes the nucleotides between 398 to 869 in *Antilope cervicapra* and *Felis catus*; however, 399 to 870 in *Homo sapiens sapiens* species. Except at few positions marked as star (*) in Table 2, the nucleotide sequences of this fragment are highly variable amongst the animal species, giving rise to their unique molecular signature. These molecular signatures are characteristic of its species and form the basis of revealing the identity of the biological material of an unknown animal origin by the procedure invented by us. Considering *Antilope cervicapra* as a representative species. the sequence of this fragment is mentioned herewith:

Mitochondrial cytochrome b gene sequence (398-869 bp) of *Antilope cervicapra*

"taccatgaggacaaatatctttttgaggagcaacagtcatcaccaatctcctttcagcaatcccatacatcggtacaaacctagtaga
atgaatctgaggagggttctcagtagataaagcaacccttacccgatttttcgccttccactttatcctcccatttatcattgcagcctt
accatagtacacctactgtttctccacgaaacaggatccaacaaccccacaggaatctcatcagacgcagacaaaattccattccac
ccctactacactatcaaagatatcctaggagctctactattaattttaaccctcatgcttctagtcctattctcaccggacctgcttggag
acccagacaactatacaccagcaaacccacttaatacacccccacatatcaagcccgaatgatacttcctatttgcatacgcaatcct
ccgatcaattcctaacaaactaggagg"

Example 2:

Example for development of universal primers to amplify the fragment identified mentioned under 'Example 1'.

A pair of universal primer was designed which has the following features:

1. It targets the fragment identified (mentioned under 'Example 1') to amplify it in polymerase chain reaction (PCR).
2. Its 3' and 5' ends that are highly conserved (marked as star (*) in Table 2), amongst a vast range of animal species ensuring the amplification of the fragment mentioned above in a universal manner. The sequencing of the fragment amplified by these primes reveals the molecular signature of the species of analyzed material, which on comparison with the sequences of the known reference animals reveals the identity of the species of unknown biological material under investigation.
3. The tm (melting temperature) of both primers was almost similar (about 58 degree centigrade) ensuring the significant annealing of both the primers to its template, therefore significant amplification of targeted region in PCR.
4. The internal stability and P, S, score of the primers were ensured higher while designing it. The possibilities of internal loop formation, dimmer formation etc were also excluded by selecting its sequence uniquely. This ensured that the primer would be a good primer to be used in PCR for amplification of DNA from unknown animal origin.
5. The 3' end of the primers were ensured to have either 'G' or 'C' to increase the probability of strong bonding at its 3'ends, which is necessary for efficient amplification of DNA template in PCR. It also strengthens the universal nature of the primer.
6. The sequences of the primers were ensured to be unique so that it does not give rise to non-specific and spurious products in PCR leading to confusion. It improved the efficiency and quality of the technique invented by us.

7. These primers were named as 'mcb398' and 'mcb869' because of its property to amplify a region of mitochondrial cytochrome b gene between nucleotides 398 to 869 of *Antilope cervicapra*, a representative animal species for this invention. We took this animal species as representative species because the idea of developing such a novel primers came in the mind of inventors while they were working on the genome of this animal in Centre for Cellular and Molecular Biology, Hyderabad, India.
8. The sequences of the universal primers invented are as follows:

Primers name	Sequence (5'-3')
'mcb398'	"TACCATGAGGACAAATATCATTCTG"
'mcb869'	"CCTCCTAGTTTGTTAGGGATTGATCG"

Example 3:

Example for development of universal PCR conditions to ensure the amplification of a template of any unknown origin in PCR, hence strengthening the universal nature of the technique invented by us

The PCR conditions developed had the following unique features:

1 These were capable of amplifying the DNA template of any animal origin in an universal manner using the universal primers mentioned under 'Example 2'.

2. The conditions were selected to ensure the comparable annealing temperature for both the primers i.e. 'mcb398' and 'mcb869'.

3. The PCR conditions standardized herewith are universal; therefore, the possibility of PCR failure with a template of unknown origin due to non-standard conditions is excluded. It ensures the universal nature of our technique to be used in wildlife forensics.

4. *The universal conditions mentioned above are:*

Amplification reactions should be carried out in 20 µl reaction volume containing approximately 20 ηg of template DNA, 100µm each of dNTPs, 1.25 pmole of each primer, 1.5mM $MgCl_2$, 0.5 unit of Ampli*Taq* Gold (Perkin-Elmer-Cetus, USA) DNA polymerase and 1X PCR buffer (10mM Tris-HCl, pH 8.3, and 50mM KCl). The amplification profiles followed should be: an initial denaturation at 95^0C for 10 min, followed by 35 cycles each of denaturation at 95^0C for 45 s, annealing at 51^0C for 1 min, and extension at 72^0C for 2 min. The extension step at 35^{th} cycles should be held for 10 min.

Example 4:

Establishing the universal nature of our primer and experimental evidences to demonstrate the universal nature of primers:

The universal nature of the primers 'mcb398' and 'mcb 869' was ensured by the following measures:

(a) Selecting the primers from the aligned cytochrome b gene sequences of 221 animal of distantly related species:

The cytochrome b gene sequences (1140 bp) were aligned using software *CLUSTAL X (1.8)*. The region of cytochrome b gene that was most conserved amongst 221 animal species was selected to design the primers.

(b) Selecting the 3' and 5' ends of the primers at the highly conserved positions of cytochrome b gene:

The 3' and 5' ends of the primers were ensured to anneal to a highly conserved position amongst 221 animal species representing a vast range of animal families. It was done to ensure an efficient amplification of all the species in PCR. These positions are shown with star (*) mark in Table 2.

(c) Ensuring either 'G' or 'C' at the 3' end of the primers:

It was ensured the primers to have either 'G' or 'C' at its 3' ends as these are the nucleotides that ensure the strong bonding at the 3' ends of the primers due to three hydrogen bonds while pairing with each other. The strong bonding at 3' ends helps the primers to anneal properly with its template resulting in significant amplification in PCR.

(d) Selecting the sequences of the primers to ensure a higher internal stability, higher P, S score, and no primer dimmer and loop formation:

The sequences of the primers were selected to have a high P, S score for a vast range of animal species (Shown in Table 1). The care was taken to exclude the possibilities of loop *or primer dimmer formation that could reduce the efficiency of the primers* in PCR.

(e) Selecting the sequence of the primers with a comparable melting temperature:

The sequences of the primers were selected to have a comparable melting temperature so that these could work together to amplify a DNA template in PCR at a similar annealing temperature. The melting temperature of both the primers was about 58 degree centigrade and the annealing temperature used in PCR is 51 degree centigrade.

Experimental evidences to demonstrate the universal nature of primers:

(1) Evidence from *In-silico* analysis :

(a) Selecting the primers within the most conserved region of mitochondrial cytochrome b gene

As mentioned above, the primers were designed to anneal within a highly conserved region of mitochondrial cytochrome b gene fragment of 472 bp. Table 2 presents the alignment of the above fragment of cytochrome b gene of 221 animal species representing a vast range of animal families. The conserved positions of nucleotide sequences are shown with star (*) mark in Table 2

Table 2 also demonstrates that the 3' ends of the primers are highly conserved amongst all the animal species analyzed *in-silico*. In the aligned sequences, the conserved nucleotides are marked with symbol (*). Also, the 5' end of the primers were selected within the conserved region of cytochrome b gene to improve the probability and stability of match of the primers to their target sequences (i.e. the above mentioned 472 bp fragment of cytochrome b gene). The primers were thoroughly checked for internal stabilities, loop or dimmer formation using different software viz., *'Amplify (1.2)'*, *'Primer3'* (http://www.genome.wi.mit.edu/cgi-bin/primer/primer3.cgi) as well as manually.

(b) P, S, score analysis:

We assigned the P,S score (P=Probability of match, S=Stability of match) to the primers for each template using the software *Amplify (1.2)*. The higher scores of P and S ensure a good amplification if all other conditions standard (which are mentioned under 'Example 3') are optimum. The Highest score for 'mcb398' was 98,63 (i.e. the situation where the primer has perfect match with template); however, the highest P, S for 'mcb869' was recorded as 98, 68 for a complete match between the primer and template. The lowest P,S score observed for 'mcb398' was 81,50 for species *Talpa europaea* whereas 'mcb869' had a high P, S score for this species (92, 57). The another species which have lowest P, S score for one of the two primers were *Eumeces egregious* and *Equus ainus*. *Eumeces egregious* had P, S score 86, 55 and 73,51 for 'mcb398' and 'mcb869', respectively; however, the P, S score of *Equus ainus was calculated as* 91,61 and 73, 51 for 'mcb398' and 'mcb869', respectively. All other animals had higher P, S scores then the above mentioned species. To ensure that these primers would work efficiently with the DNA template from the animals having the lowest P, S score for one of the primers, we designed an another experiment to validate the lower limits of one of the two primers sufficient for efficient amplification in PCR. We designed an another primer pair (AFF= $^{5'}$ctagtagaatgaatctgaggagg$^{3'}$ and AFR= $^{5'}$tatgcaaataggaagtatcattc$^{3'}$.) that have more mis-pairing at their annealing sites (but not at ends), therefore have less internal stability

and lower P, S scores for its templates (listed in Table 9). The P,S scores of 'AFF' and 'AFR' were as calculated as low as 41 and 49 for *Platanista gangetica* and *Sus scrofa* These species were amplified efficiently using the primers 'AFF' and 'AFR' (results shown in Figure 3) (keeping all other conditions standard i.e. the conditions mentioned in 'Example 3'). The lowest P,S scores (86, 55 and 73,51 for species *Eumeces egregious*) for our primers 'mcb398' and 'mcb869', respectively, were higher then the above range of combined P, S scores of 'AFF' and 'AFR' for species *Sus scrofa* (87, 52 and 87, 41), which was efficiently amplified by the primers 'AFF' and 'AFR'. It gives an indication that the primers 'mcb 398' and 'mcb 869' would work with all the species including *Eumeces egregious* efficiently to give rise to the expected product in PCR. This experiment confirmed that the primers 'mcb398' and 'mcb 869' are capable of amplifying the cytochrome b fragment of most of the animal species in a universal manner.

© BLAST analysis:

The sequences of primers 'mcb398' and 'mcb869' were blasted against mito and nr databases of NCBI to see its significant alignments with the sequences registered in GenBank. As expected, the most significant alignments of the sequences were found with the cytochrome b gene regions (within the 472 bp fragment mentioned in 'Example 1') of different animal species. This analysis also showed that the 3' as well as 5' ends of the primers were highly conserved amongst a vast range of animal species, confirming the universal nature of the primers (Tables 10 and 11, respectively)

(2) Evidence from bench work/experiments done in laboratory conditions:

The DNA from different animals belonging to distantly related species (mentioned in Table 12) was isolated and subjected to PCR amplification using the primers invented by us i.e. the primers 'mcb398' and 'mcb869' The PCR products amplified were resolved in agarose gel by electrophoresis and visualized under UV light. The PCR products of expected size (472bp) were obtained from all the animals confirming the universal nature of our primers. These results are shown in Figure 4.

Example 5:

Example to establish the identity of confiscated remains from unknown animal origin using the universal primers 'mcb398' and 'mcb869'.

The step-vise procedure to establish the identity of the biological material from an unknown animal source is mentioned below:

Biological material of unknown animal origin

DNA isolation

↓

PCR amplification of DNA isolated using primers 'mcb398' and 'mcb869'

↓

Sequencing at both the strands in triplicate (using any standard procedure of sequencing such as using ABI Prism 3700, PE-Applied Bio-systems)

↓

BLAST of revealed sequence in *mito* database of NCBI

(http://www.ncbi.nlm.nih.gov/BLAST

(it gives idea about the family of the analyzed material by producing the most significant alignment of the query sequence with the sequences registered in database)

↓

BLAST of revealed sequence in *nr* database of NCBI

(http://www.ncbi.nlm.nih.gov/BLAST

(it gives idea about the Genus or more precisely, species of the analyzed material by producing the most significant alignment of the query sequence with the sequences registered in database)

↓

Selection of reference animals belonging to the family/Genus/and species revealed by *mito* and *nr* BLAST searches

↓

Isolation of DNA from the blood of known reference animals;

PCR amplification using primers 'mcb398' and 'mcb869' ; sequencing of the PCR products in triplicate using the same primers

↓

Multiple sequence alignments of the revealed sequences of mitochondrial cytochrome b gene of known reference animals and the biological material of unknown animal origin using software such as *Autoassembler/CLUSTAL X (1.8)*

↓

Identification of sequence from the aligned sequences
that is homologous (or significantly similar) to the cytochrome b gene sequence of the
DNA obtained from biological material of
unknown animal origin.

↓

The species of homologous sequence would be the species of the biological material under investigation

↓

Application of the above information for the objectives mentioned in columns 7-13 under sub-heading 'Objective of invention' of heading 'Summary of invention'

Example 6:

The actual execution of the technique invented

As a first application and to demonstrate the ease and utility of this method, we investigated a case of forensic identification submitted at our laboratory to seek scientific opinion on animal hunting evidence. In this case, we received the half burned remains of an unknown animal, confiscated by the crime investigation agencies. The DNA was isolated from the above material following standard methods[74] and subjected to PCR amplification using the primers mentioned above (viz., 'mcb398' and 'mcb869'). Amplification reactions were carried out in 20 µl reaction volume containing 20 ηg of template DNA, 100µm each of dNTPs, 1.25 pmole of each primer, 1.5mM $MgCl_2$, 0.5 unit of Ampli*Taq* Gold (Perkin-Elmer-Cetus, USA) DNA polymerase and 1X PCR buffer (*10mM Tris-HCl, pH 8.3, and 50mM KCl*). *The amplification profiles followed were: an* initial denaturation at 95^{0}C for 10 min, followed by 35 cycles each of denaturation at 95^{0}C for 45 s, annealing at 51^{0}C for 1 min, and extension at 72^{0}C for 2 min. The extension step at 35th cycles was held for 10 min.

The PCR products obtained were sequenced in automated work station (ABI Prism 3700, PE-Biosystems) on both strands in triplicate and the sequence resolved (328 bp, shown in Figure 1a) was blasted against *mito* databases of NCBI using BLAST program[73]. The most significant alignment (bits Value 365, E value e^{-101}) of this sequence was produced with the cytochrome b gene sequence of *Felis catus*, (Table 3) indicating that species of

analyzed material belongs to family felidae. Further, the above sequence revealed from the confiscated remain was blasted against *nr* databases of NCBI using BLAST program. The most significant alignment (bits Value 603, E value e^{-170}) of this sequence was produced with the cytochrome b gene sequence of *Panthera pardus* (Table 4), indicating the identity of the analyzed material as that of a *Panthera pardus* source. Based on this information, we selected the reference animals listed in Table 5 representing different species and subspecies of felidae. The DNA isolated from reference animals was amplified and sequenced on both strands in triplicate using the primer pair mentioned above. Consensus sequences obtained were aligned using program *CLUSTAL X (1.8)* (Table 6). Sequence comparisons identified 113 variable sites in total amongst all animals analyzed (Table 7). Pair-vise comparisons of sequences were performed to find out the variation among different animals investigated. All the species investigated were differentiated by a their unique nucleotides sequences. The molecular signatures of different reference animals were compared with the molecular signature of the confiscated skin 'adil.flesh'. Table 7 demonstrate that the maximum similarity of the adil.flesh with 'gz1l' i.e. known Leopard (*Panthera pardus*) species, indicating the identity of the adil.flesh, the confiscated skin, as that of a Panthera pardus origin. We also calculated the similarity matrix showing the pair-vise similarity amongst the animal species under investigation using *PHYLIP* software This matrix is shown in Table 8. It demonstrates that the animals belonging to different species had more variation; however, the animals of same species had maximum similarity among their cytochrome b sequences. The cytochrome b gene sequence of DNA isolated from confiscated material had maximum similarity with the sequences obtained from known Leopard source(99.7%, and 98.2 with 'gz1l' and 'gz2l', respectively); establishing the identity of the source of confiscated material as that of a Normal leopard (*Penthera pardus*) species. The step-vise procedure involved in above analysis is illustrated in Figure *1a, 1b and 1c, respectively.*

Thus, the primers invented by us can generate the molecular signature from any biological material of unknown animal origin, which actually is the characteristic of its family, genus and more precisely, the species. When these signatures are compared *in-silico* with the signatures already available in public databases (viz., GenBank, NCBI database etc) using *BLAST* software[73], it indicates identity of the family, genus or species of the analyzed material, which in turn is confirmed practically by comparing with the reference animals of the revealed family, genus or species, by including them in the further analysis by the primers 'mcb398' and 'mcb869'. Application of the information revealed could be in

fulfilling the requirements of objectives mentioned in columns 7-13 under sub-heading 'Objective of invention' of heading 'Summary of invention'

The method of the invention can be used to establish the identity of confiscated animal parts and products is one of the key requirements of wildlife identification in forensics. It is needed to establish the crime with the criminal beyond a reasonable doubt to avoid the human violation of wildlife resources. Various morphological biochemical and molecular approaches have been given for this purpose; however, none of the current methods is universally applicable to detect the mutilated animal remains of unknown origin. We have identified a fragment on the mitochondrial cytochrome b gene, which has enormous information to differentiate among various animal species back to the family, genus and species sources. We have also found that this fragment is flanked by the highly conserved sequences amongst a vast range of animal species. We invented a pair of universal primer that can amplify this fragment of DNA isolated from the biological material of an unknown animal origin in polymerase chain reaction (PCR) to reveal its identity at species and sub-species sources. This novel invention has great potential to revolutionize the whole scenario of wildlife forensic identification and crime investigation.

Table 1. The animal species included in the study for *in-silico* analysis

SN.	Code	Name	NCBI accession #	[$]P,S/F	[¥]P,S/R
1	aep.mel	*Aepyceros melampus*	AF036289[1]	97, 60	94, 62
2	ore.ore	*Oreotragus oreotragus*	AF036288[1]	88, 52	94, 62
3	add.nas	*Addax nasomaculatus*	AF034722[2]	97, 60	95, 66
4	ory.dam	*Oryx damah*	AJ222685[1]	90, 58	95, 66
5	hip.equ	*Hippotragus equinus*	AF022060[3]	98, 63	85, 55
6	alc.bus	*Alcelaphus buselaphus*	AJ222681[1]	97, 60	98, 68
7	sig.lic	*Sigmoceros lichtensteinii*	AF034967[4]	97, 60	98, 68
8	bea.hun	*Beatragus hunteri*	AF034968[4]	97, 60	94, 62
9	dam.lun	*Damaliscus lunatus*	AF016635[3]	97, 60	77, 55
10	con.tau	*Connochaetes taurinus*	AF016638[3]	82, 56	93, 62
11	bis.bon	*Bison bonasus*	Y15005[5]	90, 58	87, 63
12	bos.gru	*Bos grunniens* •	AF091631[6]	90, 58	94, 62
13	bos.tra	*Bos tragocamelus* •	AJ222679[1]	90, 58	95, 66
14	buba.bub	*Bubalus bubalis* •	D34637[7]	97, 60	93, 64
15	bub.min	*Bubalus mindorensis*	D82895[8]	97, 60	87, 62
16	tra.ang	*Tragelaphus angasii*	AF091633[6]	97, 60	87, 63
17	tra.eur	*Tragelaphus eurycerus*	AF036276[1]	90, 58	97, 64
18	nem.cau	*Nemorhaedus caudatus* •	U17861[9]	95, 61	93, 59
19	pse.nay	*Pseudois nayaur*	AF034732[2]	89, 55	89, 59
20	amm.ler	*Ammotragus lervia*	AF034731[2]	94, 58	97, 63
21	cap.fal	*Capra falconeri* •	D84202[10]	98, 63	95, 66
22	cap.ibe	*Capra ibex* •	AF034735[2]	98, 63	89, 58
23	hem.jem	*Hemitragus jemlahicus* •	AF034733[2]	95, 61	90, 61
24	rup.pyr	*Rupicapra pyrenaica*	AF034726[2]	95, 61	89, 59
25	rup.rup	*Rupicapra rupicapra*	AF034725[2]	95, 61	94, 64
26	pan.hod	*Pantholops hodgsoni*	AF034724[2]	98, 63	95, 66
27	bud.tax.tax	*Budorcas taxicolor taxicolor* •	U17868[9]	90, 58	95, 66
28	ovi.amm	*Ovis ammon* •	AF034727[2]	98, 63	97, 64
29	ovi.vig	*Ovis vignei* •	AF034729[2]	98, 63	97, 64
30	cap.cri	*Capcornis crispus* •	AJ304502[11]	98, 63	94, 63
31	ovi.mos	*Ovibos moschatus*	U17862[9]	98, 63	92, 61
32	ore.ame	*Oreamnos americanus*	AF190632[12]	98, 63	94, 62
33	cep.dor	*Cephalophus dorsalis*	AF091634[6]	97, 58	90, 61
34	cep.max	*Cephalophus maxwellii*	AF096629[13]	97, 60	88, 53
35	alc.alc	*Alces alces*	AJ000026[14]	95, 61	93, 59
36	hyd.ine	*Hydropotes inermis*	AJ000028[14]	97, 60	90, 63
37	mun.mun	*Muntiacus muntjak* •	AF042718[15]	90, 58	93, 64
38	cer.ele.kan	*Cervus elaphus kansuensis* •	AB021098[16]	98, 63	82, 59
39	cer.ele.xan	*Cervus elaphus xanthopygus* •	AB021097[16]	98, 63	82, 59
40	cer.ele.can	*Cervus elaphus canadensis* •	AB021096[16]	98, 63	90, 61
41	cer.nip.ce	*Cervus nippon centralis*	AB021094[16]	98, 63	90, 61
42	cer.nip.ye	*Cervus nippon yesoensis*	AB021095[16]	98, 63	90, 61
43	cer.nip.ke	*Cervus nippon keramae*	AB021091[16]	98, 63	90, 61

44	cer.nip.pu	*Cervus nippon pulchellus*	AB021090[16]	98, 63	90, 61
45	cer.nip.ni	*Cervus nippon nippon*	AB021093[16]	98, 63	90, 61
46	cer.ela.sc	*Cervus elaphus scoticus*	AB021099[16]	98, 63	90, 61
47	cer.dam	*Cervus dama*	AJ000022[14]	98, 63	88, 53
48	ran.tar	*Rangifer tarandus*	AJ000029[14]	98, 63	89, 57
49	mos.fus	*Moschus fuscus**	AF026888[17]	90, 59	90, 61
50	mos.leu	*Moschus leucogaster**	AF026889[17]	90, 59	90, 61
51	mos.chr	*Moschus chrysogaster**	AF026887[17]	90, 59	90, 61
52	mos.ber	*Moschus berezovskii**	AF026886[17]	90, 59	90, 61
53	mos.mos	*Moschus moschiferus**	AF026883[17]	90, 59	92, 61
54	kob.ell	*Kobus ellipsiprymnus*	AF022059[3]	91, 61	95, 66
55	kob.meg	*Kobus megaceros*	AJ222686[1]	91, 61	83, 56
56	red.aru	*Redunca arundinum*	AF096628[13]	91, 61	94, 62
57	red.ful	*Redunca fulvorufula*	AF036284[1]	89, 57	94, 62
58	neo.mos	*Neotragus moschatus*	AJ222683[1]	89, 57	94, 62
59	pel.cap	*Pelea capreolus*	AF022055[3]	91, 61	90, 61
60	ant.cer	*Antilope cervicapra**	AF022058[3]	82, 56	93, 64
61	sai.tat	*Saiga tatarica*	AF064487[18]	91, 61	92, 61
62	gaz.dam	*Gazella dama*	AF025954[3]	91, 61	92, 61
63	our.our	*Ourebia ourebi*	AF036288[1]	82, 56	82, 59
64	gaz.gaz	*Gazela gazella**	AJ222682[1]	91, 61	89, 57
65	rap.mel	*Raphicerus melanotis*	AF022053[3]	81, 54	80, 50
66	mad.kir	*Madoqua kirkii*	AF022070[3]	90, 58	97, 65
67	ant.ame	*Antilocapra americana*	AF091629[6]	98, 63	98, 68
68	tra.jav	*Tragulus javanicus**	D32189[19]	86, 57	86, 59
69	tra.nap	*Tragulus napu**	X56288[20]	81, 52	93, 58
70	bal.acu	*Balaenoptera acutorostrata*	X75753[21]	89, 56	97, 61
71	bal.bon	*Balaenoptera bonaerensis*	X75581[21]	89, 56	93, 59
72	bal.bor	*Balaenoptera borealis**	X75582[21]	89, 56	93, 59
73	bal.edi	*Balaenoptera edeni*	X75583[21]	89, 56	88, 54
74	esc.rob	*Eschrichtius robustus**	X75585[21]	97, 61	86, 57
75	bal.mus	*Balaenoptera musculus**	NC_001601[22]	97, 57	93, 59
76	meg.nov	*Megaptera novaeangliae**	X75584[21]	97, 61	94, 63
77	bal.phy	*Balaenoptera physalus**	NC_001321[23]	97, 57	94, 63
78	cap.mar	*Caperea marginata*	X75586[21]	93, 55	91, 53
79	cep.com	*Cephalorhynchus commersonii*	AF084073[24]	85, 51	88, 55
80	cep.eut	*Cephalorhynchus eutropia**	AF084072[24]	85, 51	92, 59
81	lag.obl	*Lagenorhynchus obliquidens*	AF084067[24]	94, 59	92, 59
82	cep.hea	*Cephalorhynchus heavisidii*	AF084070[24]	89, 56	97, 63
83	cep.hec	*cephalorhynchus hectori**	AF084071[24]	89, 56	92, 59
84	lag.aus	*Lagenorhynchus australis*	AF084069[24]	86, 54	92, 59
85	lag.cru	*Lagenorhynchus cruciger*	AF084068[24]	86, 54	92, 59
86	lag.obs	*Lagenorhynchus obscurus*	AF084066[24]	86, 54	92, 59
87	lis.bor	*Lissodelphis borealis*	AF084064[24]	85, 51	92, 59
88	lis.per	*Lissodelphis peronii*	AF084065[24]	86, 54	92, 59
89	glo.mac	*Globicephala macrorhynchus*	AF084055[24]	94, 59	88, 55
90	glo.mel	*Globicephala melas*	AF084056[24]	94, 59	88, 55
91	fer.att	*Feresa attenuata**	AF084052[24]	94, 59	92, 59

92	pep.ele	*Peponocephala electra**	AF084053[24]	94, 59	88, 55
93	gra.gri	*Grampus griseus*	AF084059[24]	97, 61	89, 59
94	pse.cra	*Pseudorca crassidens**	AF084057[24]	94, 59	92, 59
95	lag.acu	*Lagenorhynchus acutus*	AF084075[24]	98, 63	89, 59
96	orci.bre	*Orcinus orca*	AF084061[24]	86, 57	82, 52
97	orca.bre	*Orcaella brevirostris*	AF084063[24]	86, 57	91, 54
98	del.cap	*Delphinus capensis*	AF084087[24]	96, 54	97, 63
99	del.tro	*Delphinus tropicalis*	AF084088[24]	97, 57	97, 63
100	del.del	*Delphinus delphis*	AF084085[24]	97, 57	97, 63
101	sten.cly	*Stenella clymene*	AF084083[24]	97, 57	97, 63
102	sten.coe	*Stenella coeruleoalba*	AF084082[24]	97, 57	97, 66
103	tur.adu	*Tursiops aduncus*	AF084092[24]	97, 57	97, 63
104	sten.fro	*Stenella frontalis*	AF084090[24]	97, 57	97, 63
105	saus.chi	*Sousa chinensis*	AF084080[24]	97, 57	88, 59
106	sten.lon	*Stenella longirostris*	AF084103[24]	97, 61	97, 63
107	turs.tru	*Tursiops truncatus*	AF084095[24]	97, 57	96, 59
108	lage.alb	*Lagenorhynchus alborostris*	AF084074[24]	97, 61	97, 66
109	sten.bre	*Steno bredanensis*	AF084077[24]	97, 61	94, 64
110	sota.flu	*Sotalia fluviatilis*	AF304067[25]	97, 61	97, 63
111	del.leu	*Delphinapterus leucas*	U72037[26]	97, 61	95, 66
112	mono.mon	*Monodon monoceros*	U72038[26]	97, 61	95, 66
113	plat.gan	*Platanista gangetica**	AF304070[25]	97, 61	86, 59
114	plat.min	*Platanista minor**	X92543[27]	97, 61	86, 59
115	kogi.bre	*Kogia breviceps*	U72040[26]	97, 59	90, 63
116	kogi.sim	*Kogia simus*	AF304072[25]	96, 55	92, 63
117	phys.cat	*Physeter catodon*	AF304073[25]	97, 57	80, 58
118	lipo.vex	*Lipotes vexillifer**	AF304071[25]	89, 56	88, 53
119	phoc.sin	*phocoena sinus*	AF084051[24]	87, 49	92, 62
120	bera.bai	*Berardius bairdii*	X92541[27]	96, 55	90, 59
121	ziph.car	*Ziphius cavirostris*	X92540[27]	97, 61	89, 57
122	meso.eur	*Mesoplodon europaeus*	X92537[27]	97, 57	90, 61
123	meso.bid	*Mesoplodon bidens*	X92538[27]	97, 61	92, 61
124	meso.den	*Mesoplodon densirostris*	X92536[27]	91, 61	94, 63
125	hype.amp	*Hyperoodon ampullatus**	X92539[27]	97, 61	90, 65
126	meso.per	*Mesoplodon peruvianus*	AF304074[25]	97, 61	86, 58
127	pont.bla	*Pontoporia blainvillei*	AF304069[25]	92, 59	88, 55
128	hipp.amp	*Hippopotamus amphibius*	Y08813[29]	92, 58	95, 66
129	hex.lib	*Hexaprotodon liberiensis*	Y08814[29]	98, 63	97, 66
130	rhin.son	*Rhinoceros sondaicus**	AJ245725[30]	90, 59	87, 61
131	cera	*Ceratotherium simum*	NC_001808[32]	90, 59	90, 63
132	dic.sum	*Dicerorhinus sumatrensis*	AJ245723[30]	90, 59	86, 57
133	equu	*Equus asinus*	NC_001788[31]	91, 61	73, 51
134	baby.bab	*Babyrousa babyrussa*	Z50106[33]	89, 56	85, 56
135	phac.afr	*Phacochoerus africanus*	Z50090[33]	90, 59	87, 54
136	sus.scr.ew	*Sus scrofa haplotype EWB3**	AF136549[34]	97, 57	83, 54
137	sus.bar	*Sus barbatus*	Z50107[33]	97, 57	85, 55
138	lama.gla	*Lama glama*	U06429[35]	89, 55	85, 53
139	lama.gua	*lama guanicoe*	Y08812[29]	88, 54	86, 57

140	vic.vic	*Vicugna vicugna*	U06430[35]	89, 55	85, 53
141	cam.bac	*Camelus bactrianus*	U06427[35]	94, 58	86, 58
142	arc.for	*Arctocephalus forsteri*	X82293[36]	97, 60	87, 64
143	arc.gaz	*Arctocephalus gazella*	X82292[36]	94, 58	87, 64
144	eum.jub	*Eumetopias jubatus*	X82311[36]	97, 57	86, 57
145	zal.cal	*Zalophus californianus*	X82310[36]	89, 55	86, 57
146	odo.ros	*Odobenus rosmarus*	X82299[36]	91, 61	81, 52
147	pho.vit	*Phoca vitulina*	X82306[36]	90, 58	87, 64
148	pho.fascia	*Phoca fasciata*	X82302[36]	98, 63	95, 66
149	pho.gro	*Phoca groenlandica*	X82303[36]	92, 59	90, 61
150	cys.cri	*Cystophora cristata*	X82294[36]	89, 56	87, 64
151	hyd.lep	*Hydrurga leptonyx*	X82297[36]	89, 55	82, 54
152	lep.wed	*Leptonychotes weddelli*	X72005[37]	98, 63	91, 66
153	mir.leo	*Mirounga leonina*	X82298[36]	89, 55	82, 59
154	eri.bar	*Erignathus barbatus*	X82295[36]	89, 56	87, 63
155	mon.sch	*Monachus schauinslandi*	X72209[37]	91, 61	87, 60
156	hela.mal	*Helarctos malayanus**	U18899[38]	84, 54	90, 63
157	sel.thi	*Selenarctos thibetanus**	AB020910[39]	89, 57	87, 64
158	ail.ful	*Ailurus fulgen*s*	X94919[40]	93, 55	87, 64
159	fel	*Felis catus*	NC_001700[41]	85, 56	90, 63
160	can	*Canis familiaris*	NC_002008[42]	98, 58	84, 54
161	tal	*Talpa europaea*	NC_002391[43]	81, 50	92, 57
162	gla.sab	*Glaucomys sabrinus*	AF011738[44]	90, 59	82, 54
163	gla.vol	*Glaucomys volans*	AB030261[45]	90, 59	87, 60
164	hyl.pha	*Hylopetes phayrei**	AB030259[45]	91, 61	81, 50
165	pet.set	*Petinomys setosus**	AB030260[45]	91, 61	81, 50
166	bel.pea	*Belomys pearsonii**	AB030262[45]	91, 61	87, 64
167	pte.mom	*Pteromys momonga**	AB030263[45]	97, 61	90, 63
168	gala.demi	*Galagoides demidoff*	AF271411[46]	97, 58	87, 64
169	pero.pot	*Perodicticus potto*	AF271413[46]	97, 60	87, 63
170	gala.mat	*Galago matschiei*	AF271409[46]	97, 60	90, 61
171	gala.moh	*Galago moholi*	AF271410[46]	97, 57	95, 66
172	oto.gar	*Otolemur garnettii*	AF271412[46]	92, 58	87, 60
173	lor.tar	*Loris tardigradus**	U53581[47]	97, 60	93, 59
174	nyc.cou	*Nycticebus coucang**	U53580[47]	97, 60	95, 66
175	mus	*Mus musculus*	NC_001569[48]	97, 60	86, 59
176	gorr	*Gorilla gorilla*	NC_001645[49]	89, 57	80, 58
177	homo	*Homo sapiens sapiens*	NC_001807[50]	96, 55	84, 64
178	dug.dug	*Dugong dugong**	U07564[51]	97, 60	89, 59
179	ele.max	*Elephas maximus**	AB002412[52]	97, 60	76, 57
180	afr.con	*Afropavo congensis*	AF013760[53]	97, 58	87, 63
181	pavo.mut	*Pavo muticus**	AF013763[53]	97, 57	87, 63
182	tra.bly	*Tragopan blythii**	AF200722[54]	89, 55	85, 57
183	tra.sat	*Tragopan satyra**	AF229837[54]	89, 55	86, 61
184	tra.cob	*Tragopan caboti*	AF200723[54]	89, 55	86, 61
185	tra.tem	*Tragopan temminckii**	AF028502[55]	89, 55	81, 56
186	arg.arg	*Argusianus argus*	AF013761[53]	89, 55	87, 63
187	cat.wal	*Catreus wallichi**	AF028792[55]	88, 54	85, 57

188	cro.cro	*Crossoptilon crossoptilon**	AF028794[53]	89, 55	85, 57
189	sym.ree	*Syrmaticus reevesi**	AF028801[53]	89, 55	85, 57
190	bam.tho	*Bambusicola thoracica**	AF028790[53]	80, 48	94, 64
191	fra.fra	*Francolinus francolinus*	AF013762[53]	97, 58	86, 61
192	ith.cru	*Ithaginis cruentus**	AF068193[53]	98, 63	85, 57
193	ant.par	*Anthropoides paradisea*	U27557[56]	85, 56	82, 58
194	ant.vir	*Anthropoides virgo*	U27545[56]	84, 54	82, 52
195	gru.ant.an	*Grus antigone antigone*	U11060[57]	90, 58	87, 63
196	gru.ant.gi	*Grus antigone gillae*	U11064[57]	90, 58	87, 63
197	gru.any.sh	*Grus antigone sharpei*	U11061[57]	90, 58	87, 63
198	gru.leu	*Grus leucogeranus**	U27549[56]	90, 58	87, 63
199	gru.can.pr	*Grus canadensis pratensis*	U27553[56]	97, 60	87, 63
200	gru.can.ro	*Grus canadensis rowani*	U27552[56]	97, 60	87, 63
201	gru.can.ta	*Grus canadensis tabida*	U27551[56]	98, 63	87, 63
202	gru.can.ca	*Grus canadensis canadensis*	U27554[56]	97, 61	87, 63
203	gru.ame	*Grus americana*	U27555[56]	90, 58	87, 63
204	gru.gru	*Grus grus*	U27546[56]	89, 54	87, 63
205	gru.mon	*Grus monacha**	U27548[56]	90, 58	87, 63
206	gru.nig	*Grus nigricollis**	U27547[56]	90, 58	87, 63
207	gru.jap	*Grus japonensis*	U27550[56]	81, 54	87, 63
208	cic.boy	*Ciconia boyciana**	NC_002196[58]	94, 58	79, 60
209	rhe.ame	*Rhea americana*	AF090339[59]	93, 63	79, 60
210	ant.alb	*Anthracoceros albirostris**	U89190[60]	97, 61	86, 59
211	fal.fam	*Falco femoralis*	U83310[61]	97, 61	86, 60
212	fal.ver	*Falco verpertinus*	U83311[61]	97, 61	85, 57
213	fal.par	*Falco peregrinus**	U83307[61]	97, 61	84, 52
214	fal.spa	*Falco sparverius*	U83306[61]	92, 59	80, 51
215	ayt.ame	*Aythya americana*	NC_000877[62]	98, 63	94, 62
216	smi.sha	*Smithornis sharpei*	NC_000879[59]	97, 58	90, 61
217	vid.cha	*Vidua chalybeata*	NC_000880[59]	97, 60	87, 64
218	chry.pic	*Chrysemys picta*	NC_002073[63]	89, 56	86, 57
219	emy.orb.ku	*Emys orbicularis*	AJ131425[64]	90, 59	94, 63
220	che.mud	*Chelonia mydas**	AB012104[65]	90, 58	94, 63
221	eum.egr	*Eumeces egregius*	AB016606[65]	86, 55	73, 51

Table 2. Multiple sequence alignment of 472 bp fragment of mitochondrial cytochrome b gene of 221 animal species

```
PRIMER 'mcb393'   TACCATGAGGACAAATATCATTCTG
                  . .. .. .. .. .. .. .. .. .  .  .. .. .. .. ..  .    .. ..
aep.mel           TGCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACAAATCTCCTCTCAGCAA 60
cre.cre           TTCCGTGAGGACAAATATCATTTTGAGGGGCTACAGTCATTACTAATCTCCTCTCAGCAA 60
add.nas           TGCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
cry.dam           TACCATGAGGACAAATATCATTTTGAGGGGCAACAGTTATCACTAACCTTCTCTCAGCAA 60
hip.equ           TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACCAACCTCCTCTCAGCAA 60
alc.bus           TGCCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATCACCAATCTCCTCTCAGCAA 60
sig.lic           TGCCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATCACCAATCTCCTCTCAGCAA 60
bea.hun           TGCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACCAACCTCCTCTCAGCAA 60
dam.lun           TGCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACTAACCTCCTCTCAGCAA 60
con.tau           TACCATGAGGACAAATATCCTTTTGAGGAGCAACAGTCATCACCAACCTCCTCTCAGCAA 60
amm.ler           TGCCATGAGGACAGATATCATTCTGAGGGGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
pse.nay           TGCCATGAGGACAAATATCATTTTGAGGGGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
cap.ibe           TACCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATCACTAACCTTCTCTCAGCAA 60
hem.jem           TACCATGAGGACAGATATCATTCTGAGGGGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
cap.fal           TACCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATCACCAATCTCCTCTCAGCAA 60
rup.pyr           TACCATGAGGACAGATATCATTCTGAGGAGCAACAGTTATTACCAATCTCCTCTCAGCAA 60
rup.rup           TACCATGAGGACAGATATCATTCTGGGGAGCAACAGTTATTACCAACCTCCTCTCAGCGA 60
nem.cau           TACCATGAGGACAGATATCATTCTGAGGGGCAACAGTTATTACCAATCTTCTCTCAGCAA 60
bud.tax.tax       TACCATGAGGACAAATATCATTTTGAGGAGCAACAGTCATTACCAACCTCCTCTCAGCAA 60
pan.hod           TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTAATTACCAACCTCCTTTCAGCAA 60
ovi.amm           TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTTATTACCAACCTCCTTTCAGCAA 60
ovi.vig           TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTTATTACCAACCTCCTTTCAGCAA 60
cap.cri           TACCATGAGGACAAATATCATTCTGAGGGGCTACAGTCATTACTAACCTCCTCTCAGCAA 60
ovi.mos           TACCATGAGGACAAATATCATTCTGAGGAGCTACAGTCATCACTAACCTCCTCTCAGCAA 60
cre.ame           TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAATCTCCTTTCAGCAA 60
cep.dor           TCCCATGAGGGCAAATATCATTCTGAGGAGCCACAGTCATTACCAACCTCCTCTCAGCAA 60
cep.max           TCCCATGAGGACAAATATCATTCTGAGGAGCCACAGTCATTACCAACCTCCTCTCAGCAA 60
bis.bon           TACCATGAGGACAAATATCATTTTGAGGAGCAACAGTCATTACCAACCTCCTATCAGCAA 60
bos.gru           TACCATGAGGACAAATATCATTTTGAGGGGCAACAGTCATTACCAACCTCCTATCAGCAA 60
bos.tra           TACCATGAGGACAAATATCATTTTGAGGAGCAACAGTTATTACCAATCTATTATCAGCAA 60
bub.min           TGCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
buba.bub          TGCCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATCACCAACCTCCTATCAGCAA 60
tra.ang           TGCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACAAACCTTCTATCAGCAA 60
tra.eur           TACCATGAGGACAAATATCATTTTGAGGAGCAACAGTCATCACCAATCTCCTTTCAGCAA 60
kob.ell           TACCATGAGGACAAATATCCTTCTGAGGAGCAACAGTCATCACTAATCTCCTTTCAGCAA 60
kob.meg           TACCATGAGGACAAATATCCTTCTGAGGAGCAACAGTTATCACTAATCTTCTCTCAGCAA 60
red.aru           TACCATGAGGACAAATATCCTTCTGAGGAGCAACAGTTATCACTAACCTTCTCTCAGCAA 60
red.ful           TGCCATGGGGACAAATATCCTTCTGAGGAGCAACAGTCATCACCAATCTACTATCAGCAA 60
neo.mos           TGCCATGGGGACAAATATCCTTCTGAGGAGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
pel.cap           TACCATGAGGACAAATATCCTTCTGAGGAGCAACAGTCATCACTAACCTCCTCTCAGCAA 60
gaz.dam           TACCATGAGGACAAATATCCTTTCTGAGGGGCAACAGTTATCACTAACCTCCTCTCAGCAA 60
cur.our           TACCATGAGGACAAATATCCTTTTGAGGAGCAACAGTCATCACCAATCTCCTTTCAGCAA 60
ant.cer           TACCATGAGGACAAATATCCTTTTGAGGAGCAACAGTCATCACCAATCTCCTTTCAGCAA 60
gal.gal           TACCATGAGGACAAATATCCTTTCTGAGGAGCAACAGTCATCACTAACCTCCTCTCAGCAA 60
mad.kir           TGCCATGAGGACAAATATCCTTCTGAGGAGCAACAGTTATCACTAACCTCCTCTCAGCAA 60
rap.mel           TACCATGGGGACAAATATCCTTTTGAGGAGCAACAGTCATCATTAACCTCCTCTCAGCAA 60
gal.gal           TACCATGAGGACAAATATCCTTTCTGAGGAGCAACAGTTATCACCAACCTCCTCTCAGCAA 60
ant.ame           TACCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATTACTAACCTACTCTCAGCAA 60
hyd.lne           TTCCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACTAATCTCCTCTCAGCAA 60
mun.mun           TACCATGAGGACAAATATCATTTTGAGGAGCAACAGTCATTACTAACCTCCTTTCAGCAA 60
alc.alc           TACCATGAGGACAGATATCATTCTGAGGGGCAACAGTCATTACTAACCTCCTTTCAGCAA 60
cer.ela kin       TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTTCTCTCAGCAA 60
```

```
cer.ela.xan     TACCATGAGGACAAATATCATTCTGAGGAGCAACGGTCATTACCAACCTTCTCTCAGCAA 60
cer.ela.can     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTTCTCTCAGCAA 60
cer.nip.cent    TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTCCTCTCAGCAA 60
cer.nip.yes     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTCCTCTCAGCAA 60
cer.nip.ker     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTTCTCTCAGCAA 60
cer.nip.pul     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTTCTCTCAGCAA 60
cer.nip.nip     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATTACCAACCTCCTCTCAGCAA 60
cer.ela.sco     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACCAACCTTCTCTCAGCAA 60
cer.dam         TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTTATTACCAATCTTCTCTCAGCAA 60
ran.tar         TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTTATCACAAACCTCCTCTCAGCAA 60
mos.fus         TACCTTGAGGACAAATATCTTTCTGAGGAGCGACAGTTATTACCAATCTTCTCTCAGCAA 60
mos.leu         TACCTTGAGGACAAATATCTTTCTGAGGAGCAACAGTTATTACCAATCTTCTCTCAGCAA 60
mos.chr         TACCTTGAGGACAAATATCTTTCTGAGGAGCAACAGTTATTACCAATCTTCTCTCAGCAA 60
mos.ber         TACCTTGAGGACAAATATCTTTCTGAGGAGCAACAGTTATTACCAATCTTCTCTCAGCAA 60
mos.mos         TACCTTGAGGACAAATATCTTTCTGAGGAGCAACAGTCATCACTAACCTTCTCTCAGCAA 60
tra.jav         TACCCTGAGGACAGATATCTTTCTGAGGAGCCACAGTCATCACCAACCTCTTATCAGCTA 60
trag.nap        TACCCTGAGGGCAAATATCTTTTTGAGGAGCTACAGTCATCACTAACCTTCTTTCAGCAA 60
bala.acu        TACCCTGAGGACAAATATCATTTTGAGGTGCAACCGTCATCACCAACCTCCTATCAGCAA 60
bala.bon        TACCCTGAGGACAAATATCATTTTGAGGCGCAACCGTCATCACCAACCTCCTATCAGCAA 60
bala.bor        TACCCTGAGGACAAATATCATTTTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
bala.edi        TACCCTGAGGACAAATATCATTTTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
esch.rob        TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTTATCACCAACCTCCTATCAGCAA 60
bala.mus        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCCTATCAGCAA 60
mega.nov        TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTTCTATCAGCAA 60
bala.phy        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACTGTAATCACTAACCTCCTATCAGCAA 60
cap.mar         TGCCCTGAGGACAGATATCATTCTGAGGCGCAACCGTCATCACCAACCTCCTATCAGCAA 60
ceph.com        TACCCTGGGGACAGATATCATTTTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
ceph.eut        TACCCTGGGGACAGATATCATTTTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
lage.obl        TACCCTGAGGACAGATATCATTCTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
ceph.hea        TACCCTGAGGACAAATATCATTTTGAGGCGCAACAGTCATCACCAACCTCCTATCAGCAA 60
ceph.hec        TACCCTGAGGACAAATATCATTTTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
lage.aus        TACCCTGAGGACAGATATCATTTTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
lage.cru        TACCCTGAGGACAGATATCATTTTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
lage.obs        TACCCTGAGGACAGATATCATTTTGAGGTGCAACAGTCATCACCAACCTCCTATCAGCAA 60
lisso.bor       TACCCTGAGGGCAGATATCATTTTGAGGTGCAACCGTCATCACCAACCTCCTATCAGCAA 60
lisso.per       TACCCTGAGGACAGATATCATTTTGAGGTGCAACCGTCATCACCAACCTCCTATCAGCAA 60
glo.mac         TACCCTGAGGACAGATATCATTCTGAGGCGCAACCGTCATCACCAATCTCCTATCAGCAA 60
glo.mel         TACCCTGAGGACAGATATCATTCTGAGGCGCAACCGTCATCACCAATCTCCTATCAGCAA 60
fere.att        TACCCTGAGGACAGATATCATTCTGAGGCGCAACCGTCATCACCAATCTCCTATCAGCAA 60
pepo.ele        TACCCTGAGGACAGATATCATTCTGAGGCGCAACCGTCATCACCAATCTCCTATCAGCAA 60
gram.gri        TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAATCTCCTATCAGCAA 60
pse.cra         TACCCTGAGGACAGATATCATTCTGAGGCGCAACCGTCATCACCAATCTTCTATCAGCAA 60
lage.acu        TACCATGAGGACAAATATCATTCTGAGGCGCAACCGTTATCACCAATCTCCTATCAGCAA 60
orti.bre        TACCCTGAGGACAGATATCTTTCTGAGGCGCAACCGTCATTACTAATCTCCTATCAGCAA 60
crca.bre        TACCCTGAGGACAGATATCCTTCTGAGGTGCAACCGTCATCACCAATCTCCTATCAGCAA 60
del.cap         TGCCCTGGGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
del.tro         TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
del.del         TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
sten.cly        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCCTATCAGCAA 60
sten.coe        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
tur.adu         TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
sten.fro        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
saus.chi        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTTATCACCAACCTCCTATCAGCAA 60
sten.lon        TACCCTGAGGACAAATATCATTCTGAGGTGCAACCGTCATCACCAACCTCCTATCAGCAA 60
turs.tru        TGCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAACCTCTTATCAGCAA 60
lage.alb        TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACTAATCTCCTATCAGCAA 60
sten.bre        TACCCTGAGGACAAATATCATTCTGAGGTGCAACCGTCATTACCAACCTCCTGTCAGCAA 60
sota.flu        TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATTACCAATCTCCTATCAGCAA 60
```

```
del.leu          TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATTACCAATCTCCTATCAGCAA 60
mono.mon         TACCCTGAGGACAAATATCATTCTGAGGTGCAACCGTCATCACCAACCTCCTATCAGCAA 60
plat.gan         TACCCTGAGGACAAATATCATTCTGAGGTGCAACCGTCATCACCAACCTTTTATCAGCAA 60
plat.min         TACCCTGAGGACAAATATCATTCTGAGGTGCAACCGTCATCACCAACCTTTTATCAGCAA 60
kogi.bre         TACCCTGAGGCCAAATATCATTCTGAGGAGCAACCGTCATCACCAACCTTATATCCGCAA 60
kogi.sim         TGCCCTGAGGCCAAATATCATTCTGAGGAGCAACCGTCATCACAAACCTTATATCCGCAA 60
phys.cat         TGCCCTGAGGACAAATATCATTCTGAGCCGCAACCGTTATCACAAACCTTCTATCAGCAA 60
lipo.vex         TACCCTGAGGACAAATATCATTTGAGGCGCAACCGTCATCACTAATCTTCTATCAGCAA 60
phoc.sin         TGCCCTGGGGACAAATATCATTTGAGGTGCTACCGTCATCACAAACCTCTTATCAGCAA 60
bera.bai         TGCCTTGAGGGCAAATATCATTCTGAGGTGCAACCGTCATCACCAACCTCCTATCCGCTA 60
ziph.car         TACCTTGAGGACAAATATCATTCTGAGGTGCAACCGTCATCACAAACCTCTTATCCGCTA 60
meso.eur         TTCCCTGAGGACAAATATCATTCTGAGGCGCAACCGTTATTACCAACCTCCTATCCGCCA 60
meso.bid         TACCCTGAGGACAAATATCATTCTGAGGCGCAACTGTTATTACTAACCTCCTATCCGCTA 60
meso.den         TACCATGAGGACAAATATCCTTCTGAGGTGCAACTGTCATTACCAATCTTCTATCCGCTA 60
hype.amp         TACCCTGAGGACAAATATCATTCTGAGGCGCAACCGTCATCACCAATCTCCTATCCGCCA 60
meso.per         TACCTTGAGGACAAATATCATTCTGAGGCGCAACTGTCATTACTAATCTTTTATCTGCTA 60
pont.bla         TACCCTGAGGACAAATGTCATTCTGAGGTGCCACTGTCATCACTAACCTCCTATCAGCGA 60
hex.lib          TACCATGAGGACAAATATCATTCTGAGGGGCAACAGTCATCACCAACTTACTATCAGCTA 60
hipp.amp         TGCCATGAGGACAAATGTCATTCTGAGGGGCAACAGTCATTACCAACTTACTGTCAGCTA 60
dic.sum          TACCATGAGGTCAAATATCCTTCTGAGGAGCCACAGTTATCACAAATCTCCTCTCAGCCA 60
rhin.son         TACCATGAGGTCAAATATCCTTCTGAGGGGCTACAGTCATTACAAATCTCCTCTCAGCCA 60
cera             TACCATGAGGCCAAATATCCTTCTGAGGGGCTACAGTCATCACAAACCTCCTCTCAGCTA 60
equu             TACCATGAGGACAAATATCCTTCTGAGGAGCAACGGTCATTACAAACCTCCTATCAGCAA 60
baby.bab         TACCTTGAGGACAAATATCATTTTGAGGAGCTACCGTCATTACAAACCTACTATCAGCCA 60
phac.afr         TACCCTGAGGACAAATATCGTTCTGAGGAGCCACAGTCATCACAAACCTACTATCAGCCA 60
sus.bar          TGCCCTGAGGACAAATATCATTCTGAGGAGCTACGGTCATCACAAATCTACTATCAGCTA 60
sus.scr.ewb3     TGCCCTGAGGACAAATATCATTCTGAGGAGCTACGGTCATCACAAATCTACTATCAGCTA 60
lama.gla         TCCCATGAGGACAAATATCATTTTGAGGGGCAACAGTAATTACAAATCTACTCTCGGCAA 60
lama.gua         TCCCATGAGGCCAAATATCATTTTGAGGGGCAACAGTAATTACAAACCTACTCTCGGCAA 60
vic.vic          TCCCATGAGGACAAATATCATTTTGAGGGGCAACAGTAATTACAAACCTACTCTCAGCAA 60
cam.bac          TCCCATGAGGACAGATATCATTCTGGGGAGCAACAGTAATTACCAACCTACTCTCAGCAA 60
arc.for          TTCCATGAGGACAAATATCATTCTGAGGAGCGACCGTCATTACCAACCTCCTATCAGCAG 60
arc.gaz          TTCCATGAGGACAGATATCATTCTGAGGAGCAACCGTCATTACCAACCTCCTGTCAGCAA 60
eum.jub          TTCCGTGAGGACAAATATCATTCTGAGGAGCAACCGTCATTACCAACCTCCTATCAGCTA 60
zal.cal          TTCCATGAGGACAAATATCATTTTGAGGAGCAACCGTCATTACCAACCTCCTATCAGCAG 60
odo.ros          TACCATGAGGACAAATATCCTTCTGAGGAGCAACCGTCATCACCAACCTTCTGTCAGCAA 60
pho.fasciata     TACCATGAGGACAAATATCATTCTGAGGAGCAACAGTCATCACTAATCTACTATCAGCAA 60
pho.gro          TACCATGAGGGCAAATGTCATTCTGAGGAGCAACAGTTATCACTAATCTACTATCAGCAA 60
pho.vit          TACCATGAGGACAAATATCATTTTGAGGAGCAACAGTCATCACCAATCTACTATCAGCAA 60
cys.cri          TACCGTGAGGACAAATATCATTTTGAGGAGCGACAGTCATCACCAACCTACTATCAGCAA 60
hyd.lep          TGCCATGAGGACAAATATCATTTTGAGGAGCAACCGTTATTACCAACTTACTATCAGCAA 60
lep.wed          TACCATGAGGACAAATATCATTCTGAGGAGCAACCGTCATTACCAACTTACTATCAGCAA 60
mir.leo          TGCCATGAGGACAAATATCATTTTGAGGAGCAACCGTCATTACCAACCTACTATCAGCAG 60
eri.bar          TACCATGAGGGCAAATATCATTTTGAGGAGCAACCGTTATCACCAACCTACTATCAGCAA 60
mon.sch          TACCATGAGGACAAATATCCTTCTGAGGGGCGACCGTCATCACCAACCTACTATCAGCAA 60
hela.mal         TACCCTGAGGCCAAATGTCCTTCTGAGGAGCAACTGTCATTACCAATCTCCTATCAGCCA 60
sel.chi          TACCCTGAGGCCAAATATCCTTCTGAGGAGCGACTGTCATTACCAACCTCCTATCAGCCA 60
ail.ful          TGCCCTGAGGACAGATATCATTCTGAGGAGCAACCGTTATCACCAACCTACTATCAGCCA 60
fel              TACCATGAGGCCAAATGTCCTTCTGAGGAGCAACCGTAATCACTAACCTCCTGTCAGCAA 60
can              TACCATGAGGACAAATATCATTTTGAGGAGCAACTGTAATCACTAATCTTCTCTCTGCCA 60
tal              TACCATGGGGTCAAATATCCTTTTGAGGTGCAACCGTAATTACAAATTTACTGTCAGCCA 60
gla.sab          TACCCTGAGGACAAATATCTTTCTGAGGAGCCACCGTCATCACCAACCTTCTCTCAGCTA 60
gla.vol          TACCCTGAGGACAAATATCCTTCTGAGGAGCTACTGTCATCACCAACCTTCTCTCAGCTA 60
hyl.pha          TACCATGAGGACAAATATCCTTCTGAGGGGCTACCGTTATTACAAACCTACTATCTGCCA 60
pet.set          TACCATGAGGACAAATATCCTTCTGAGGGGCTACCGTTATTACAAACCTACTATCTGCCA 60
bel.pea          TACCATGAGGACAAATATCTTTCTGAGGAGCTACTGTCATCACAAACCTTCCTTTCAGCTA 60
pte.mom          TACCCTGAGGACAAATATCATTCTGAGGGGCCACTGTCATCACCAACCTTGCTATCCGCCA 60
gala.demi        TTCCATGAGGCCAAATATCATTCTGAGGTGCTACCGTAATCACTAACCTTCCTCTCAGCTA 60
```

```
pero.pot      TCCCATGAGGACAAATATCATTCTGAGGTGCCACAGTAATCACAAACCTCCTATCAGCAA 60
gala.mat      TCCCATGAGGACAAATATCATTCTGAGGCGCTACCGTAATCACAAATCTCCTCTCCGCAA 60
gala.moh      TTCCGTGAGGACAAATATCATTCTGAGGCGCTACCGTAATCACTAACCTCCTCTCAGCAA 60
oto.gar       TCCCATGAGGACAAATGTCATTCTGAGGCGCAACCGTAATTACAAATCTCCTCTCAGCAA 60
lor.tar       TCCCATGAGGACAAATATCATTCTGAGGAGCCACAGTAATTACCAACCTACTATCAGCAA 60
nyc.cou       TCCCATGAGGACAAATATCATTCTGAGGTGCCACCGTCATCACTAACCTACTATCGGCAA 60
mus           TTCCATGAGGACAAATATCATTCTGAGGTGCCACAGTTATTACAAACCTCCTATCAGCCA 60
gorr          TCCCATGAGGCCAAATATCCTTCTGAGGAGCCACAGTAATCACAAACTTGCTATCCGCCA 60
homo          TCCCGTGAGGCCAAATATCATTCTGAGGGGCCACAGTAATTACAAACTTACTATCCGCCA 60
dug.dug       TCCCATGAGGACAAATATCATTCTGAGGAGCAACCGTTATTACTAACCTCCTGTCAGCTA 60
ele.max       TTCCATGAGGACAAATATCATTCTGAGGGGCAACCGTAATTACTAACCTCTTCTCAGCAA 60
afr.con       TCCCATGAGGCCAAATATCATTCTGAGGGGCAACTGTCATCACAAACCTATACTCAGCAA 60
pavo.mut      TCCCATGAGGTCAAATGTCATTCTGAGGGGCAACTGTTATCACAAATCTATTCTCAGCAA 60
tra.bly       TCCCATGAGGACAAATATCATTTGAGGGGCTACCGTCATCACAAACTTATTCTCAGCAA 60
tra.sat       TCCCATGAGGACAAATATCATTTGAGGGGCTACCGTCATTACAAATTTATTCTCAGCAA 60
tra.cob       TCCCATGAGGACAAATATCATTTGAGGAGCTACCGTCATCACAAATTTATTTTCAGCAA 60
tra.tem       TCCCATGAGGACAAATATCATTTGAGGGGCTACCGTCATCACAAATTTATTCTCAGCAA 60
tra.tem       TCCCATGAGGACAAATATCATTTGAGGAGCTACCGTCATCACAAACCTATTCTCAGCAA 60
arg.arg       TTCCATGGGGACAAATATCATTTGAGGGGCTACTGTCATCACAAATCTATTCTCAGCAA 60
cat.wal       TCCCATGAGGACAAATATCATTTGAGGGGTACCGTCATCACAAATCTATTCTCAGCAA 60
cro.cro       TCCCATGAGGACAAATATCATTTGAGGGGCAACCGTCATCACAAATTTATTCTCAGCAA 60
sym.ree       TCCCATGAGGACAAATATCATTTGAGGGGCTACCGTCATCACAAATTTATTCTCAGCAA 60
bam.tho       TCCCATGGGGCCAAATATCCTTTGAGGGGCTACCGTCATCACAAATTTATTCTCAGCAA 60
fra.fra       TCCCATGAGGCCAAATATCATTCTGAGGGGCTACCGTCATTACGAACCTATTCTCAGCAA 60
ith.cru       TACCATGAGGACAAATATCATTCTGAGGAGCCACTGTAATCACAAACCTACTCTCAGCAA 60
ant.par       TACCATGAGGACAAATGTCATTTTGAGGGGCTACAGTCATCACCAATCTCTTCTCAGCCG 60
ant.vir       TACCATGGGGACAAATGTCATTTTGAGGGGCTACAGTTATCACCAATCTCTTCTCAGCCG 60
gru.ant.ant   TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTCATCACCAATCTCTTCTCAGCCG 60
gru.ant.gil   TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTCATCACCAATCTCTTCTCAGCCG 60
gru.ant.sha   TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTCATCACCAATCTCTTCTCAGCCG 60
gru.leu       TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTCATTACCAACCTCTTCTCAGCCG 60
gru.can.pra   TGCCATGAGGACAAATATCATTCTGAGGGGCTACAGTCATTACCAACCTCTTCTCAGCCG 60
gru.can.row   TGCCATGAGGACAAATATCATTCTGAGGGGCTACAGTCATTACCAACCTCTTCTCAGCCG 60
gru.can.tab   TACCATGAGGACAAATATCATTCTGAGGGGCTACAGTCATTACCAACCTCTTCTCAGCCG 60
gru.can.can   TACCATGGGGACAAATATCATTCTGAGGGGCTACAGTCATTACCAACCTCTTCTCAGCCG 60
gru.ame       TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTTATCACCAATCTCTTCTCAGCCG 60
gru.gru       TACCATGGGGACAAATGTCATTTTGAGGGGCTACAGTTATCACCAATCTCTTCTCAGCCG 60
gru.mon       TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTTATCACCAACCTCTTCTCAGCCG 60
gru.nig       TACCATGAGGACAAATATCATTTTGAGGGGCTACAGTTATCACCAACCTCTTCTCAGCCG 60
gru.jap       TACCATGGGGACAAATATCCTTTTGAGGGGCTACAGTTATCACCAATCTCTTCTCAGCCG 60
cic.boy       TGCCATGAGGACAGATATCATTCTGAGGGGCTACAGTCATCACCAACCTATTTTCAGCTA 60
rhe.ame       TACCATGAGGACAAATATCATTCTGAGGAGCTACAGTTATTACCAACCTATTCTCAGCCA 60
ant.alb       TACCATGAGGGCAAATATCATTCTGAGGCGCCACCGTCATCACCAACCTATTCTCAGCAA 60
fal.fam       TACCCTGAGGACAAATATCATTCTGAGGGGCTACAGTTATCACCAACCTATTTTCAGCAA 60
fal.ver       TACCCTGAGGACAAATATCATTCTGGGGAGCCACAGTCATCACTAACCTATTTTCAGCAA 60
fal.per       TACCCTGAGGACAAATATCATTCTGAGGAGCCACAGTCATTACCAACCTATTCTCAGCAA 60
fal.spa       TACCCTGAGGACAAATGTCATTCTGAGGAGCCACAGTCATTACCAACCTGTTCTCAGCCC 60
ayt.ame       TACCATGAGGACAAATATCATTCTGAGGGGCCACCGTGATCACTAACCTGTTCTCAGCTA 60
smi.sha       TCCCATGAGGCCAAATATCATTCTGAGGTGCTACAGTAATCACCAACCTCTTCTCAGCTA 60
vid.cha       TGCCATGAGGACAAATATCATTCTGAGGAGCCACAGTAATCACAAACCTATTCTCAGCCA 60
chry.pic      TACCATGGGGCCAAATATCCTTCTGAGGTGCCACCGTTATTACTAACCTCCTCTCAGCCG 60
emy.orb.kur   TACCATGAGGCCAAATATCCTTCTGAGGTGCCACCGTTATTACTAACCTCCTCTCAGCCA 60
che.mud       TACCATGAGGACAAATATCATTTTGAGGGGCCACCGTCATCACAAACCTACTCTCAGCAA 60
eum.egr       TCCCATGGGGACAGATATCCTTCTGAGGCGCAATCGTAATTACAAACCTATTATCAGCAA 60
              * ** ** ** ** ** ** ** ** *  *  ** ** ** ** **  *    ** **

dep.mel       TCCCATACATTGGTACAAACCTAGTAGAATGAATCTGAGGAGGATTCTTCAGTAGACAAAG 120
ore.ore       TTCCATATATTGGCACAAACCTGGTAGAATGAATCTGAGGAGGATTCTTCGTTGGACAAAG 120
add.nas       TCCCATATATCGGCACAGACCTGGTCGAATGAATCTGAGGAGGATTCTTCGTAGACAAAG 120
```

```
ory.dam          TCCCATACATCGGCACAAATCTAGTCGAATGAATTTGAGGGGGATTCTCCGTAGACAAAG 120
hip.equ          TCCCATATATTGGCACAAACCTAGTCGAATGAATCTGACGGGGATTCTCCGTAGACAAAG 120
alc.bus          TCCCATATATTGGCACAGACCTAGTAGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
sig.lic          TCCCATATATTGGCACAGACCTAGTAGAATGAATCTGAGGAGGATTATCAGTAGACAAAG 120
bea.hun          TTCCATATATTGGTACAAACCTAGTCGAATGAATCTGAGGAGGCTTCTCAGTAGACAAAG 120
dam.lun          TTCCATACATCGGCACAAATCTAGTCGAATGGATCTGAGGGGGCTTCTCAGTAGACAAAG 120
con.tau          TCCCATACATTGGCACTAACCTAGTCGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
amm.ler          TCCCATACATTGGCACAGACCTGGTCGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
pse.nay          TCCCCTATATTGGCACAAATCTAGTCGAATGGATCTGAGGGGGATTCTCAGTAGACAAGG 120
cap.ibe          TCCCATATATTGGCACAAACCTAGTCGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
hem.jem          TTCCATATATCGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTCTCAGTAGACAAAG 120
cap.fal          TCCCATATATTGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTCTCAGTAGATAAAG 120
rup.pyr          TCCCATACATTGGCATAGACTTAGTCGAGTGAATCTGAGGGGGCTTCTCGGTAGACAAAG 120
rup.rup          TCCCGTATATTGGCACAGACTTAGTCGAATGAATCTGAGGAGGCTTCTCGGTAGACAAGG 120
nem.cau          TCCCATATATTGGCACAAACCTAGTCGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
bud.tax.tax      TCCCATACATTGGCACAAACCTAGTTGAGTGAATCTGAGGAGGATTCTCAGTAGACAAAG 120
pan.hod          TCCCATACATTGGCACAGACCTAGTCGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
ovi.amm          TTCCATATATTGGCACAAACCTAGTCGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
ovi.vig          TTCCATATATTGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTCTCAGTAGACAAAG 120
cap.cri          TCCCATATATTGGCACAAACTTAGTAGAATGAATCTGAGGAGGATTCTCCGTAGACAAAG 120
ovi.mos          TCCCATACATCGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTCTCCGTAGACAAAG 120
ore.ame          TTCCATACATCGGTACAGACCTAGTCGAATGAATCTGAGGGGGGTTCTCAGTAGACAAAG 120
cep.dor          TCCCATACATTGGTACAAACTTAGTCGAATGAATCTGAGGAGGCTTTTCAGTAGACAAAG 120
cep.max          TCCCATATATCGGCACAAACTTAGTTGAGTGAATCTGAGGGGGCTTTTCAGTAGACAAAG 120
bis.bon          TCCCATACATCGGCACAAATCTAGTCGAATGAATCTGAGGCGGATTCTCAGTAGACAAAG 120
bos.gru          TTCCATACATCGGCACAAATTTAGTCGAATGGATTTGAGGTGGGTTCTCAGTAGACAAAG 120
bos.tra          TCCCATACATCGGCACAAACCTAGTTGAATGAATCTGAGGCGGGTTCTCAGTAGACAAAG 120
bub.min          TCCCATACATTGGCACAAACCTAGTTGAGTGAATTTGAGGGGGATTCTCAGTAGACAAAG 120
buba.bub         TCCCATACATTGGTACAAGTCTGGTTGAATGAATTTGAGGGGGATTCTCAGTAGACAAAG 120
tra.ang          TCCCATATATTGGCACCAACCTAGTTGAATGAATCTGAGGAGGCTTCTCGGTAGACAAGG 120
tra.eur          TCCCTTATATTGGCACCAGCCTAGTCGAATGAATCTGAGGGGGCTTTTCAGTAGACAAAG 120
kob.ell          TTCCATACATTGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTTTCAGTAGATAAGG 120
kob.meg          TCCCATATATCGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTCTCAGTAGACAAAG 120
red.arn          TCCCATACATCGGCACAAACCTAGTCGAATGAATCTGAGGAGGATTCTCAGTCGATAAAG 120
red.ful          TCCCATACATCGGCACAAACCTAGTTGAATGAATCTGAGGAGGATTCTCAGTGGATAAAG 120
neo.mos          TCCCATATATCGGCACAAACCTAGTCGAATGAATCTGAGGGGGTTTCTCAGTAGACAAAG 120
pel.cap          TCCCATACATTGGTACAAACCTAGTCGAATGAATCTGAGGGGGATTTTCAGTAGACAAAG 120
gaz.dam          TCCCATACATCGGCACAGACCTAGTAGAATGAATCTGACGAGGATTCTCAGTAGATAAGG 120
our.our          TTCCATACATTGGTACAAACCTAGTCGAATGAATCTGAGGAGGGTTCTCAGTAGACAAGG 120
ant.cer          TCCCATACATCGGTACAAACCTAGTAGAATGAATCTGAGGAGGGTTCTCAGTAGATAAAG 120
sai.tat          TCCCATATATCGGCACAGACCTAGTAGAATGAATCTGAGGGGGTTTTCAGTAGATAAAG 120
mad.kir          TCCCATATATCGGCACAAACTTAGTTGAATGAATCTGAGGGGGCTTCTCAGTAGACAAAG 120
rap.mel          TTCCCTACATTGGCACAAACCTAGTAGAATGGATCTGAGGAGGATTTTCAGTTGATAAAG 120
gaz.gaz          TCCCATACATCGGCACAAACCTAGTAGAATGAATCTGAGGGGGATTCTCAGTAGACAAAG 120
ant.ame          TCCCATACATTGGTACTAACCTAGTAGAATGAATCTGAGGTGGCTTTTCAGTAGATAAAG 120
hyd.ine          TTCCATACGTCGGTACAAATCTAGTCGAATGAATCTGAGGAGGCTTTTCAGTTGATAAAG 120
mun.mun          TTCCATATATTGGCACAAACTTAGTCGAATGAATCTGAGGAGGCTTTTCAGTTGATAAAG 120
alc.alc          TTCCATACATTGGTACTAATCTAGTTGAATGAATTTGAGCCGGTTTTTCAGTAGACAAAG 120
cer.ela.kan      TTCCATACATTGGCACAAACCTAGTCGAATGGATCTGAGGAGGCTTTTCAGTAGATAAAG 120
cer.ela.kan      TTCCATACATTGGCACAAACCTAGTCGAATGGATCTGAGGAGGCTTTTCAGTAGATAAAG 120
cer.ela.cin      TTCCATACATTGGCACAAACCTAGTCGAATGGGTCTGAGGAGGCTTTTCAGTAGATAAAG 120
cer.nip.sent     TTCCATATATTGGCACAAACCTAGTCGAATGGATCTTGAGGGGGCTTTCTCAGTAGATAAAG 120
cer.nip.yes      TTCCATATATTGGCACAAACCTAGTCGAATGGATCTTGAGGGGGCTTTCTCAGTAGATAAAG 120
cer.nip.her      TTCCATACATTGGCACAAACCTAGTCGAATGGATCTTGAGGAGGCTTTTCAGTAGATAAAG 120
cer.nip.pil      TTCCATACATTGGCACAAACCTAGTCGAATGGATCTTGAGGAGGCTTTTCAGTAGATAAAG 120
cer.nip.nip      TTCCATACATTGGCACAAACCTAGTCGAATGGATCTTGAGGAGGCTTTTCAGTAGACAAAG 120
cer.ela.sin      TTCCATATATTGGCACAAACCTAGTCGAATGGATCTTGAGGAGGCTTTTCAGTAGACAAAG 120
cer.dim          TTCCATACATTGGTACAAACCTAGTTGAATGAATCTTGAGGAGGCTTTTCAGTAGACAAAG 120
```

```
ran.car      TTCCATATATTGGTACAAATCTAGTCGAATGAATTTGAGGAGGATTTTCTGTAGATAAAG 120
mos.fus      TTCCATACATTGGTACTAATCTGGTTGAATGAATTTGAGGAGGCTTCTCAGTAGACAAAG 120
mos.leu      TTCCATACATTGGTACTAATCTGGTTGAATGAATTTGAGGAGGCTTCTCAGTAGACAAAG 120
mos.chr      TTCCATACATTGGTACTAACCTGGTTGAATGAATTTGAGGAGGTTTCTCAGTAGACAAAG 120
mos.ber      TTCCTTACATTGGTACTAATCTGGTTGAATGAATCTGAGGAGGCTTCTCAGTAGACAAAG 120
mos.mos      TTCCCTACATTGGTACTAACCTGGTTGAGTGAATTTGAGGAGGCTTCTCAGTAGACAAAG 120
tra.jav      TCCCATACATTGGCACAGACTTGGTCGAATGAATCTGAGGTGGTTTTTCAGTAGACAAAG 120
trag.nap     TCCCCTATATCGGCACCGAACTAGTTGAATGAATCTGAGGCGGGTTCTCAGTAGACAAAG 120
bala.acu     TCCCATATATTGGTACTACCTTAGTCGAATGAATCTGAGGTGGCTTCTCTGTAGACAAAG 120
bala.bon     TCCCATACATTGGTACCACCTTAGTTGAATGAATCTGAGGTGGCTTCTCTGTAGACAAAG 120
bala.bor     TCCCATACATTGGTACTACCCTAGTCGAATGGATCTGAGGCGGTTTCTCTGTAGATAAAG 120
bala.edi     TCCCATACATTGGTACTACCCTAGTCGAATGAATCTGGGGCGGTTTCTCTGTAGATAAAG 120
esch.rob     TCCCATACATTGGCACTACCCTAGTCGAATGGGTCTGAGGCGGTTTTTCTGTAGATAAAG 120
bala.mus     TCCCATACATTGGTACTACCCTAGTCGAATGAATCTGAGGCGGTTTTTCTGTGGATAAAG 120
mega.nov     TCCCATACATTGGTACTACCCTAGTCGAATGAATCTGGGGCGGTTTTTCCGTAGACAAAG 120
bala.phy     TCCCATACATTGGTACCACCCTAGTCGAATGAATCTGAGGCGGTTTCTCTGTAGATAAAG 120
cap.mar      TCCCATATATTGGTACCACCCTAGTTGAATGAATCTGGGGTGGCTTCTCCGTAGACAAAG 120
ceph.com     TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
ceph.eut     TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
lage.obl     TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTGGACAAAG 120
ceph.hea     TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
ceph.hec     TCCCCTACATCGGCACTACCTTAGTAGAATGAATCTGAGGAGGATTTTCCGTAGATAAAG 120
lage.aus     TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
lage.cru     TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
lage.obs     TCCCCTACATTGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
lisso.bor    TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
lisso.per    TCCCCTACATCGGTACTACCTTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
glo.mac      TCCCTTACATCGGCACCACCTTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
glo.mel      TCCCTTACATCGGCACTACCTTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
fere.att     TCCCTTACATCGGCACCACTTTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
pepo.ele     TCCCTTACATCGGAACCACCTTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
gram.gri     TCCCCTACATCGGTACTACTTTAGTAGAATGAATCTGAGGAGGATTTTCCGTAGACAAAG 120
pse.cra      TCCCCTACATCGGTACCACTTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
lage.acu     TCCCTTACATCGGCACTACCCTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
crci.bre     TCCCTTACATCGGCACCACCTTAGTAGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
crca.bre     TCCCTTACATCGGCACTACCCTAGTAGAATGAATCTGAGGTGGATTTCTCCGTAGACAAAG 120
del.cap      TCCCTTATATTGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
del.tro      TCCCTTATATTGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
del.del      TCCCTTATATTGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
sten.cly     TCCCTTATATTGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
sten.coe     TCCCTTATATTGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
tur.adu      TCCCTTATATTGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
sten.fro     TCCCTTATATTGGCACTACCTTAGTAGAATGAATCTGAGGTGGATTCTCCGTAGACAAAG 120
saus.chi     TCCCTTACATTGGCACTACCTTAGTTGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
sten.lon     TCCCTTATATTGGCACTACCCTAGTTGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
turs.tru     TCCCTTATATCGGCACTACCTTAGTCGAATGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
lage.alb     TCCCTTATATCGGTACTACCCTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
sten.bre     TCCCTTACATCGGCACTACCTTGGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
sota.fiz     TCCCTTACATCGGCACTACCTTAGTAGAATGAATCTGAGGCGGATTTTCCGTAGACAAAG 120
del.leu      TCCCTTACATCGGTAACACCTTAGTAGAATGAATCTGAGGTGGGTTTTTGTAGATAAAG 120
mono.mon     TCCCTTACATCGGCAACACCTTAGTAGAATGAATCTGAGGTGGCTTTTCCGTAGATAAAG 120
plat.gan     TCCCTTATATCGGCAGTACCCTAGTCGAGTGAATCTGAGGTGGCTTTTCCGTAGATAAAG 120
plat.min     TCCCTTATATCGGCAGTACCCTAGTCGAGTGAATCTGAGGTGGCTTTTCCGTAGACAAAG 120
kogi.bre     TTCCTTATATCGGCACCACCCTAGTAGAATGAGTCTGAGGTGGCTTTTCCGTGGACAAAG 120
kogi.sim     TCCCTTACATCGGCACCACCCTAGTCGAATGAGTCTGAGGTGGCTTTTCCGTAGATAAGG 120
phys.cat     TTCCCTATATCGGCACCACCCTAGTAGAGTGAGTCTGAGGTGGCTTTTCCGTAGACAAAG 120
lipo.vex     TCCCTTACATCGGAACCACCCTAGTAGAGTGAATCTGAGGTGGATTTTCCGTAGACAAAG 120
phoc.sin     TCCCTTACATCGGCAGTACCCTAGTCGAGTGAATCTGAGGTGGCTTTTCCGTAGACAAAG 120
```

```
bera.bai        TTCCTTATATCGGCACCACTCTTGTCGAATGAATCTGAGGTGGCTTCTCCGTAGATAAAG 120
ziph.car        TCCCCTATATCGGCACTACTCTAGTCGAATGAATCTGAGGTGGTTTTTCAGTAGATAAAG 120
meso.eur        TCCCCTATATTGGCACTACTCTAGTCGAATGAATCTGAGGTGGCTTTTCCGTAGATAAAG 120
meso.bid        TTCCCTACATCGGCACTACCCTAGTTGAATGAATCTGAGGTGGCTTTTCCGTAGACAAAG 120
meso.den        TTCCCTATATTGGCACCACCCTAGTCGAGTGAATCTGAGGTGGTTTTTCCGTAGACAAAG 120
hype.amp        TTCCCTATATCGGCACTACCCTAGTTGAATGAATCTGAGGTGGCTTCTCCGTAGACAAAG 120
meso.per        TCCCTTATATTGGCACCACCCTAGTTGAATGAATTTGAGGTGGCTTCTCCGTAGATAAAG 120
pont.bla        TCCCCTACATCGGAACTACCCTTGTAGAATGGATCTGAGGTGGTTTCTCTGTAGACAAAG 120
hex.lib         TCCCCTACATTGGAACAGACCTAGTAGAATGAATCTGAGGAGGCTTTTCTGTAGATAAAG 120
hipp.amp        TCCCCTATATTGGAACAGACCTAGTAGAATGAATCTGAGGAGGCTTTTCCGTAGACAAAG 120
dic.sum         TCCCATACATCGGCACCGACCTTGTAGAATGAATCTGAGGGGGATTCTCCGTAGACAAAG 120
thin.son        TCCCCTATATCGGTACCAACCTTGTAGAGTGAATCTGAGGAGGATTCTCAGTCGACAAAG 120
cera            TCCCTTACATCGGCACCAACCTCGTAGAATGAATCTGAGGAGGATTTTCCGTTGACAAAG 120
equu            TCCCCTACATCGGTACTACGCTCGTCGAATGAATCTGAGGTGGATTCTCAGTAGACAAAG 120
baby.bab        TTCCCTATATCGGAACGGACCTCGTAGAATGGATCTGAGGAGGCTTCTCCGTCGATAAAG 120
phac.aff        TCCCCTACATTGGAACAAATCTTGTAGAATGAATCTGAGGAGGTTTCTCCGTCGACAAAG 120
sus.bar         TCCCCTATATCGGAACAGACCTCGTAGAATGAATCTGAGGGGGCTTTTCCGTCGACAAAG 120
sus.scr.ewb3    TCCCTTATATCGGAACAGACCTCGTAGAATGAATCTGAGGGGGCTTTTCCGTCGACAAAG 120
lama.gla        TTCCATATGTTGGCACAACACTAGTCGAATGAATTTGAGGAGGATTCTCCGTAGACAAAG 120
lama.gua        TTCCATATGTTGGCACAACACTAGTCGAATGAATTTGAGGGGGGTTCTCCGTAGATAAAG 120
vic.vic         TTCCATACGTTGGTACAACACTAGTCGAGTGGATTTGAGGAGGATTCTCCGTAGATAAAG 120
cam.bac         TTCCCTATATCGGCACAACACTAGTAGAATGAATTTGAGGTGGCTTCTCCGTAGACAAAG 120
arc.for         TCCCCTACATTGGGACCAACCTAGTAGAATGAATCTGAGGAGGATTTTCAGTTGATAAAG 120
arc.gaz         TCCCCTACATCGGAACTAACCTAGTAGAATGAATCTGAGGAGGATTTTCAGTTGATAAGG 120
eum.jub         TCCCTTACATCGGAACCAACTTAGTAGAATGAATTTGAGGGGGATTTTCAGTCGACAAAG 120
zal.cal         TCCCTTACATCGGAACCAACCTAGTAGAATGAATTTGAGGGGGATTTTCAGTCGACAAAG 120
odo.ros         TTCCCTATGTAGGGACTGACTTGGTCGAATGAGTCTGAGGGGGGTTTTCAGTCGATAAAG 120
pho.fasciata    TTCCCTATATCGGAACCGACCTAGTACAATGAATCTGAGGAGGATTTTCAGTTGATAAAG 120
pho.gro         TCCCCTACATCGGAACCGATCTAGTACAATGAATCTGAGGAGGGTTCTCAGTTGATAAAG 120
pho.vit         TCCCCTATGTCGGAACCGACCTTGTACAATGAATCTGAGGAGGGTTTTCAGTAGATAAAG 120
cys.cri         TCCCCTACATCGGAGCCGATCTAGTAGAATGAATCTGAGGGGGATTTTCAGTCGATAAAG 120
hyd.lep         TTCCCTACATCGGAACCGACCTAGTACAATGAATTTGAGGCGGATTTTCAGTCGACAAAG 120
lep.wed         TTCCCTACATCGGAACTGACTTAGTACAATGAATCTGAGGCGGATTTTCAGTTGACAAAG 120
mir.leo         TCCCCTATGTCGGAGACGACCTAGTACAATGAATCTGAGGAGGATTTTCAATCGACAAAG 120
eri.bar         TCCCCTACATCGGGACTGATCTAGTACAATGAATCTGAGGAGGATTCTCAGTTGACAAAG 120
mon.sch         TCCCTTACATCGGAACCGATCTAGTACAATGAATCTGAGGCGGGTTCTCAGTAGATAAAG 120
hela.mal        TCCCCTATATTGGAACGGACCTAGTAGAATGAGTCTGAGGAGGCTTTTCCGTAGACAAGG 120
sel.thi         TCCCCTATATTGGAACAGACCTAGTAGAATGAATCTGAGGGGGCTTTTCTGTAGATAAAG 120
ail.ful         TTCCCTATATTGGAACTAACCTTGTAGAGTGAATCTGAGGAGGTTTCTCAGTCGACAAAG 120
fel             TTCCATACATCGGGACTGAACTAGTAGAATGAATCTGAGGCGGCTTCTCAGTAGACAAAG 120
can             TCCCTTATATCGGAACTGACTTAGTAGAATGGATCTGAGGCGGCTTCTCAGTGGACAAAG 120
cal             TTCCTTACATCGGTACAGACTTAGTAGAATGAATTTGAGGTGGGTTCTCAGTAGACAAAG 120
gla.sab         TTCCTTATATTGGGACAACACTTGTAGAATGAATCTGAGGAGGCTTCTCTGTCGACAAAG 120
gla.vol         TTCCTTATATTGGTACAACACTTGTAGAATGAATCTGAGGGGGCTTCTCTGTTGATAAAG 120
hyl.pha         TCCCCTACATTGGAACAGTCCTTGTCGAATGAATTTGAGGGGGATTTTCGGTAGATAAGG 120
pet.set         TCCCCTATATTGGAACAGTCCTTGTCGAATGAATTTGAGGGGGATTTTCGGTAGATAAGG 120
bel.pea         TCCCTTATATTGGAACTGATCTAGTAGACTGAATCTGAGGGGGGTTTTCAGTTGACAAGG 120
pte.mom         TCCCTTATATCGGCACCAACCTTGTTGAATGGATCTGAGGTGGTTTCTCAGTTGATAAAG 120
gala.dem1       TCGGATATATACGGCCTACTCTAGTAGAATGAATCTGAGGGGGGTTTTCGGTAGACAAAG 120
gala.dem2       TCCGATATGTAGGTACAACCCTGGTAGAATGAATTTGAGGGGGATTTTCAGTAGACAAAG 120
gala.mat        TTCCTTACATGGGTACCGGCCTAGTAGAATGAATCTGAGGGGGATTTTCAGTAGACAAAG 120
gala.mon        TTCCCTATATAGGAACTGGCCTAGTAGAATGAATTGAGGAGGGTTTTCAGTAGACAAAG 120
oto.gal         TTCCCTACATAGGAACTAACCTAGTAGATGAATCTGAGGGGGATTTTCAGTAGACAAAG 120
lor.tar         TTCCTTACATGGGAACTAACCTAGTTGAATGAATCTGAGGGGGGTTCTCAGTAGATAAAG 120
nyc.cou         TTCCCTATATTGGCAGAACCTAGTTGAATGGTCTGAGGAGTCTTCTAGTAGACAAAG 120
mus             TCCTATATATTGGAACAACCCTAGTCGAATGAATTTGAGGGGGCTTTCAGTAGACAAGG 120
rat             TCCCTACATTGGAACAGACCTAGTCGAATGAGTTTGAGGTGGTTACTCAGTAGATAGCC 120
homo            TCCCATACATTGGGACAGACCTAGTTGAATGAATTTGAGGTGGTTACTCAGTAGACAGTT 120
```

```
dug.dug          TCCCCTACATCGGCACCAACCTAGTCGAATGAGTTTGAGGGGGATTCTCAGTAGACAAAG 120
ele.max          TTCCCTACATCGGCACAAACCTAGTAGAATGAATTTGAGGAGGCTTTTCGGTAGATAAAG 120
afr.con          TCCCCTATATTGGTCAAACCCTAGTAGAATGGGCCTGAGGAGGATTCTCAGTTGACAACC 120
pavo.mut         TCCCTTATATTGGACAAACCCTAGTAGAATGAGCCTGAGGGGGATTCTCAGTCGACAACC 120
tra.bly          TCCCATACATTGGCCAAACCTTAGTAGAATGAGCCTGAGGAGGCTTTTCAGTTGACAATC 120
tra.sat          TCCCATACATTGGTCAAACCCTAGTAGAATGAGCGTGAGGCGGCTTTTCAGTTGACAATC 120
tra.cob          TCCCATACATTGGCCAAACTCTAGTAGAATGGGCCTGAGGGGGCTTTTCAGTTGACAATC 120
tra.tem          TCCCATACATTGGCCAAACCCTAGTAGAATGAGCTTGAGGGGGCTTTTCAGTTGACAATC 120
arg.arg          TCCCTTATATTGGACAAACCCTAGTAGAGTGAGCCTGAGGAGGATTTTCAGTCGACAACC 120
cat.wal          TCCCTTACATCGGACAGACCCTAGTAGAATGAGCCTGAGGAGGATTCTCAGTTGACAATC 120
cro.cro          TCCCTTACATTGGACAAACCCTAGTCGAGTGAGCCTGAGGGGGATTCTCAGTTGACAACC 120
sym.ree          TCCCCTACATCGGACAAACCCTAGTAGAGTGGGCCTGAGGAGGATTCTCAGTTGACAACC 120
bam.tho          TTCCCTACATCGGACAAACCCTAGTAGAATGAGCCTGGGGGGGATTCTCAGTAGACAACC 120
fra.fra          TTCCCTACATTGGACAAACCTTAGTAGAGTGAGCCTGAGGGGGATTCTCAGTAGATAACC 120
ith.cru          TTCCCTACATCGGCCAAACTCTGGTAGAATGAGCTTGAGGAGGATTTTCAGTAGACAACC 120
ant.par          TCCCATATATCGGCCAAACCCTTGTAGAATGAGCTTGAGGGGGTTTCTCAGTAGACAATC 120
ant.vir          TCCCATACATCGGCCAAACCCTTGTAGAATGAGCTTGAGGGGGTTTTTCAGTAGATAATC 120
gru.ant.ant      TCCCCTACATCGGCCAAACCCTTGTAGAATGAGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.ant.gil      TCCCCTACATCGGCCAAACCCTTGTAGAATGAGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.ant.sha      TCCCCTACGGCGGCCAAACCCTTGTAGAATGAGCTTGAGGGGGCTTCTCAGTAGACAACC 120
gru.leu          TCCCCTACATCGGCCAAACCCTTGTAGAATGAGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.can.pra      TCCCATACATCGGCCAAACCCTCGTAGAATGGGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.can.row      TCCCATACATCGGCCAAACCCTCGTAGAATGGGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.can.tab      TCCCATACATCGGCCAAACCCTCGTAGAATGGGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.can.can      TCCCATACATCGGCCAAACCCTCGTAGAATGGGCTTGAGGGGGCTTCTCAGTAGACAATC 120
gru.ame          TCCCATACATCGGCCAAACCATCGTAGAATGAGCTTGAGGGGGCTTCTCTGTAGACAACC 120
gru.gru          TCCCATACATCGGCCAAACCCTCGTAGAATGAGCTTGAGGGGGCTTCTCAGTAGACAACC 120
gru.mon          TCCCATACATCGGCCAAACCCTCGTAGAATGAGCTTGAGGAGGCTTCTCAGTAGACAACC 120
gru.nig          TCCCATACATCGGCCAAACCCTCGTAGAATGAGCTTGAGGAGGCTTCTCAGTAGACAACC 120
gru.jap          TCCCATACATCGGCCAAACCCTCGTAGAATGAGCTTGAGGGGGCTTCTCAGTAGACAACC 120
cic.bcy          TCCCCTACATCGGCCAAACCCTCGTAGAATGGGCCTGAGGGGGCTTCTCCGTCGATAACC 120
rhe.ame          TCCCGTACATCGGACAAACCTTGGTAGAATGAGCTTGAGGGGGGTTTTCAGTAGACAACC 120
ant.alb          TCCCATACATCGGCCAAACCTTAGTAGAATGGGCCTGAGGGGGATTCTCCGTTGACAACC 120
fal.fam          TCCCATACATCGGTCAAACCCTAGTCGAGTGGGCCTGAGGAGGATTTTCAGTAGACAATC 120
fal.ver          TCCCATACATCGGCCAAACCCTAGTCGAATGGGCCTGAGGAGGATTTTCAGTAGATAACC 120
fal.per          TCCCATACATCGGCCAAACCCTAGTCGAATGAGCTTGAGGGGGATTTTCAGTAGACAACC 120
fal.spa          TCCCATATATCGGCCAAACCCTAGTCGAATGGGCCTGAGGAGGATTCTCAGTAGACAACC 120
ayt.ame          TCCCATACATCGGGCAAACCCTTGTAGAATGGGCCTGAGGAGGATTCTCGGTAGACAACC 120
smi.sha          TTCCATACATCGGACAAACCCTAGTAGAATGAGCTTGGGGAGGATTTTCAGTAGACAACC 120
vid.cha          TTCCATACATTGGCCAAACCCTAGTAGAATGAGCCTGAGGAGGATTCTCAGTAGACAACC 120
chry.pic         TCCCATTCATTGGTAACACATTAGTACAATGAATCTGAGGTGGATTCTCAGTAGACAACG 120
emy.orb.kur      TCCCATACATTGGCAATACACTAGTGCAATGAATCTGAGGGGGATTCTCAGTAGACAATG 120
che.mud          TCCCATACATCGGCAACACACTAGTACAATGAATCTGAGGAGGGTTTTCAGTAGACAATG 120
eum.egr          TTCCATACATTGGCACCAACCTAGTAGAATGAATTTGACGGGGCTTTTCGGTAGACAACG 120
                 * ** *     **         * **  * **    ** ** ** *  **  * ** *

aep.mel          CAACCCTNACCCGATTTTTCGCTTTCGACTTGATCTTTCGATTCATGATTGCGGCACTAG 180
ore.ore          CAACCCTTACCCGATTTTTGCCTTCGACTTGATTTTCGATTTATGATGGCAGCCTAG 180
add.nas          CAACCCTTACCCGATTTTTGCCTTCGACTTTATTTCGTTTTTATTATCGTTGCCCTTG 180
ory.dam          CAACCCTCACCCGATTTTTGCCTTCGACTTTATTTCGTTTTTATTATCGTTGCCCTTG 180
hip.equ          CAACCCTCACCCGATTTTTGCCTTCGACTTTATTTCGTTTTTATGATGATTGCCCTTG 180
alc.bus          CAACCCTTACCCGATTTTTGCCTTCGACTTGATTTTCGATTCATGATTGCAGCCCTTG 180
sig.lis          CAACCCTTACCCGATTTTTGCCTTCGACTTGATTTTCGATTCATGATTGCAGCCCTTG 180
bea.hun          CAACCCTCACCCGATTTTTGCCTTCGACTTTATTTCGATTTATGATTACAGCCCTTG 180
dam.bun          CGACCCTCACCCGATTTTTGCCTTCGACTTGATTTTCGATTTATGATCGTAGCCCTTG 180
tra.tau          CAACCCTTACCCGATTTTTGCCTTCGACTTCATTTTCGATTTATGATCGCAGCCCTTG 180
amm.lec          CTACTTTCACCCGATTTTTGCCTTCGACTTCATTTTCGATTTTTAATTGCAGCCCTTG 180
pyr.nay          CGACTTTCACCCGATTTTTTCCTTTCGACTTCATTTTCGATTTTTATTGCAGCCCTTG 180
```

```
cap.ibe          CCACTCTCACCCGATTCTTCGCCTTCCACTTCATCCTCCCATTCATCATTACAGCCCTCG 180
hem.jem          CTACCCTAACCCGATTCTTCGCTTTCCACTTCATTCTCCCATTCATCATTGCAGCCCTCG 180
cap.fal          CCACCCTCACCCGATTCTTCGCCTTCCACTTTATCCTCCCATTCATCATTGCAGCCTTAG 180
rup.pyr          CTACCCTCACCCGATTCTTCGCCTTCCACTTCATCCTCCCATTCATCATTGCAGCCTTAG 180
rup.rup          CTACCCTCACCCGATTCTTCGCCTTCCACTTCATCCTCCCATTTATCATTACAGCTACTG 180
nem.cau          CTACTCTCACCCGATTCTTCGCCTTCCACTTCATCCTCCCATTTATCATCGCAGACCTCG 180
bud.tax.tax      CATCCCTCACCCGATTCTTCGCCTTCCACTTCATCCTCCCATTCATCATCGCAGCCCTCG 180
pan.hod          CTACCCTTACCCGATTCTTCGCCTTCCATTTCATTCTCCCATTCATCATCGCAGCCCTCG 180
ovi.amm          CCACCCTGACCCGATTCTTCGCCTTCCACTTCATTTTCCCATTCATCATCGCAGCCCTCG 180
ovi.vig          CTACCCTCACCCGATTCTTCGCCTTCCACTTCATTTTCCCATTCATCATCACAGCCCTCG 180
cap.cri          CCACCCTCACCCGATTCTTCGCCTTCCATTTCATCCTCCCATTCATCATCGTAGCCCTCG 180
ovi.mos          CCACCCTCACCCGATTCTTCGCTTTCCACTTCATTCTCCCATTTATCATCGCAGCCCTCG 180
ore.ame          CTACCCTCACCCGATTCTTCGCCTTCCACTTCATTCTCCCTTTTATTATTGCAGCCCTCG 180
cep.dor          CAACTCTCACCCGATTCTTCGCTTTCCACTTTATCTTCCCATTTATCATCGCAGCCCTTG 180
cep.max          CAACCCTCACTCGATTCTTCGCCTTCCACTTTATCTTCCCATTTATTATCATAGCAATTG 180
bis.bon          CAACCCTTACCCGATTCTTCGCTTTCCACTTTATCCTCCCATTTATTATTACAGCAATTG 180
bos.gru          CAACCCTCACCCGATTCTTCGCTTTCCACTTTATCCTCCCATTCATCATTGCAGCCCTCG 180
bos.tra          CAACCCTAACCCGATTCTTCGCTTTCCACTTTATCCTCCCATTCATTATCGCAGCACTTG 180
bub.min          CAACCCTCACCCGATTCTTCGCATTTCACTTCATCCTCCCATTCATTATCGCAGGACTTG 180
buba.bub         CAACCCTCACCCGATTCTTCGCATTTCACTTCATCCTCCCGTTTATTATTACAGCGCTGG 180
tra.ang          CAACCCTAACCCGATTTTCGCCTTCCACTTCATCCTCCCGTTTATTATTACAGCACTAG 180
tra.eur          CAACCTTAACCCGATTCTTCGCCTTCCACTTTATCCTCCCATTTATTATTACAGCACTAG 180
kob.ell          CAACCCTTACCCGCTTCTTCGCCTTCCACTTTATCCTCCCATTTATCATCGCAGCTATCG 180
kob.meg          CAACCCTTACCCGCTTCTTCGCCTTCCACTTTATCCTCCCATTCATTATCACAGCCCTCG 180
red.aru          CAACCCTTACCCGATTCTTCGCCTTCCACTTTATCCTCCCATTTATCATCATAGCCCTCG 180
red.ful          CAACCCTCACTCGATTCTTCGCCTTCCACTTTATCCTCCCATTTATCATCGCAGCACTCG 180
neo.mos          CAACCCTCACCCGATTTTTTGCCTTCCACTTCATTCTCCCATTTATCATTGCAGCCCTCA 180
pel.cap          CAACCCTCACCCGATTTTTTGCTTTCCACTTTATCTCCCATTTATCATTGCAGCCCTTG 180
gaz.dam          CAACACTCACCCGATTCTTTGCCTTCCATTTCATCCTCCCATTCATCATTGCAGCCCTTG 180
cur.cur          CAACTCTAACCCGATTCTTTGCCTTCCACTTCATCCTCCCATTTATCATTGCAGCCCTTA 180
ant.cer          CAACCCTTACCCGATTTTTCGCCTTCCACTTTATCCTCCCATTTATTATCGCAGCTCTCG 180
sai.tat          CAACCCTCACCCGATTCTTCGCCTTCCACTTCATCCTCCCATTCATTATTGCAGCCCTAG 180
mad.kir          CAACCCTCACCCGATTCTTCGCCTTCCATTTTATTCTCCCATTCATTATCGCAGCCCTAG 180
rap.mel          CAACCCTCACCCGATTCTTCGCTTTTCACTTCAGTTCTCCATTTATCATCGCAGCCCTCG 180
gaz.gaz          CAACACTCACCCGATTCTTTGCTTTTCACTTTATCCTCCCATTCATCATTGCAGCACTAG 180
ant.ame          CAACCCTCACCCGATTCTTCGCATTCCACTTTATCCTCCCATTTATCATTGCAGCTCTTG 180
hyd.ine          CTACCCTGACCCGATTCTTCGCCTTCCACTTCATTCTTCCATTTATCATTGCAGCACTTG 180
mun.mun          CAACCCTCACCCGATTCTTTGCCTTCCACTTTATCCTCCCATTTATCATCGCAGCACTTG 180
alc.alc          CAACTCTAACCCGATTTTTCGCCTTCCACTTTATTCTCCCATTTATCATCGCAGCACTCG 180
cer.ela.kan      CAACCCTAACCCGATTTTTCGCTTTCCACTTTATTCTCCCATTTATCATCGCAGCACTCG 180
cer.ela.xan      CAACCCTAACCCGATTTTTCGCTTTCCACTTTATTCTCCCATTTATCATCGCAGCACTCG 180
cer.ela.can      CAACCCTAACCCGATTCTTCGCTTTCCACTTTATTCTCCCATTTATCATCGCAGCACTTG 180
cer.nip.cent     CAACCCTAACCCGATTTTTCGCTTTCCACTTTATTCTCCCATTTATCATCGCAGCACTTG 180
cer.nip.yes      CAACCCTAACCCGATTTTTCGCTTTCCACTTTATTCTTCCATTTATCATCACAGCACTCG 180
cer.nip.ker      CAACCCTAACCCGATTTTTCGCCTTCCACTTTATTCTTCCATTTATCATCACAGCACTCG 180
cer.nip.pul      CAACCCTAACCCGATTTTTCGCCTTCCACTTTATTCTTCCATTTATCATCACAGCACTCG 180
cer.nip.nip      CAACCCTAACCCGATTTTTCGCTTTCCACTTTATTCTTCCATTTATCATCGCAGCACTCG 180
cer.ela.sto      CAACCCTAACCCGATTTTTCGCTTTCCACTTTATTCTACCATTCATCATTGCGGCACTTG 180
cer.dam          CAACCTTAACTCGATTCTTCGCTTTCCACTTTATTCTACCATTCATCATTGCAGCACTCG 180
can.tar          CAACCCTAACCCGATTTTTTGCTTTCCACTTTATTCTTCCATTTATTATTGCAGCACTCG 180
mos.fus          CAACACTCACTCGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTGCAGCACTCG 180
mos.leu          CAACACTCACCCGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTGCAGCACTCG 180
mos.chr          CAACACTCACTCGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTGCAGCACTCG 180
mos.ber          CAACACTCACTCGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTGCAGCACTCG 180
mos.mos          CAACACTCACCCGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTACAGCCTTAG 180
tri.jam          CAACCCTTACACGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTACAGCCTTAG 180
trag.rup         CAACCCTTACACGATTCTTTGCCTTCCACTTCATTCTTCCATTTATCATTACAGCCTTAG 180
sil.sil          CAACATTAACACGATTCTTTGCCTTCCACTTCATTCTTCCATTTATTATTACAGCATTAG 180
```

```
bala.bon    CAACATTAACACGCTTTTCGCCTTCCACTTCATCCTCCCTTCATTATCCTAGCATTAG 180
bala.bor    CAACACTAACACGCTTTTCGCCTTCCACTTCATTCTCCCCTTCATTATTCTAGCACTAG 180
bala.edi    CAACACTAACACGCTTTTCGCCTTCCACTTTATCCTCCCCTTCATTATTCTAGCACTAG 180
esch.rob    CAACACTAACACGCTTCTTTGCCTTCCACTTCATCCTTCCATTCATTATCCTAGCACTAG 180
bala.mus    CAACACTAACACGCTTCTTTGCCTTCCACTTCATTCTCCCCTTCATCATTATAGCATTAG 180
mega.nov    CAACACTAACACGTTTCTTTGCTTTCCACTTCATCCTCCCCTTCATCATTACAGCATTAG 180
bala.phy    CAACACTAACACGCTTTTTGCCTTTCACTTTATCCTCCCCTTCATCATCCTAGCATTAG 180
cap.mar     CGACACTAACTCGCTTTTTGCTTTCCACTTCATCCTCCCTTTCATTATTCTAGCGCTAG 180
ceph.com    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
ceph.eut    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
lage.obl    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
ceph.hea    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAA 180
ceph.hec    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
lage.aus    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
lage.cru    CAACACTAACACGCTTTTTGCCTTCCACTTCATCCTCCCATTCATCATCACAGCATTAG 180
lage.cbs    CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
lisso.bor   CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
lisso.per   CAACACTAACACGCTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
glo.mac     CAACACTAACACGTTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAACATTAG 180
glo.mel     CAACACTAACACGTTTTTTGCCTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
fere.att    CAACACTAACACGTTTTTTCGCTTTCCACTTTATCCTCCCATTCATCATCACAGCATTGG 180
pepo.ele    CAACACTAACACGTTTTTTCGCTTTCCACTTCATCCTCCCATTCATCATCACAGCATTAG 180
gram.gri    CAACACTAACACGCTTTTTTCGCTTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
pse.cra     CAACACTAACACGTTTTTTCACTCTCCACTTTATCCTCCCATTCATCATTACAGCACTAA 180
lage.acu    CAACACTGACACGCTTTTTTCGCCTTCCATTTCATCCTCCCATTCATAATCACAGCATTAG 180
crci.bre    CAACACTAACACGTTTCTTTGCCTTCCACTTTATCCTTCCATTCATCATCACAGCACTAG 180
crca.bre    CAACACTAACACGTTTTTTCGCCTTCCACTTTATCCTTCCATTCATCATCACAGCATTAG 180
del.cap     CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTTCCATTCATCATCACAGCATTAG 180
del.cro     CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTCCCATTCATCATCACAGCACTAG 180
del.del     CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
sten.cly    CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTCCCGTTCATCATCACAGCATTAG 180
sten.coe    CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTCCCGTTCATTATCACAGCATTAG 180
tur.adu     CAACACTAACACGCTTTTTCGCTTTCCACTTTATCCTCCCGTTCATCATCACAGCATTAG 180
sten.fro    CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTCCCGTTCATCATCACAGCATTAG 180
saus.chi    CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTTCCGTTCATCATCACAGCATTAG 180
sten.lon    CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTTCCATTCATCATCACAGCATTGG 180
turs.tru    CAACATTAACACGCTTTTTCGCTTTCCACTTTATCCTTCCATTCATCATCACAGCACTAG 180
lage.alb    CAACACTAACACGCTTCTTTGCCTTCCACTTTATCCTCCCATTCATCATCATAGCATTAG 180
sten.bre    CAACACTAACACGTTTTTTCGCTTTCCACTTTATCCTCCCATTCATCATCACAGCATTAG 180
sota.flu    CAACACTAACACGCTTTTTTCGCCTTCCACTTTATCCTCCCATTCATCATTACAGCGCTAG 180
del.leu     CAACACTAACACGCTTCTTTGACCTTCCACTTTATCCTCCCATTCATCATCACAGCACTAG 180
mono.mon    CAACACTAACACGCTTCTTTGACCTTCCACTTTATCCTCCCTTTCATCATCCTAACACTAG 180
plat.gan    CAACACTAACACGATTCTTTGCTTTCACTTCATCCTCCCTTTCATCATCCTAACACTAG 180
plat.min    CAACACTAACACGATTCTTTGCTTTCACTTCATCCTCCCTTTATCATCCTAGCACTGG 180
kogi.bre    CCACATTAACACGCTTCTTTGCCTTCACTTCATCCTCCCTTTATCATCCTAGCACTAG 180
kogi.sim    CTACGCTAACACGCTTCTTTGCTTTCCACTTCATCCTCCCTTTATCACCCTAACACTAA 180
phys.cat    CAACACTGACACGCTTCTTCACTTCCACTTCATCCTCCCTTTATTATTGTAGCACTAA 180
lipo.vex    CAACATTAACCCGCTTCTTTGCTCTCCATTTCATCCTTCCATTTATTATTGTAGCACTAA 180
phoc.sin    CAACACTAACACGCTTCTTCGCCTTCCATTTATCCTTCCATTTATCATTACAGCACTAA 180
bera.bai    CCACACTAACACGCTTCTTTGCCTTCCATTTATCCTTCCATTTATTATTTAGCCCTAG 180
elph.gil    CCACACTAACACGCTTCTTTGCCTTCCATTCATCCTTCCATTTATTATCTAGCCCTAA 180
meso.eur    CTACACTAACACGCTTCTTTGCTTTCCATTTATCCTTCCATTCATTATTTAGCCCTAG 180
meso.bid    CCACATTAACACGCTTCTTTGCTTTCCATTTATCCTTCCATTTATTATCTAGCCCTAA 180
meso.den    CCACATTAACACGCTTCTTTGCTTTCCATTTATCCTTCCATTCATTATCTAGCCCTAG 180
mype.imp    CCACATTAACCCGCTTCTTTGCTTTCCATTTATCCTTCCATTTATTATCTAGCCCTAA 180
meso.pus    CTACATTAACACGATTCTTTGCTTTCCATTTATCCTTCCATTCATTATCAGCCCTAG 180
pont.bil    TAACACTAACCCGATTCTTTGCTTTCCATTTATCCTTCCATTCATTATCTAGCCCTAG 180
hex.lib     CCACCTTACACGATTCTTTGCTTTCCATTTATCCTTCCATTCATTATCTAGCCCTAG 180
```

```
hipp.amp        CCACCCTTACACGATTCTTTGCCTTCCACTTTATTCTTCCATTCGTTATCACAGCACTAG 180
dic.sum         CCACCCTCACCCGGTTCTTTGCTTTCCACTTCATCCTCCCCTTCATCATCCTAGCCCTAG 180
rhin.son        CTACCCTTACCCGATTCTTTGCCTTCCACTTCATCCTTCCCTTTATTATCCTAGCTCTAG 180
cerv            CCACACTTACACGATTCTTCGCCTTTCACTTTATCCTCCCCTTTATTATCATAGCCCTAG 180
equu            CCACCCTTACCCGATTTTTTGCCTTCCACTTTATTCTACCCTTTATCATCACAGCCCTGG 180
baby.bab        CAACCCTCACACGATTCTTTGCTTTCCACTTTATTCTACCCTTCATCATCACCGCTCTCG 180
phac.afr        CAACTCTCACACGATTCTTTGCCTTCCACTTCATTTTACCTTTTATCATCGCTGCCCTAG 180
sus.bar         CAACCCTTACACGATTCTTCGCCTTTCACTTTATCCTGCCCTTCGTCATTACCGCCCTCG 180
sus.scr.ewbj    CAACCCTCACACGATTCTTCGCCTTCCACTTTATCCTGCCATTCATCATTACCGCCCTCG 180
lama.gla        CCACCCTTACACGATTCTTCGCCTTCCACTTTATCTTACCTTTTGTCATTGCAGCTCTAG 180
lama.gua        CCACCCTTACRCGATTCTTCGCCTTCCACTTTATCTTACCTTTTGTCATTGCAGCTCTAG 180
vic.vic         CCACCCTTAACCGATTCTTCGCCTTTCACTTTATCTTACCTTTCATCATTGCAGCTCTAG 180
cam.bac         CCACCCTCACACGATTCTTTGCCTTCCACTTCATCCTGCCATTTATTATCACGGCCCTAG 180
arc.for         CAACCCTAACACGATTCTTCGCCTTTCACTTCATTCTCCCCTTCGTAGCATCAGCACTAG 180
arc.gaz         CAACCCTAACACGATTCTTCGCCTTTCACTTTATTCTCCCCTTCGTAGTATCAGCACTAG 180
eum.jub         CAACCCTAACACGATTCTTCGCCTTCCACTTTATTCTCCCCTTCGTAGCATCAGCACTAG 180
tal.cal         CAACCCTAACACGATTCTTTGCCTTCCACTTTATTCTCCCCTTCATAGCATCAGCACTAG 180
odo.ros         CAACCCTAACACGATTCCTCGCCCTCCACTTCGTTCTTCCATTCATGGCATTAGCACTAA 180
pho.fasciata    CAACCCTAACACGATTTTTCGCTTTCCACTTTATCCTACCATTTGTAGTATCAGCACTAG 180
pho.gro         CAACCCTAACACGATTTTTCGCCTTCCACTTCATCCTGCCATTCGTAGTATCAGCCCTAG 180
pho.vit         CAACTTTAACACGATTCTTCGCCTTCCACTTCATCCTACCATTCGTCGTATCAGCACTAG 180
cys.cri         CAACTCTAACACGGTTTTTCGCCTTCCACTTCATCCTTCCCTTCGTAGTATCAGCACTAG 180
hyd.lep         CAACCCTAACACGATTCTTCGCCTTCCACTTTATCCTTCCCTTCGTAGTATCAGCACTAG 180
lep.wed         CAACCCTAACACGATTCTTCGCCTTCCACTTTATCCTTCCCTTCGTAGTATCAGCACTAG 180
mir.leo         CAACCCTAACACGATTCTTCGCCCTCCACTTTATCCTACCATTCGTAGCACTAGCACTAG 180
eri.bar         CAACCCTAACACGATTCTTCGCCTTCCACTTTATCCTACCATTTGTAGTATTAGCACTAG 180
mon.sch         CAACCCTAACACGATTCTTCGCTTTCCATTTTATTATACCCTTCATAGTATTAGCACTAG 180
hela.mal        CGACTCTAACACGATTCTTTGCCTTCCACTTTATCCTTCCGTTCATCATCCTAGCACTAG 180
sel.thi         CAACCCTAACACGATTCTTTGCTTTCCACTTTATCCTTCCGTTCATCATCCTAGCACTAG 180
ail.ful         CAACTCTAACTCGATTCTTCGCCTTCCACTTCATTCTTCCATTCATTATCTCAGCCTTAG 180
fel             CCACCCTAACACGATTCTTTGGCTTCCACTTCATTCTTCCATTCATCATCGCAGCTCTAG 180
can             CAACCCTAACACGATTCTTTGCATTCCATTTCATCCTCCCTTTCATCATCGCAGCTCTAG 180
tal             CGACACTCACACGATTCTTCGCCTTCCACTTCATTCTGCCATTTATTATTGCGGCACTAG 180
gla.sab         CTACCCTAACCCGATTTTTGCATTCACTTCATTCTTCCTTTTATCATTGCCGCTCTAG 180
gla.vol         CTACCTTAACCCGATTCTTTGCATTCACTTCATTCTTCCTTTTATTATTGCAGCACTAG 180
hyl.pha         CTACCCTAACCCGATTCTTCGCATTCCACTTTGTGCTGCCCTTTATTATTGCGGCACTGG 180
pet.set         CTACCCTAACCCGATTCTTCGCATTCCACTTTGTGCTGCCCTTTATTATTGCAGCAGCCTTG 180
bel.pea         CAACCCTAACACGATTCTTCGCATTCCACTTTATCTTACCATTTATCGTAGCAGCCCTAG 180
pte.mom         CTACCCTAACACGATTCTTTGCATTCCACTTTGTCCTCCCCTTCATTATCGCAGCCCTAG 180
gala.demi       CTACCCTTACCCGATTCTTTGCTTTCCACTTTATCCTCCCATTTATCATTACAGCAATAG 180
pero.pot        CTACCCTAACACGATTCTTCGCCTTCCACTTCATCCTCCCCTTTATTATCACAGCACTAG 180
gala.mat        CCACCCTTACTCGATTCTTTGCTTTTCACTTCATCCTACCTTTCATTATTGCAGCCCTAG 180
gala.moh        CTACTCTTACCCGATTTTTGCTTTTCACTTCATCCTGCCTTTCATCATCGCAGCCCTAG 180
oto.gaz         CAACCCTCACCCGCTTTTTTGCTTTCCACTTTATCCTTCCATTCATCATCACAGCATTAA 180
lor.tar         CAACCCTCACACGATTCTTCGCCTTTCACTTCATCCTTCATTCATCATCGTCGCTGCTTAG 180
myc.cou         CCACACTCACACGATTCTTCGCCTTCCACTTCATCCTACCATTCATTATCGCTGCCCTAG 180
mus             CCACCTTGACCCGATTCTTTGCTTTCCACTTCATCTTACCATTCATTATCGCAGCCCTAA 180
gorr            CTACCCTTACACGATTCTTTACCTTCCACTTCATCCTGCCTTTCATTATTGCAGCCCTAG 180
homo            CCACCCTCACACGATTCTTTACCTTCACTTCATCCTGCCTTTCATTATCGTAACCGCCCTAG 180
dug.dug         CCACCCTCACCCGATTCTTCGCCTTACACTTCATCTTACCCTTCATCGTAACTGCCCTAG 180
ele.max         CAACCTTAAACCGATTCTTCGCCTTCCGATTTCATCCTTCCATTTACTATAGTTGCACTAG 180
ait.con         CAACCCTCACCCGATTCTTCGCCTTACACTTTCTTCCTTCCTTTCTAATTGCCGGAATTA 180
pivo.mut        CAACCCTCACCCGATTCTTCGCCTTACACTTTCTTCCTTCCTTTCTAATTGCAGGAATTA 180
tra.bly         CAACCCTCACTCGATTCTTCGCCTTACACTTTCTTCCTTCCTTTCTAATTGCAGGAATTA 180
tra.gut         CAACCCTCACCCGATTCTTCGCCTTACACTTTCTTCCTTCCTTTCTAATTGCAGGAATTA 180
tra.tob         CAACCCTTACCCGATTCTTTGCCTTACACTTTCTTCCTTCCTTTCTAATTGCAGGAATTA 180
tra.tem         CAACCCTTACCCGATTCTTTGCCTTACACTTTCTTCCTTCCTTTCTAATTGCAGGAATTA 180
tri.tri         CCACCCTTACCCGATTCTTTGCCTTACACTTTCTTCCTTCCTTTCTAATTGCAGGAATTA 180
```

```
cat.wal          CAACTCTCACCCGATTCTTCGCCCTGCACTTCCTCCTTCCCTTCGTAATTGCAGGAATCA 180
cro.cro          CAACCCTCACCCGATTCTTCGCCCTACACTTCCTCCTCCCCTTCGTAATTGCAGGAATTA 180
sym.ree          CAACCCTCACCCGATTCTTCGCCCTTCACTTCCTCCTACCCTTCGTAATCACAGGAATCA 180
bam.tho          CAACTCTCACCCGATTCTTCGCCTTACACTTCCTACTCCCCTTCGTAATCGCAGGAATTA 180
bam.tho          CAACCCTCACCCGATTCTTCGCCCTACACTTCCTTCTCCCCTTCGTAATTGCAGGAATCA 180
fra.fra          CAACCCTCACCCGATTCTTCGCCCTACACTTCCTCCTCCCCTTCGCAATCGCAGGAATTA 180
ith.cru          CAACCCTCACCCGATTCTTCGCCCTACACTTTCTCCTCCCCTTCGCAATCGCAGGAATTA 180
ant.par          CCACATTAACTCGATTCTTCACTTTACACTTCCTCCTTCCATTCATAATTATGGGCCTCA 180
ant.vir          CCACATTAACTCGATTCTTCACGTTACACTTCCTCCTTCCATTCATAATTATGGGCCTCA 180
gru.ant.ant      CCACATTAACTCGATTCTTCACTTTACACTTCCTCCTTCCATTCATAATCATAGGCCTCA 180
gru.ant.gil      CCACATTAACTCGATTCTTCACTTTACACTTCCTCCTTCCATTCATAATCATAGGCCTCA 180
gru.ant.sha      CCACATTAACTCGATTCTTCACTTTACACTTCCTCCTTCCCTTCATAATCATAGGCCTCA 180
gru.leu          CCACATTAACTCGATTCTTCACTTTACACTTCCTCCTTCCATTCATAATCATAGGCCTCA 180
gru.can.pra      CCACATTAACCCGATTCTTCACTTTACACTTCCTCCTCCCATTCATAATTATAGGCCTCA 180
gru.can.row      CCACATTAACCCGATTCTTCACTTTACACTTCCTCCTCCCATTCATAATTATAGGCCTCA 180
gru.can.tab      CCACATTAACCCGATTCTTCACTTTACACTTCCTCCTCCCATTCATAATTATAGGCCTCA 180
gru.can.can      CCACATTAACCCGATTCTTCACTTTACACTTCCTCCTCCCATTCATAATCATAGGCCTCA 180
gru.ame          CCACATTAACCCGATTCTTCACTTTACACTTCCTCCTCCCATTCATAATCATAGGCCTCA 180
gru.gru          CCACATTAACCCGATTCTTCACCTTACACTTCCTCCTCCCATTCATAATCATAGGCCTCA 180
gru.mon          CCACATTAACTCGATTCTTCACCTTACACTTCCTCCTCCCATTCATAATCATAGGCCTCA 180
gru.nig          CCACATTAACTCGATTCTTACCTTACACTTCCTCCTCCCATTCATAATCATAGGCCTCA 180
gru.jap          CCACATTAACTCGATTCTTACCTTACACTTCCTTCTCCCCTTCGCAATCGCAGGCCTCA 180
cic.boy          CAACACTAACCCGATTCTTCGCCCTACACTTCCTTCTCCCCTTCCTAATCGCAGGCATTA 180
rhe.ame          CTACCCTAACCCGATTCTTCGCCCTGCACTTCCTTCTCCCCTTCCTAATCGCAGGCCTAG 180
ant.alb          CAACCCTGACACGATTCTTCGCCCTACACTTTCTCCTCCCGTTCATAATCGCAGGCCTCA 180
fal.fam          CAACACTGACCCGATTCTTCGCCCTACACTTCCTCCTACCATTCCTAATCGCAGGGCTCA 180
fal.ver          CAACACTAACCCGATTCTTCGCCCTACACTTCCTACTTCCATTCCTAATCGCAGGACTCA 180
fal.per          CAACACTGACCCGATTCTTCGCCCTACACTTCCTACTTCCATTCCTAATCGCAGGGCTTA 180
fal.spa          CAACACTAACCCGCTTCTTCGCCTTACACTTCCTCCTACCATTCCTAATCGCAGGAATCA 180
ayt.ame          CAACCCTAACTCGATTCTTCGCCATCCACTTCCTACTACCCTTCCTAATCGCAGGAATCA 180
smi.sha          CCACCCTTACCCGATTCTTCTCCCTTCACTTCCTCCTCCCATTTATCATCGCAAGCCTGA 180
vid.cha          CAACACTCACCCGATTCTTCGCCCTACACTTCCTTCTACCCTTCGTCATTGCAGGACTCA 180
chry.pic         CAACCTTAACCCGATTTTTTACCCTTCACTTCCTTCTACCATTTACAATCATAGGTCTAA 180
emy.orb.kur      CAACCCTAACCCGATTCTTCACTTTCCATTTCTTACTGCCATTTACCATTATAGGCCTTA 180
che.mud          CAACCCTAACCCGATTCTTCACCTTCCACTTCCTATTACCATTTGCCATTACCGGCCTTA 180
eum.egr          CAACCCTCACCCGATTTTTCACATTCCACTTCCTTCTGCCATTCGCTATTATAGGGGCCT 180
                 * * * * ** ** * * ** **       ** **

aep.mel          CCATAGTCCACCTACTCTTTCTTCACGAAACAGGATCTAACAACCCTACAGGAATCTTAT 240
cre.cre          CCATAGTACACCTACTCTTTCTCCACGAAACAGGGTCCAATAACCCCACAGGAATCTCAT 240
add.nas          CCATAGTCCATCTACTCTTTCTCCACGAAACAGGCTCCAACAACCCTACAGGAATCACCT 240
cry.dam          CCATAGTCCACCTACTCTTTCTCCACGAAACAGGCTCCAACAACCCTACAGGAATTTGAT 240
hip.equ          CCATAGTACACCTACTCTTTCTCCATGAGACAGGCTCCAACAACCCCACAGGAATCTCAT 240
alc.bus          CCATAGTTCACCTCTTATTCCTCCACGAAACAGGATCTAACAACCCCACAGGAATCTCGT 240
sig.lic          CCATAGTTCACCTCTTATTCCTCCACGAAACAGGATCTAACAACCCCACAGGAATCTCGT 240
bea.hun          CCATAGTCCACCTCTTATTCCTCCACGAAACAGGATCTAACAACCCCACAGGAATTTCAT 240
dam.lun          CCATAGTCCACCTCTTATTCCTCCATGAAACAGGATCTAACAACCCCACAGGAATTTCAT 240
con.tau          CTATAGTCCATCTCCTATTCCTCCACGAAACAGGATCTAACAACCCCACAGGAATTTCAT 240
amm.lec          CCATAGTCCACTTACTTTTCCTCCATGAAACGGGATCCAACAACCCCACAGGAATCCCAT 240
gge.nay          CCATAGTCCACCTACTTTTCCTCCACGAAACAGGATCTAACAACCCCACAGGAATTCCAT 240
cap.ibe          CCATACTCCACCTGCTCTTCCTCCACGAAACGGGATCCAACAACCCCACAGGAATTCCAT 240
hem.jem          CCATAGTCCACCTGCTCTTCCTCCACGAAACAGGGTCCAACAACCCCACAGGAATTCCAT 240
cap.fal          CCATAGTCCACCTACTCTTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATTCCAT 240
cup.pyr          CCATAGTCCACCTACTCTTTCTCCATGAAACAGGATCTAACAACCCCACAGGAATCCCAT 240
cup.cup          TCCTAGTCCACCTACTCTTTCTCCATGAAACAGGATCTAACAACCCCACAGGTATCCCAT 240
nem.tri          CTATAGTCCACCTACTTTTCCTCCATGATATAGGATCCAACAACCCCACAGGAATTCCGT 240
bud.tax.tax      CCATAGTCCATTTACTTTTCCTCCATGAAACAGGATCCAACAACCCCACAGGAATTCCAT 240
pan.bod          TCATAGTCCACCTACTCTTCCTCCATGAAACAGGATCTAACAACCCCACAGGAATTCCAT 240
pvi.amm          CCATAGTCCACCTACTCTTCCTCCATGAAACAGGATCTAACAACCCCACAGGAATCCCAT 240
```

```
ovi.vig      CTATAGTTCACCTACTCTTCCTCCACGAAACAGGATCCAATAACCCCACAGGAATTCCAT 240
cap.cri      CCATAGTGCACCTACTTTTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATCTCAT 240
ovi.mos      CTATAGTACATTTGCTCTTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATTCCAT 240
ore.ame      CCATAGTCCACTTACTTTTCCTCCACGAAACAGGATCTAATAACCCAACAGGAATTTTAT 240
cep.dor      CCATAGTTCACCTACTCTTCCTCCATGAAACAGGATCCAACAACCCCACAGGAGTCTCAT 240
cep.max      CCATAGTCCACCTACTATTCCTCCACGAAACAGGATCTAATAACCCCACAGGAATCTCAT 240
bis.bon      CCATAGTTCACCTACTATTCCTCCACGAAACAGGTTCTAACAATCCAACAGGAATTTCCT 240
bcs.gru      CCATAGTCCACCTACTATTCCTCCACGAAACAGGCTCCAACAATCCAACAGGAATCTCCT 240
bcs.tra      CAATAATCCATCTACTCTTCCTCCATGAAACAGGGTCTAACAATCCAACAGGAATTTCAT 240
bub.min      CAATAGTCCACCTATTATTTCTCCACGAAACAGGATCCAACAACCCAACAGGAATCTCAT 240
buba.bub     CAATAGTCCACCTATTATTTCTCCACGAAACAGGATCCAACAACCCAACAGGAATCTCAT 240
tra.ang      TTATGGTCCACCTATTATTCCTCCATGAAACAGGATCCAACAACCCAACAGGAATCTCAT 240
tra.eur      CCATGGTACACCTACTATTCCTCCACGAAACAGGATCCAACAACCCAACAGGAATCTCAT 240
kob.ell      CCATAGTCCATCTTCTGTTTCTCCATGAAACAGGATCCAATAATCCCACAGGAATCTCAT 240
kob.meg      CTATAGTTCACCTACTATTCCTTCATGAAACAGGATCTAACAACCCTACAGGGATTTCAT 240
red.aru      CTATAGTACACCTACTATTCCTCCACGAAACAGGATCCAACAACCCTACAGGAATCTCAT 240
red.ful      CTATAGTCCACCTACTATTCCTCCATGAAACAGGATCCAACAACCCCACAGGGGTTTCAT 240
neo.mos      CCATAGTCCACTTACTCTTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCTCAT 240
pel.cap      CCATAGTACACTTGCTTTTCCTTCATGAAACAGGATCTAATAACCCCACGGGAATTCCAT 240
gaz.dam      CCATAGTTCATCTATTATTCCTTCACGAAACAGGATCCAACAATCCCACAGGAATTTCAT 240
our.our      CCACAGTCCACCTACTATTCCTTCACGAAACGGGATCCAACAATCCCACAGGAATTTCAT 240
ant.cer      CCATAGTACACCTACTGTTTCTCCACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
sai.tat      CTATAGTCCACCTACTTTTTCTTCACGAAACAGGATCTAACAACCCCACAGGAATCCCAT 240
mad.kir      CCATGGTTCACCTCCTCTTTCTCCATGAAACGGGATCCAACAGCCCCACAGGCATTTCAT 240
rag.mel      CTATAGTTCACCTACTTTTCCTCCACGAAACTGGATCCAACAACCCCACAGGAAGTTTAT 240
gaz.gaz      CTATAGTCCACTTACTATTCCTTCATGAAACAGGATCCAATAACCCCACAGGAATTTCAT 240
ant.ame      CTATAGTACACTTACTATTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
hyd.ine      CCATAGTGCACTTACTTTTCTCCACGAAACAGGATCCAACAATCCAACAGGAATTCCAT 240
mun.mun      CTATAGTCCACCTACTTTTCGTCCACGAAACAGGATCCAACAACCCAACAGGAATTCCAT 240
alc.alc      CCATAGTCCACTTACTTTTCCTCCACGAAACAGGATCCAACAACCCAACAGGAATCCCAT 240
cer.ela.kan  CTATAGTACACTTACTCTTCCTTCACGAAACAGGATCCAATAACCCAACAGGAATTCCAT 240
cer.ela.xan  CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCCAATAACCCAACAGGAATCCCAT 240
cer.ela.can  CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCTAATAACCCAACAGGAATCCCAT 240
cer.nig.cent CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCCAACAACCCAACAGGAATCCCAT 240
cer.nig.yes  CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCCAACAACCCAACAGGAATCCCAT 240
cer.nig.ker  CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCCAACAACCCAACAGGAATCCCAT 240
cer.nig.pul  CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCCAACAACCCAACAGGAATCCCAT 240
cer.nig.nig  CTATAGTACACTTACTCTTCCTTCACGAGACAGGATCCAACAACCCAACAGGAATCCCAT 240
cer.ela.sco  CTATAGTACACTTACTCTTCCTTCACGAAACAGGATCTAATAACCCAACAGGAATCCCAT 240
cer.dam      CTATAGTACATTTACTCTTTCTTCACGAGACAGGATCCAATAACCCAACAGGAATTCCAT 240
ran.tar      CTATAGTCCATTTGCTTTTCCTTCACGAAACAGGGTCTAACAATCCAACAGGAATTCCAT 240
mos.fus      CTATGGTTCACCTACTCTTTCTCCACGAAACAGGATCCAACAACCCAACAGGAATCACAT 240
mos.leu      CTATGGTTCACCTACTCTTTCTCCACGAAACAGGATCCAACAACCCAACAGGAATCACAT 240
mos.chr      CTATGGTTCACCTACTCTTTCTCCACGAAACAGGATCCAACAACCCAACAGGAATCATAT 240
mos.ber      CTATGGTTCACCTACTCTTTCTCCACGAAACAGGATCCAACAACCCAACAGGAATCACAT 240
mos.mos      CCATGGTTCATCTACTCTTTCTCCATGAAACAGGATCCAATAACCCAACAGGAATCCCCT 240
tri.jav      TCCTAGTCCACCTTTTATTTCTCCACGAAACAGGATCTAATAACCCCACAGGAATCCCCT 240
trag.nap     CCCTAGTCCATCTTTTATTTCTCCACGACACAGGATCAAATAACCCCACAGGTATCCCAT 240
bala.acu     CAATTGTCCACCTCATTTTCCTCCACGAAACAGGATCCAATAACCCCACAGGTATTCCAT 240
bala.bon     CAATTGTCCACCTCATTTTCCTCCACGAAACAGGATCCAATAACCCCACAGGTATTCCAT 240
bala.ber     CAATGGTCCACCTCATTTTCCTCCATGAAACAGGATCCAACAACCCCACAGGTATTCCAT 240
bala.edi     CAATGGTCCACCTCATTTTCCTCCACGAAACAGGATCCAATAACCCCACAGGTATTCCAT 240
esch.rob     CAATTGTCCACCTCATTTTCCTCCACGAAACAGGATCCAACAACCCCACAGGCATTCCAT 240
bala.mus     CAATGGTCCACCTCATTTTCCTCCACGAAACAGGATCCAATAACCCCACAGGTATCCAT 240
mega.nov     CAATGGTCCACCTCATTTTCCTCCACGAAACAGGATCCAACAACCCCACAGGCATCCAT 240
bala.phy     CAATTGTCCACCTCATTTTCCTCCACGAAACAGGATCCAACAACCCCACAGGCATCCAT 240
cip.mir      CAGCTGTTCATCTCCTTTTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
ziph.cav     CAGCCGTTCACCTCATTATTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
```

```
                  CAGCCGTCCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
ceph.eut          CAGCCGTCCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
lage.obl          CAGCCGTCCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
ceph.hea          CAGCCGTCCATCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATTCCAT 240
ceph.hec          CAGCCGTCCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
lage.aus          CAGCCGTCCACTTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
lage.cru          CAGCCGTCCACCTGCTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
lage.obs          CAGCCGTCCACCTACTATTCCTACACGAAACAGAATCCAACAACCCCACAGGAATTCCAT 240
lisso.bor         CAGCTGTTCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATTCCAT 240
lisso.per         CAGCTGTTCACCTACTGTTCCTACACGAGACAGGATCCAATAACCCCACAGGAATTCCAT 240
glo.mac           TAGCTGTCCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCATAGGAATCCCAT 240
glo.mel           TAGCTGTCCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCATAGGAATCCCAT 240
fere.att          TAGCTGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
pepo.ele          TAGCTGTCCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCTACAGGAATCCCAT 240
gram.gri          TAGCTGTTCACCTGCTATTCCTACACGAGACAGGATCCAATAACCCCACAGGAATCCCAT 240
pse.cra           CAGCTACCCACCTACTATTCCTACACGAGACTGGATCCAATAACCCCACAGGAATCCCAT 240
lage.acu          CAGCTGTTCACCTGCTGTTCCTACACGAGACAGGATCCAATAACCCTACAGGAATCCCAT 240
orci.bre          CAGCTGTTCACCTGCTGTTCCTACACGAGACAGGATCCAATAACCCCACAGGAATCCCAT 240
orca.bre          CAGCTGTTCACCTACTGTTCCTACACGAAACAGGATCCAACAATCCTACAGGAATCCCAT 240
del.cap           TAACTGTTCACCTACTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
del.tro           CAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
del.del           CAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
sten.cly          CAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATTCCAT 240
sten.coe          CAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
tur.adu           CAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
sten.fro          CAGCCGTTCACCTACTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
saus.chi          TAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAACCCTACAGGAATTCCAT 240
sten.lon          CAGCCGTCCACCTACTATTCCTACACGAAACAGGATCCAATAACCCCACAGGAATCCCAT 240
turs.tru          CAGCCGTTCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
lage.alb          TAGCTGTTCACCTACTATTTTTACACGAGACAGGATCCAACAACCCCACAGGAATCCCAT 240
sten.bre          CAACTGTCCACCTACTATTCCTACACGAGACAGGATCCAACAATCCCACAGGAATCCCAT 240
sota.flu          CAGCCGTTCACCTGCTATTCCTACACGAAACAGGATCCAATAATCCCACAGGAATCCCAT 240
del.leu           TAGCCGTCCATTTATTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
mono.mon          TGGCCGTCCACTTATTATTCCTACACGAAACAGGATCCAACAACCCCACAGGAATTCCAT 240
plat.gan          CAATTATCCACCTACTATTCCTACACGAAACAGGCTCAAACAACCCCACAGGAATTCCAT 240
plat.min          CAGTTATCCACCTACTATTCCTACACGAAACAGGCTCAAACAACCCCATAGGAATCCCAT 240
kogi.bre          CAATGGTCCACCTCTTATTTCTCCACGAAACAGGATCCAACAACCCCCTAGGAATTCCTT 240
kogi.sim          CAATAATCCACCTCCTATTTCTCCACGAAACAGGATCCAACAACCCCACAGGAATTCCCT 240
phys.cat          CAATAGTACATCTCCTATTTCTCCATGAAACAGGATCCAACAACCCCAATAGGAATTCCAT 240
lipo.vex          CAACCGTCCACTTACTATTTCTCCATGAAACAGGCTCCAACAATCCCACAGGAATCCCGT 240
phoc.sin          TAATCGTCCATCTACTATTCCTCCATGAAACAGGCTCCAACAATCCCACAGGAATCCCAT 240
bera.bai          CAGCCGTCCACTTACTATTCCTCCACGAAACAGGATCCAACAACCCCACAGGAATCCCAT 240
ziph.car          CAGCCGTCCACTTACTATTCTCCACGAAACAGGATCTAATAACCCCACAGGAATCCCAT 240
meso.eur          CAATCGTCCACTTACTATTTCTCCATGAAACAGGATCTAACAACCCTACAGGAATTCCAT 240
meso.bid          CAATCGTCCACCTACTATTTCTCCATGAAACAGGATCTAATAACCCTACAGGAATCCCAT 240
meso.den          CAATGGTCCACCTACTATTCCTCCATGAAACAGGATCCAACAATCCCACAGGAATTCCAT 240
hype.amp          CAATCGTCCACCTACTATTCCTCCATGAAACAGGATCCAACAACCCCACAGGAATCTCTT 240
meso.per          CAATTGTCCATTTACTATTTCTACACGAAACAGGATCTAATAATCCCATAGGAATCTCAT 240
pont.bla          TTATAGTCCACCTGCTATTCCTACACGAAACTGGATCCAACAACCCAACAGGAATCCCCT 240
hex.lib           CCGCCGTCCACCTACTGTTTCTCCACGAAACAGGGTCCAACAACCCAACAGGAATCCCCT 240
hipp.amp          CCATCGTCCATCTACTATTCCTCCATGAAACAGGATCCAACAACCCATCAGGAATCCCAT 240
dic.sum           CAATTACCCACCTGCTATTCCTACATGAAACAGGATCCAACAACCCATCAGGAATTCCAT 240
thin.son          CGATCACCCACTTACTATTCCTACACGAAACAGGATCCAATAACCCATCAGGAATCCCAT 240
cete              CAATCACCCACCTACTATTCCTTCACGAAACAGGATCCAATAACCCATCAGGAATCCCAT 240
equu              TAATCGTCCATCTACTATTCCTCCACGAAACAGGATCCAACAACCCCTCAGGAATCCCAT 240
baby.bab          CAACCGTACATCTATTATTCCTTCACGAAACTGGATCCAATAACCCTACTGGAATTTCAT 240
phac.afr          CAACCGTACATCTCTTGTTCCTACACGAAACTGGATCTTAACAACCCTACTGGAATTTCAT 240
sus.bar           CAGCCGTACATCTCCTATTCCTACACGAAACCGGATCCAATAACCCCACCGGAATCTCAT 240
sus.scr.ewbl      CAGCCGTACATCTCCTATTCCTCACGAAACCGGATCCAATAACCCCACCGGAATCTCAT 240
```

```
lama.gla        CAGGAGTACATCTACTATTTTTACACGAAACAGGCTCCAACAATCCAACAGGAATTTCTT 240
lama.gua        CAGGAGTGCATCTACTATTTTTACACGAAACAGGCTCCAACAATCCAACAGGAATTTCTT 240
vic.vic         CGGGAGTACATCTACTATTTTTACACGAAACAGGCTCCAACAACCCAACAGGAATTTCTT 240
cam.bac         TAGCCGTACACCTATTATTCCTACACGAAACAGGCTCTAATAACCCGACAGGAATCTCCT 240
arc.for         TAATAGTACATCTGCTATTCCTACATGAAACAGGATCCAATAACCCATCAGGAGTCTCCT 240
arc.gaz         TAATAGTGCACCTACTATTCCTACACGAAACAGGATCCAACAACCCATCAGGAATCTCCT 240
eum.jub         TAATAGTACACCTATTATTCCTACACGAAACTGGATCCAACAATCCATCAGGAATCTCCT 240
tal.cal         TAATAGTACACCTATTATTCCTACACGAAACTGGGTCCAACAACCCATCAGGAATCCTCT 240
odo.ros         CAGCAGTACACCTACTATTCCTCCACGAAACAGGATCTAACAACCCTTCGGGAATCCTAT 240
pho.fasciata    CGGCAGTTCACCTACTATTCCTACACGAAACAGGATCCAACAACCCCTCCGGAATCGTAT 240
pho.gro         CGGCAGTTCATCTACTATTCTTACACGAAACAGGATCCAACAACCCCACCGGAATCGTAT 240
pho.vit         CAGCAGTCCACCTACTATTCCTACACGAAACAGGATCAAACAACCCCTCCGGAATCATAT 240
cys.cri         CAACAGTCCACCTACTATTCCTACACGAAACAGGATCTAATAATCCCTCCGGAATCACAT 240
hyd.lep         CAGCAGTACATCTACTATTCCTACACGAAACAGGATCCAATAACCCCTCCGGAATTCCAT 240
lep.wed         CAGCAGTACATCTACTATTCTTACACGAGACAGGATCCAACAACCCCTCCGGAATTCCAT 240
mir.leo         CAGCAGTACATCTACTATTCCTACACGAAACAGGATCCAACAACCCCTCTGGAATCCCAT 240
eri.bar         CAGCAGTCCACCTATTATTCCTACACGAAACAGGATCCAACAACCCCTCTGGAATCTCGT 240
mon.sch         CAGCAGTCCACCTACTATTCCTACACGAAACAGGATCCAACAATCCCTCCGGAATTCCAT 240
hela.mal        CAGCAGTCCATTTATTATTTCTACACGAAACAGGATCCAACAATCCCTCTGGAATCCCAT 240
sel.thi         CAGCGGTCCACCTATTATTCCTACACGAAACAGGGTCCAACAATCCCTCTGGAATCCCAT 240
ail.ful         CAGCAGTTCATCTATTGTTCCTACACGAAACAGGATCCAACAACCCTTCTGGAATCCCAT 240
fel             CAACTATCCATCTCTTATTCCTACATGAAACAGGATCTAATAACCCCTCAGGCATCCCAT 240
can             CAGGAGTACACCTCTTATTCCTTCATGAAACAGGATCTAACAACCCCTCAGGAATTACAT 240
tal             CAATAGTACACCTCCTATTTCTACACGAAACCGGATCCAACAACCCTTCAGGAATCACAT 240
gla.sab         CTGGAGTTCACCTGTTATTTCTTCACGAAACAGGATCAAACAACCCATCAGGACTCTCAT 240
gla.vol         CCATAATCCATCTACTCTTTTTACACGAAACAGGATCCAATAACCCATCAGGACTAATCT 240
byl.pha         CCATAATCCATCTACTCTTTCTACACGAAACAGGATCCAATAACCCATCAGGACTAATCT 240
pet.set         CTATAATTCACCTTCTCTTTCTACACGAAACAGGATCAAATAACCCATCAGGCCTAATTT 240
bel.pea         CTATAATCCACCTTCTCTTTCTACACGAAACAGGGTCAAATAATCCATCAGGTCTAATTT 240
pte.mom         CAATAGTCCACCTTCTTTTCCTCCACGAAATTGGGTCAAATAATCCCCCCGGATTAATTT 240
gala.demi       CAATAGTTCACCTACTTTTCCTTCATGAAACAGGGTCCAACAACCCATCTGGACTTACCT 240
pero.pot        TCATAATCCACCTCCTATTCCTTCACGAAACAGGATCAAACAACCCTCAGGACTTCCAT 240
gala.mat        CCACAACTCACCTCTTATTTCTTCACGAAACAGGATCAAATAACCCAGCAGGAATTCCAT 240
gala.mon        CCATAATTCACCTTCTTTTCCTACATGAAACAGGATCAAACAACCCTTCAGGAATCTCAT 240
oto.gar         CCATAATTCATCTTCTTTTTTTACATGAAACAGGGTCAAATAACCCTTCGGGAATCTCAT 240
lor.tar         TCATAATCCACCTCCTTTTCCTCCACGAATCAGGATCAAACAACCCTTCAGGAATCCCAT 240
nyc.cou         CTGCAATTCACCTACTTTTCCTACACGAATCAGGATCAAATAACCCATCCGGAATAACAT 240
mus             TTGTGATTCACCTCATCTTTCTACATGAAACAGGCTCAAATAATCCATCAGGAATCTCAT 240
gor.gor         CAATCGTTCACCTCCTCTTCCTCCACGAAACAGGATCAAACAACCCTCAACAGGATTAAAT 240
homo            CAACCCTCCATCTCCTATTTCTACACGAAACAGGATCAAACAACCCTCTAGGCATCCCCT 240
dug.dug         CAACACTCCACCTCCTATTCTTGCACGAAACGGGATCAAACAACCCCCTAGGAATCACCT 240
ele.max         TAATAGTCCACTTACTATTCCTCCACGAAACAGGCTCCAACAACCCCACGGGACTGATCT 240
aff.con         CAGGAGTGCACCTAACCTTTCTTCACGAAACAGGCTCAAACAACCCACTGGGCATCTCAT 240
pavo.mut        CAATTATCCACCTCACATTCCTTCATGAATCAGGCTCAAACAACCCACTGGGCATCTCAT 240
tra.bly         CAATTATCCACCTCACATTCCTCCATGAATCAGGCTCAAATAATCCACTAGGCATCTCAT 240
tra.sat         CCATCATGCACCTCATCTTCTTACATGAATCAGGCTCTAATAACCCACTGGGCATCTCAT 240
tra.cob         CTATCATACACCTCATCTTCTTACATGAATCAGGCTCTAATAACCCACTGGGCATCTCAT 240
tra.tem         CCATCATCCACCTCATCTTCCTACATGAATCAGGCTCAAACAACCCTCTAGGCATCTCAT 240
arg.arg         CCATCATCCACCTCACATTCCTACACGAATCAGGCTCAAACAACCCACTAGGCATCTCAT 240
cat.wal         CCATCACCCATCTCATATTCCTACATGAATCAGGCTCAAATAACCCTCCTAGGGATCTCAT 240
cro.cro         CTGTCACCCACCTCATATTCCTACACGAATCAGGCTCAAACAACCCACTAGGCATTTCAT 240
sym.tes         CCATCACACATCCTATGTTCCTACACGAATCAGGCTCAAACAACCCACTAGGCATCTCAT 240
bam.tho         CCATTATCCACCTCACATTCCTACACGAATCAGGATCAAACAACCCCCTAGGCATCTCAT 240
fra.fra         CTATCATCCACCTCACATTTCTGCACGAATCAGGCTCAAACAACCCCCTAGGCATCTCAT 240
ich.cru         CTGTCATCCACCTTACACTCCTCCACGAATCAGGTTCAAATAACCCACTAGGCATCTCAT 240
ant.pac         CCCTAATCCACCTCACCTTCTTTCACGAGTCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
ant.vit         CCCTAATCCACCTCACCTTCTTTCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gri.ant.ant     CCCTAATCCACCTCACCTCTTTTCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
```

```
gru.ant.gil     CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gru.ant.sha     CCCTAATCCACCTCACCTTCCTTCACGAATCCGGTTCAAACAACCCCCTAGGCATCGTAT 240
gru.leu         CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gru.can.pra     CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAACCCCCTAGGCATTGTAT 240
gru.can.row     CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAATCCCCTAGGCATTGTAT 240
gru.can.tab     CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAACCCCCTAGGCATTGTAT 240
gru.can.can     CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAACCCCCTAGGCATTGTAT 240
gru.ame         CCCTAATCCACCTCACCTTCCTCCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gru.gru         CCCTAATCCACCTCACCTTCCTTCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gru.mon         CCCTAATCCACCTCACCTTCCTCCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gru.nig         CCCTAATCCACCTCACCTTCCTCCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
gru.jap         CCCTAATCCATCTCACTTTCCTCCACGAATCCGGCTCAAACAACCCCCTAGGCATCGTAT 240
cic.boy         CCCTAATCCACCTCACCTTCCTTCACGAGTCCGGCTCAAACAACCCCCTAGGCATCATCT 240
rhe.ame         CTCTTATCCACCTCACCTTCCTACACGAAACCGGGTCCAACAACCCCTTAGGAATCGTAT 240
ant.alb         TCCTAATTCACCTGGCATTCCTCCACGAATCAGGCTCAAACAACCCACTAGGCATCACAT 240
fal.fam         CCTTAATCCACCTCACCTTCCTACATGAATCAGGTTCAAACAACCCCCTAGGAATCACAT 240
fal.ver         CCCTAATTCACCTCACCTTCCTACACGAATCAGGTTCAAACAACCCCCTAGGAATCACAT 240
fal.per         CCCTAATCCACCTCACCTTCCTACATGAATCAGGCTCAAATAACCCCCTAGGAATCACAT 240
fal.spa         CCTTAATCCACCTCACCTTCCTACATGAATCAGGTTCCAACAACCCCCTAGGAGTCACAT 240
ayt.ame         CCCTAGTCCACCTAACTTTCCTGCACGAGTCAGGCTCAAACAACCCCCTAGGCATTGTAT 240
smi.sha         CACTCATCCATCTCACCTTCCTCCATGAAACAGGTTCAAACAACCCTCTAGGTATCTCAT 240
vid.cha         CTCTAGTCCACCTCACATTCCTACACGAAACAGGATCAAACAATCCAATAGGAATTCCAT 240
chry.pic        CAATAGTACACCTACTTTTTCTACATGAAACTGGATCAAACAACCCAACAGGATTAAACT 240
emy.orb.kur     CAATAGTACACCTACTCTTCCTACACGAAACCGGATCAAACAATCCAACAGGATTAAACT 240
che.mud         CAGCAGTACATCTATTATTCCTGCACGAAACAGGATCAAATAACCCAACCGGACTAAATT 240
eum.egr         CAATAATTCACCTACTATTCCTTCACGAAACAGGATCAAATAACCCAACCGGACTAAATT 240
                          **  *     *  * *  **     *  ** ** *  **     **       *

aep.mel         CAGATTCAGATAAAATTCCATTCCACCCTTACTATACTATTAAAGACATCCTAGGAATCC 300
ore.ore         CAGACACAGACAAAATCCCATTTCATCCTTATTACACAATCAAAGATATCCTAGGCGCCC 300
add.nas         CAGACACAGACAAAATCCCATTCCACCCTTACTATACCATTAAAGACATCTTAGGCGCCC 300
ory.dam         CAGACACAGACAAAATTCCGTTCCACCCTTATTATACCATTAAAGATATCTTAGGCGCCC 300
hip.equ         CAGACTCCGATAAAACCCCATTCCACCCCTACTACACCATTAAAGACATTCTAGGCGCCC 300
alc.bus         CAGACGCAGATAAAATCCCATTCCACCCCTACTATACAATCAAGGACATTCTAGGCGCCC 300
sig.lic         CAGACGCAGATAAAATCCCATTCCACCCCTACTATACAATCAAGGACATTCTAGGCGCCC 300
bea.hun         CAGATGCAGATAAAATTCCATTCCACCCCTACTACACCATCAAAGACATCCTAGGCGCCC 300
dam.lun         CAGATGCGGACAAAATCCCGTTTCACCCCTACTACACTATCAAAGACGCCCTAGGGGCCC 300
con.tau         CCGACACCGATAAAATCCCATTCCCCCCCTATTACACCATCAAAGACATCCTAGGCGCTC 300
amm.ler         CAGACGCAGACAAAATCCCATTCCACCCTTACTACACCATCAAAGATATTCTAGGCGCCA 300
pse.nay         CAGACACAGACAAAATCCCATTCCACCCTTACTACACCATTAAAGATATTCTAGGCGCTG 300
cap.ibe         CAGACACAGACAAAATCCCATTCCACCCCTACTACACCATTAAAGATATCTTAGGCGCCA 300
hem.jem         CAGATACAGACAAAATCCCATTTCACCCTTACTACACCATTAAAGATATTTTAGGCGCCA 300
cap.fal         CAGACACAGACAAAATCCCATTTCACCCTTACTACACCATTAAAGATATCCTAGGCGCCA 300
rup.pyr         CAGATGCGGATRAAATCCCATTTCACCCCTACTATACCATTAAAGACATTCTAGGCGCCA 300
rup.rup         CAGATGCGGACAAAATCCCATTTNACCCCTATTATACCATCAAAGACATTCTGGGCGCCA 300
nem.cau         CAGACATAGACAAAATCCCATTTCACCCTTATTATACAATCAAAGATATTCTAGGCGCTA 300
bud.tax.tax     CAGATGCAGATAAAATTCCATTTCACCCTTATTACACCATTAAAGATATCCTAGGAGTCA 300
pan.hod         CAGATGCAGACAAAATCCCATTTCACCCCTACTATACCATTAAAGACATCCTAGGCGCTA 300
ovi.amm         CGGACACAGATAAAATTCCCTTCCACCCTTACTACACCATTAAAGACATCCTAGGTGCCA 300
ovi.vig         CGGACACAGACAAAATCCCCTTCNNNNNNNNNNNNNNNNNNATTAAAGACATTCTGGGTGCCA 300
cap.cri         CAGACACAGACAAAATCCCATTCCACCCCTACTACACAATCAAAGATATCCTAGGCGCCA 300
ovi.mos         CAGACACGGACAAAATCCCATTCCACCCCTACTATACAATCAAAGACATTCCTAGGCGCCA 300
ore.ame         CAGACGCAGACAAAATTCCATTTCACCCTTACTATACTATTAAAGATATCCTAGGCGCCC 300
cep.dor         CGGACGCAGACAAAATCCCATTCCACCCCTACTACACCATTAAAGACATCCTAGGCGCCC 300
cep.max         CAGACGCAGACAAAATCCCGTTCCACCCCTACTACACTATCAAAGACATCCTAGGCGCCC 300
bis.bon         CAGACACAGACAAAATTCCATTCCACCCTTACTATACTATTAAAGACATCCTAGGAGCCT 300
bon.gru         CAGACGCAGACAAAATTCCATTTCACCCCTACTATACTATTAAAGACATCCTAGGAGCCT 300
bon.tra         CAGACGCAGATAAAATCCCATTTCACCCCTACTATACTATTAAAGACATTCTAGGAGCCT 300
```

```
bub.min          CAGACACAGACAAAATCCCATTCCACCCCTACTACACCATTAAAGACATTCTAGGCGCCC 300
buba.bub         CAGACACAGACAAAATCCCATTCCACCCCTATTACACCATTAAAGACATCCTAGGCGCCC 300
tra.arg          CAGACATAGACAAAATTCCATTCCACCCCTATTACACTATCAAGGACATCCTAGGCGCCC 300
tra.eur          CAAACATAGACAAAATTCCATTTCACCCTTACTACACTATTAAGGACATCCTAGGTGCCC 300
kob.ell          CAGACATAGATAAAATCCCATTCCACCCCTACTACACCATCAAAGACATTCTAGGCGCCC 300
kob.meg          CAGACACAGACAAAATCCCATTCCACCCATATTATACCATCAAAGATATTCTAGGTGCCC 300
red.aru          CAGATGTAGACAAAATCCCATTTCATCCATACTATACTATCAAGGACGTCCTAGGCGCCC 300
red.ful          CAGAYATGGACAAAATCCCATTCCACCCYTACTACACCATCAAAGAYATTCTAGGTGCCC 300
neo.mos          CAGACGCAGACAAAATCCCATTCCACCCCTACTACACCATTAAAGACATTCTAGGCGCCA 300
pel.cap          CCGACATAGACAAAATTCCATTCCACCCATACTACACCATTAAAGATATTCTAGGCGCCT 300
gal.dam          CAGATGCAGACAAAATTCCGTTCCACCCCTACTACACCATCAAAGACATTCTAGGAGCAC 300
our.our          CAGATGCAGACAAGGTCCCATTCCACCCCTACTACACCATTAAAGACATCCTAGGCGCCT 300
ant.cer          CAGACGCAGACAAAATTCCATTCCACCCCTACTACACTATCAAAGATATCCTAGGAGCTC 300
sai.tat          CAGATTCAGACAAAATCCCATTCCACCCCTACTACACCATTAAAGACATTCTAGGCGCCC 300
mad.kir          CAGACGCAGACGGAATCCCATTCCGCCCCTACTACACTATTAAAGACATCCTAGGCGCCC 300
rap.mel          CAGATATAGACAAAATCCCATTTCACCCCTACTACACCATTAAAGACATTTTAGGAGCCC 300
gal.gal          CAGACGCAGACAAAATCCCATTTCACCCCTACTACACCATCAAGGACATTCTAGGAGCAC 300
ant.ame          CAGACGCAGACAAAATCCCATTCCACCCATACTACACCATCAAAGACATTCTAGGAGCAC 300
hyd.ine          CAGATGCAGATAAAATTCCATTTCATCCCTACTACACCATTAAAGATATTCTAGGTGTAC 300
mun.mun          CAGATGTAGACAAAATTCCTTTCCATCCCTACTATACCATTAAAGATATTTTAGGTGCCC 300
alc.alc          CAGACGCAGACAAAATCCCATTTCACCCTTACTACACTATCAAAGATATCTTAGGTGCCC 300
cer.ela.kan      CAGACGCAGACAAAATCCCCTTCCATCCTTACTATACCATTAAAGATATCTTAGGCATCT 300
cer.ela.xan      CAGACGCAGACAAAATCCCCTTCCATCCTTACTATACCATTAAAGATATCTTAGGTATCT 300
cer.ela.can      CAGACGCAGACAAAATCCCCTTCCACCCTTACTATACGATTAAAGATATCTTAGGCATCT 300
cer.nip.cent     CGGACGCAGACAAAATCCCCTTCCATCCTTACTACACCATTAAAGATATCTTAGGCATCT 300
cer.nip.yes      CGGACGCAGACAAAATCCCCTTCCATCCTTACTACACCATTAAAGATATCCTAGGCATCT 300
cer.nip.ker      CGGACGCAGACAAAATCCCCTTCCATCCTTACTATACCATTAAAGATATCCTAGGCATCT 300
cer.nip.pul      CGGACGCAGACAAAATCCCCTTCCATCCTTACTATACGATTAAAGATATCCTAGGCATCT 300
cer.nip.nip      CGGACGCAGACAAAATCCCCTTCCATCCTTACTATACCATTAAAGATATCTTAGGCATCT 300
cer.ela.sco      CAGACGCAGACAAAATCCCCTTTCATCCTTATTATACCATTAAAGATATCTTAGGCATCC 300
cer.dam          CAGATGTAGATAAAATTCCCTTTCATCCCTACTACACCATTAAAGATATTTTAGGCATCC 300
tan.tar          CAGACTCAGATAAAATTCCATTCCATCCCTATTATACTATCAAAGACATTCTAGGTGTCC 300
mos.fus          CAGATATAGACAAAATCCCATTCCACCCCTACTACACCATCAAAGACATTCTAGGTGTCC 300
mos.leu          CAGATATAGACAAAATCCCATTCCACCCCTACTACACCATCAAAGACATTCTAGGTGTCC 300
mos.chr          CAGACATAGACAAAATCCCATTCCACCCCTACTACACCATCAAAGACATTCTAGGTGTCC 300
mos.ber          CAGACATAGACAAAATCCCATTCCACCCCTACTACACTATCAAAGACATTCTAGGTATCC 300
mos.mos          CAGACATAGACAAAATCCCATTTCACCCCTACTACACCATCAAAGATATTCTAGGTATCC 300
tra.jav          CAGACGCAGACAAAATCCCCTTCCACCCATACTACACCATCAAAGATGTCCTAGGGGCTC 300
trag.nap         CAGACGCAGACAAGATCCCCTTCCACCCATACTACACCATCAAAGATGTCCTAGGGGCTC 300
bala.acu         CTGACATAGACAAAATCCCATTCCACCCCTACTACACAATCAAAGACATTCTAGGCGCCC 300
bala.bon         CTGATATAGACAAAATCCCATTCCACCCCTATTACACAATCAAAGACATTCTAGGCGCCC 300
bala.bor         CCGACATAGACAAAATCCCATTCCACCCTTACTACACAGTTAAAGACATTCTAGGCGCCC 300
bala.edi         CCAACATAGACAAAATCCCATTCCACCCCTATTACACAACTAAAGACATTCTAGGCGCCC 300
esch.rob         CCAACATAGACAATATCCCATTCCACCCCTATTACACAATTAAAGACATACTAGGCGCCC 300
bala.mus         CTGACATAGATAAAATTCCATTCCACCCCTACTACACAATTAAAGACATTCTAGGCGCCC 300
mega.nov         CCAACATAGACAAAATCCCATTCCACCCTTACTACACAATCAAAGACACTCTAGGCGCCC 300
bala.phy         CCGACATAGATAAAATCCCATTCCACCCCTACCACACAATTAAAGACATTCTAGGCGCCC 300
cap.mar          CCAACATAGACAAAATTCCATTCCACCCCTACTACACAATTAAAGACATCCTGGGCGTCC 300
ceph.com         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTAGGCGCTT 300
ceph.eut         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTAGGCGCTT 300
lage.cbl         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTAGGCGCTT 300
ceph.hea         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTAGGCGCTT 300
ceph.hec         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTAGGCGCTT 300
lage.aus         CCAACATAGACATAATCCCATTCCACCCTTACTACACAACTAAAGACATCCTAGGCGCTT 300
lage.cru         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTAGGTGCTT 300
lage.cbs         CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTGGGCGCTT 300
lisso.bor        CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTGGGCGCTT 300
lisso.gor        CCAACATAGACATAATCCCATTCCACCCTTATTACACAATTAAAGACATCCTGGGCGCTT 300
```

```
glo.mac      CCAACATAGACATAATTCCATTCCACCCCTATTATACAATTAAAGACATCCTAGGCGCCC 300
glo.mel      CCAACATAGACATAATTCCATTCCACCCCTATTATACAATTAAAGATATCCTAGGCGCCC 300
fere.att     CCAACATAGACATAATTCCATTCCACCCCTATTATACAACTAAAGATATCCTAGGTGCCC 300
pepo.ele     CCAACATAGACATAATTCCATTCCACCCCTATTATACAATTAAAGACATCCTAGGCGCTC 300
gram.gri     CCAACATAGACATAATTCCATTCCACCCCTATTACACAATTAAAGACATCCTAGGCGCCC 300
pse.cra      CCAACATAGACATAATTCCATTCCACCCTTATTACACAATTAAAGATATCCTAGGCGCCC 300
lage.acu     CTAACATAGATATAATCCCGTTCCACCCTTATTATACAATTAAAGATATCCTAGGCGCCC 300
orci.bre     CCAACATAGATATAATCCCATTCCACCCTTATCACACAATTAAAGATACCCTAGGCGCCC 300
orca.bre     CCAACATAGACATAATCCCATTCCACCCTTATCATACATTTAAAGACATCCTAGGCGCCC 300
del.cap      CCAATATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGATATCCTAGGTGCCC 300
del.tro      CCAACATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGATATCCTAGGTGCCT 300
del.del      CCAATATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGATATCCTAGGTGCCT 300
sten.cly     CCAATATAGACATAATCCCATTCCACCCTTATTATACAATTAAAGATATCCTAGGTGCCT 300
sten.coe     CCAATATAGACATAATTCCATTCCACCCTTATTATACAATCAAAGACATCCTAGGTGCCT 300
tur.adu      CCAATATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGACATCCTAGGCGCCT 300
sten.fro     CCAATATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGACATCCTAGGTGCCT 300
saus.chi     CCAACATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGACATCCTAGGTGGCT 300
sten.lon     CCAACATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGACATCCTAGGCGCCT 300
turs.tru     CCAATATAGACATAATCCCATTCCACCCTTATTATACAATCAAAGACATCCTAGGCGCTT 300
lage.alb     CCAACATAGATATAATCCCATTCCACCCTTATTACACAATCAAAGACATCCTAGGCGCCT 300
sten.bre     CCAACATAGATATAATCCCATTCCACCCTTATTACACAATCAAAGATATCCTAGGCGCCT 300
sota.flu     CCAACATAGATATAATTCCATTCCACCCTTATTACACAATCAAAGACATCCTAGGTGCTT 300
del.leu      CCAACATGGATACAATCCCATTCCACCCCTACTACACAATCAAAGACATGCTAGGCGCTT 300
mono.mon     CCAACATAGACATAATCCCCTTCCATCCCTACTACACAATCAAAGACACCCTAGGCGCCC 300
plat.gan     CCGACACTGACAAAATCCCTTTCCACCCCTACTACACAATCAAAGACACCCTAGGCGCCC 300
plat.min     CCAACACTGACAAAATCCCTTTCCACCCCTACTACACAATCAAGGACATCTTAGGCGCCC 300
kogi.bre     CCGACATAGACAAAATCCCATTCCACCCCTACTACACAATCAAAGATATCCTAGGCGCCC 300
kogi.sim     CTGATATAGACAAAATCCCATTCCACCCCTACTACACAATCAAAGACACCATAGGTGCCC 300
phys.cat     CCAACATAGACAAAATCCCATTCCACCCCTACCACACAATCAAAGACACCATAGGTGCCC 300
lipo.vex     CTAACATAGACAAAATCCCATTCCACCCCTACCACACAATTAAAGATATCCTAGGCGCCC 300
phoc.sin     CTAACATAGACATAATCCCCTTCCACCCTTACTATACAATCAAAGATATCCTAGGAGCCC 300
bera.bai     CCAATATAGATAAAATTCCATTCCACCCCTACTATACAATCAAAGATATCCTAGGAGCCC 300
ziph.cav     CCGATATAGACAAAATCCCATTCCACCCTTATTACACAATCAAAGACATCCTAGGAGCCC 300
meso.eur     CTGATATAGACAAAATCCCATTCCATCCTTACTACACAATCAAAGATATCCTAGGGGCTC 300
meso.bid     CCGACATAGATAAAATTCCATTCCACCCCTACTACACAATTAAAGATATCCTGGGAGCCC 300
meso.den     CCGACATAGATAAAATTCCATTCCACCCTTATTACACAATCAAAGATATTTTAGGAGCCC 300
hype.amp     CTGACATAGACAAAATCCCGTTCCACCCATACTACACAATCAAAGACACTCTAGGGCCCC 300
meso.per     CTGACATAGACAAAATCCCATTTCATCCTTACTATACAATTAAAGATATCCTAGGAGCCC 300
pont.bla     CTAACATAGATGCCATCCCATTTCACCCCTACTACACAATTAAAGATATCCTAGGGGCCC 300
hex.lib      CAAACGCAGACAAAATCCCATTCCACCCCTATTACACAATCAAAGATATCCTGGGCGTAC 300
hipp.amp     CAAACGCAGACAAAATCCCATTCCACCCCTATTACACAATCAAGGACATCCTAGGTATCC 300
dic.sum      CTAACATAGACAAAATCCCATTTCACCCATACTATACAATCAAAGACATCCTAGGAGCCC 300
rhin.son     CTAACACAGACAAAATTCCATTTCACCCTTACTACACAATCAAAGACATCCTGGGAATTT 300
cerv         CCAACATAGACAAAATCCCATTCCACCCCTACTACACAATTAAAGACATCCTAGGACTTC 300
equu         CTGACATAGACAAAATCCCATTCCACCCGTACTACACAATTAAAGACATTCTAGGAGCCC 300
baby.bab     CAGATATAGACAAAATCCCATTCCACCCCTACTATACCATTAAAGACATTCTAGGAGCCC 300
phac.afr     CAGACATAGACAAAATCCCATTCCACCCATACTACACCATTAAAGATATCCTAGGAGCCT 300
sus.bar      CAGACATAGACAAAATTCCATTTCACCCATACTACACTATCAAAGACATTCTAGGAGCCT 300
sus.scr.ewbl CAGACATAGACAAAATTCCATTTCACCCATACTACACTATTAAAGACATTCTAGGAGCAC 300
lama.gla     CCCATATAGACAAAATCCCCTTCCATCCCTACTATACAATTAAAGACATTCTAGGAGTAC 300
lama.gua     CCCATATAGACAAAATCCCCTTCCATCCCTACTATACAATTAAAGACATTCTAGGAGCAC 300
vic.vic      CAGATATAGACAAAATTCCCTTCCATCCCTACTACACAATTAAAGACATTCTAGGAGCAC 300
cam.bac      CAGACATAGACAAAATCCCATTCCATCCCTACTACACAATTAAAGACATTCTAGGAGCAC 300
act.for      CTGACTCAGACAAAATCCCATTCCACCCATACTATACAATTAAAGATATCCTGGGAGCCC 300
act.gaz      CTGACTCCGACAAAATTCCATTCCATCCATACTATACAATTAAAGATATCCTGGGAGCCC 300
eum.jub      CCAACTCAGACAAAATTCCATTCCATCCATACTATACAATTAAAGATATCCTAGGAACCC 300
cal.cal      CTGACTCAGACAAAATTCCATTTCATCCATACTATACAATTAAAGATATCCTAGGAGCCA 300
odo.ros      CTGACTCAGACAAAATCCCATTTCATCCCTACTATACAATTAAAGATATCCTAGGAGCCA 300
```

pho.fasciata	CCGACTCAGACAAAATCCCATTCCACCCATACTATACAATTAAAGATATCCTAGGAGCCC	300
pho.gro	CCGACTCAGACAAAATCCCGCTCCACCCATATTATACAATTAAAGATATCCTAGGAGCCC	300
pho.vit	CCAACTCAGACAAAATCCCATTCCACCCGTACTATACAATTAAAGATATCCTAGGGGCCC	300
cys.cri	CCGACTCAGACAAAATCCCATTCCACCCATACTATACAATTAAAGACATCCTAGGAGCCC	300
hyd.lep	CCAACTCAGACAAAATCCCATTTCACCCCTACTACACAATCAAAGACATCCTAGGAGCCC	300
lep.wed	CTGACTCAGACAAAATCCCATTTCACCCCTACTACACAATCAAAGACATCCTAGGAGCCC	300
mir.leo	CCGACTCAGACAAAATCCCATTCCACCCATACTACACAATCAAAGATATCTTAGGAGCCC	300
eri.bar	CCGACTCAGATAAAATTCCATTCCACCCATACTATACAGTCAAGGACATCTTAGGGGCCT	300
mon.sch	CCAACTCAGACAAAATCCCATTCCACCCATACTATACAATTAAAGACATTCTAGGAGCTT	300
hela.mal	CTGACTCAGACAAAATCCCATTTCACCCGTACTATACAATTAAGGACATCCTAGGCGCCC	300
sel.thi	CCAACTCGGACAAAATCCCATTTCACCCATACTATACAATTAAAGACGCCCTAGGCGCCC	300
ail.ful	CCAACTCAGACAAAATTCCATTCCATCCCTATTATACAATTAAAGATATCTTGGGCGCTC	300
fel	CCGATTCAGACAAAATCCCATTCCACCCATACTATACAATCAAAGACATCCTAGGTCTTC	300
can	CAGACTCAGACAAAATTCCATTTCACCCTTACTACACAATCAAGGATATCCTAGGAGCCT	300
tal	CAGATACGGATAAAATTCCATTTCACCCCTATTACACTATTAAAGACATCCTAGGAGCAC	300
gla.sab	CTGACTCAGATAAAATCCCATTCCACCCTTATTTCTCAATTAAAGACACCCTAGGATTCT	300
gla.vol	CTGACTCAGACAAAATCCCATTCCACCCCTACTTCTCAATTAAAGATACCCTAGGATTCT	300
hyl.pha	CCGATTCAGACAAAATCCCATTTCACCCATACTATTCAATTAAAGATCTCCTAGGCGCCC	300
pet.set	CCGATTCAGACAAATTCCCATTTCACCCATACTATTCAATTAAAGATCTCCTAGGGGCCC	300
bel.pea	CTGAATCTGATAAAGTACCATTCCACCCATACTTCACAATCAAAGATATTCTTGGCGCCC	300
pte.mom	CCGAATCCGACAAAATCCCATTCCACCCCTACTTCACAATTAAAGACATTTTAGGAGCAC	300
gala.demi	CAGACTCAGACAAAATCCCCTTTCACCCCTATTACATAATCAAGGATCTCCTAGGACTGA	300
pero.pot	CAGAATCAGACAAAATCCCCTTCCACCCCTACTACACCACCAAAGACTTACTAGGAGCCA	300
gala.mat	CAGACTCCGACAAAATCCCATTCCACCCCTACTACACAATTAAAGACCTACTAGGAGTAA	300
gala.mon	CAGACTCCGACAAAATCCCCTTCCACCCCTACTACACAATTAAAGACCTACTAGGAGCAA	300
oto.gar	CAGACTCTGACAAAATCCCCTTCCACCCCTATTACACAATTAAAGACCTTCTAGGGGCTA	300
lor.tar	CAGACTCTGACAAAATCCCATTTCACCCCTACTACACATTAAAAGATATTCTAGGAGTAA	300
nyc.cou	CAGACTCAGATAAGATTCCATTTCACCCCTACTACTCACTTAAAGACCTCCTAGGAGTGG	300
mus	CAGATGCAGATAAAATTCCATTTCACCCCTACTATACAATCAAAGATATCCTAGGTATCC	300
gorr	CCCACTCTGACAAAATCACCTTCCACCCCTACTACACAATCAAAGACATCCTAGGCCTAT	300
homo	CCCATTCCGATAAAATCACCTTCCACCCTTACTACACAATCAAAGACGCCCTCGGCTTAC	300
dug.dug	CCGACTCAGACAAAATCCCATTCCACCCATATTATTCAGTCAAAGACCTCCTAGGCCTAT	300
ele.max	CAGACTCAGACAAAATTCCCTTTCACCCGTACTATACTATCAAAGACTTCCTAGGGCTAC	300
afr.con	CCAATTCAGATAAAATCCCATTCCACCCGTACTACTCCCTCAAAGATATCCTAGGCTTAG	300
pavo.mut	CCAACTCAGACAAAATTCCGTTCCACCCATACTACTCCCTCAAAGATATCCTAGGCTTAA	300
tra.bly	CTAACTCTGACAAAATCCCATTCCACCCGTACTACTCCCTCAAAGATATCCTGGGTCTAA	300
tra.sat	CCAACTCTGACAAAATCCCATTTCATCCATACTACTCCCTCAAGGATATCCTAGGCCTAA	300
tra.cob	CTGACTCTGACAAAATCCCATTCCACCCGTACTACTCCCTCAAAGATATCCTGGGCCTAA	300
tra.tem	CTAACTCTGACAAAATCCCATTCCACCCGTACTACTCCCTCAAAGATATCCTAGGCCTAA	300
arg.arg	CTAACTCTGACAAAATCCCATTCCACCCATACTACTCCCTCAAAGACATCCTAGGCCTAA	300
cat.wal	CTAACTCCGACAAAATCCCATTCCACCCATACTACTCCCTCAAAGATATCCTAGGCCTAG	300
cro.cro	CTAATTCCGACAAAATCCCATTCCACCCCTACTACTCCCTCAAAGACATCCTAGGCCTAG	300
sym.tee	CTAACTCTGACAAAATCCCCTTTCACCCATACTACTCTCTCAAAGATATCCTAGGCCTAG	300
bam.tho	CTAACTCCGACAAAATCCCATTCCACCCATACTACTCCTTTAAAGACATTCTCGGCCTAG	300
fra.fra	CTGACTCTGACAAAATCCCATTCCACCCATACTACACCCTCAAAGACATCCTAGGCCTAA	300
ich.cru	CTAACTCTGACAAAATCCCATTTCACCCATACTACTCCCTCAAAGACATCCTAGGCCTAG	300
ant.par	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGATTCA	300
ant.vir	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGATTCA	300
geu.ant.ant	CAAACTGCGATAAAATCCCATTCCACCCCTACTTTTCCTTAAAAGATATCCTAGGATTCA	300
geu.ant.gil	CAAACTGCGATAAAATCCCATTCCACCCCTACTTTTCCTTAAAAGATATCCTAGGATTCA	300
geu.ant.sha	CAAACTGCGATAAAATCCCATTCCACCCCTACTTTTCCTTAAAAGATATCCTAGGCTTCA	300
geu.leu	CAAACTGCGATAAAATCCCATTCCACCCCTACTTTTCCTTAAAAGATATCCTAGGCTTCA	300
geu.can.pra	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGCTTCA	300
geu.can.cow	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGCTTCA	300
geu.can.tab	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGCTTCA	300
geu.can.can	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGACATCCTAGGATTCA	300
geu.ame	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGCTTCA	300
geu.geu	CAAACTGCGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGCTTCA	300

```
gru.mon          CAAACTGCGATAAAATTCCATTCCACCCCTATTTTTCCTTAAAAGATATCCTAGGATTCA 300
gru.nig          CAAACTGCGATAAAATTCCATTCCACCCCTATTTTTCCTTAAAAGATACCCTAGGATTCA 300
gru.jap          CAAACTGTGATAAAATCCCATTCCACCCCTATTTTTCCTTAAAAGATATCTTAGGATTTA 300
cic.boy          CAAACTGCGACAAAATTCCATTCCACCCCTACTTCTCCCTCAAAGATATCCTAGGCCTTA 300
rhe.ame          CTCACTCTGACAAAATCCCATTCCACCCCTACTTCTCCCTAAAAGATGCCCTAGGACTAG 300
ant.alb          CCAACTGCGACAAAATCCCATTCCACCCATACTTTGCCCTAAAGGACATCCTAGGATTCA 300
fal.fam          CAAACTGCGATAAAATCCCATTCCATCCCTATTACTCTCTCAAAGACCTCCTAGGATTCA 300
fal.ver          CAAACTGCGACAAAATCCCATTCCATCCCTACTACTCTCTAAAAGACCTTTTAGGAGTCA 300
fal.per          CAAATTGCGACAAAATCCCATTCCACCCATACTACTCTCTCAAAGATATCCTAGGATTTA 300
fal.spa          CAAACTGTGACAAAATCCCATTCCACCCCTACTACTCTCTCAAAGACCTCCTAGGTTTTA 300
ayt.ame          CAGACTGCGACAAAATCCCATTTCACCCCTACTTCTCCTTCAAAGACATCCTAGGATTTA 300
smi.sha          CTAACTCCGATAAAATCCCATTCCACCCATACTTCTCCATAAAAGACATTCTAGGCTTTG 300
vid.cha          CAGACTGTGACAAAATTCCATTCCACCCATACTACACCACAAAGGACATCCTAGGCTTCG 300
chry.pic         CAAACACTGACAAAATCCCATTCCACCCTTATTTCTCATATAAAGACCTTTTAGGCGTCA 300
emy.orb.kur      CAAACACCGATAAAATCCCTTTCCATCCCTACTTCTCATACAAAGACCTATTAGGACTCA 300
che.mud          CAAATACCGACAAAATCCCCTTCCACCCCTACTTCTCCTACAAAGACTTACTAGGACTCA 300
eum.egr          CTAGCACAGATAAGGTGCCATTCCACCCATATTACACATACAAAGACCTTCTTGGTTTCA 300
                 *    **      *  *                  * **    * **

aep.mel          TATTAATAATTCTAGTCCTAATACTCCTAGTACTATTCATACCCGACCTACTAGGAGACC 360
ore.ore          TATTACTAATTCTAGCTTTATTACTCTTAGTATTATTCACACCTGACCTACTTGGAGACC 360
add.nas          TACTACTAATTCTAGTCCTCATACTACTAGTATTATTCACACCCGACCTACTTGGAGACC 360
ory.dam          TACTACTAATCCTAGCCCTTATGTTGCTAGTACTATTCGCACCCGACCTACTTGGAGACC 360
hip.equ          TACTACTAATTCTAGCCCTCATACTACTAGTACTATTCGCACCCGACCTACTTGGAGACC 360
alc.bus          TATTACTAATCCTAGCCCTCATACTACTAGTACTATTCGCACCCGACCTGCTCGGAGACC 360
sig.lic          TATTACTAATTCTAGCCCTCATACTACTAGTACTATTCGCACCCGACCTGCTCGGAGACC 360
bea.hun          TACTACTAATTCTAGCCCTCATATTACTAGTACTATTTGCACCCGACCTGCTCGGAGACC 360
dam.lun          TACTACTAATTCTAGCCCTCATACTACTAGTACTATTTGCACCCGACCTGCTCGGAGACC 360
con.tau          TATTACTAATTCTAGCCCTAATACTACTAGTACTATTCGCGCCCGATTTACTTGGAGACC 360
amm.ler          TGCTACTAATCCTCACCCTCACACTACTAGTACTATTTACACCCGATCTACTCGGGGACC 360
pse.nay          CACTGCTAATCCTCGCCCTGATATTACTAGTATTATTTACACCCGACCTACTCGGAGACC 360
cap.ibe          TGCTACTAATTCTTGTCCTAATATTACTAGTACTATTCACACCCGACCTACTCGGGGACC 360
hem.jem          TACTACTAATTCTTGTCCTAATATTACTAGTACTATTTATACCCGACCTACTTGGAGACC 360
cap.fal          TACTACTAATTCTCGCCCTGATGCTACTAGTACTATTCACACCTGACCTACTCGGAGACC 360
rup.pyr          TACTACTAATCCTCACCCTTATACTACTGGTACTATTTACACCTGACCTACTCGGAGACC 360
rup.rup          TACTACTAATCCTCACCCTCATACTACTAGTACTATTNACACCTGACCTACTCGGAGACC 360
nem.cau          TACTACTAATCCTCACCCTTATTTTACTGGTATTATTCACACCTGACTTACTTGGAGATC 360
bud.tax.tax      TACTACTAATCCTCGTCCTCATGTTGCTAGTACTATTTATACTTGACGTACTTGGAGACC 360
pan.hod          TACTACTAATCCTAATCCTCATATTACTAGTACTATTTTCACCCGACCTACTCGGAGACC 360
ovi.amm          TCCTACTAATCCTCACCCTCATACTACTAGTACTATTCACGCCTGACCTACTCGGAGACC 360
ovi.vig          TCCTACTAATCCTCATCCTCATGCTGCTAGTACTATTCACGCCTGACTTACTTGGAGACC 360
cap.cri          TGCTACTAATCCTCACCCTCATACTACTAGTACTGTTCACACCCGACCTACTCGGAGACC 360
ovi.mos          TACTACTAATCCTTACCCTTATACTACTAGTATTATTCACACCCGACCTACTTGGAGACC 360
ore.ame          TACTACTCATCCTCACCCTTATACTACTAGTATTATTCTCACCCGACTTACTCGGAGACC 360
cep.dor          TACTACTCATTCTAGCCCTAATAATCCTAGTATTATTCTCACCCGACTTACTTGGAGACC 360
cep.max          TATTACTTATTCTAGCCCTAATAATCCTAGTACTATTCTCACCCGACTTACTCGGAGATC 360
bis.bon          TATTACTAATTCTAACTCTAATACTACTAGTACTATTCGCACCGGACCTCCTCGGAGACC 360
bos.gru          TATTACTAATTCTAGCCCTAATACTTCTGGTACTATTCACACCCGACCTCCTCGGAGACC 360
bos.tra          TACTACTTATTCTAGCCCTAATAATACTAGTACTATTCGCACCCGACCTCCTCGGAGACC 360
bub.min          TGCTATTAATCCTAGCCCTAATACTATTAGTACTATTCACACCCGACCTCCTCGGGGACC 360
buba.bub         TACTATTAATCCTAGCCCTAATACTATTAGTACTATTCGCACCCGACCTCCTCGGGGACC 360
tra.ang          TACTATTAATCCTAGCCCTAATACTACTAGTACTATTCACACCTGACCTCCTCGGAGACC 360
tra.eur          TACTGCTAATCCTAACTCTAATACTCCTAGTACTATTCGCACCCGACCTTCTCGGAGACC 360
kob.ell          TACTACTAATCCTAGTCCTAATACTCCTAGTTCTATTCGCCCCCGACCTACTTGGAGATC 360
kob.meg          TCCTATTAATCCTAATACTAATACTCCTAGTACTATTCGCCCCCGACCTACTTGGAGACC 360
red.aru          TACTGCTAATCCTAGTCCTAATGCTCTTAGTATTATTCACCCCTGACCTACTCGGAGATC 360
red.ful          TACTACTAATCCTGGCCCTAACACTATTAGTACTATTCACCCCTGACCTACTCGGAGACC 360
neo.mos          TCCTACTAATTCTAGTGCTAACACTCTTAGTTTTATTTCACCCGACCTACTTTTAGGAGACC 360
```

```
pel.cap     TATTACTAATCCTAATCCTAACACTCCTAGTATTATTTACCCCTGACCTATTAGGAGACC 360
gal.dam     TACTATTAATTCTAGCCCTCATACTCCTAGTTCTATTCACACCAGATCTGCTTGGAGACC 360
our.our     TCCTACTAATTCTAGCCCTCATGCTCCTAGTCCTATTCACACCAGACCTGCTTGGAGACC 360
ant.cer     TACTATTAATTTTAACCCTCATGCTTCTAGTCCTATTCTCACCGGACCTGCTTGGAGACC 360
sai.tat     TACTACTTATTCTAATCCTCATACTTCTAGTCCTATTTTCACCAGACCTGCTTGGAGACC 360
mad.kir     TACTACTAATTATAGGCCTCATACTCCTAGTTCTATTCTCACCAGACCTGCTCGGAGACC 360
rap.mel     TCCTATTAATCCTAACCCTTATGCTTCTAGTTCTATTCGCACCAGACCTACTCGGAGACC 360
gal.gal     TACTACTAATCCTAGTTCTTATACTCCTAGTTCTGTTCTCACCGGACCTACTCGGAGACC 360
ant.ame     TACTAATAATCTTAGCCCTAATAATACTAGTACTATTCTCACCAGACCTGTTAGGAGACC 360
hyd.ine     TCCTTCTAATTCTTTTCCTAATGTTATTAGTCCTATTTTCACCTGACCTGCTTGGAGACC 360
mun.mun     TACTTCTAATTCTCTTCCTAATATTATTAGTATTATTCGTACCAGACCTGCTCGGAGACC 360
alc.alc     TACTCTTAACTCTTTTCCTAATACTACTAGTACTCTTTTCACCAGACCTGCTTGGAGACC 360
cer.ela.kan TACTTCTAGTACTCTTCCTAATATTACTAGTATTATTCGCACCAGACCTGCTTGGAGACC 360
cer.ela.xan TACTTCTAGTACTCTTCCTAATATTACTAGTATTATTCGCACCAGATCTGCTTGGAGACC 360
cer.ela.can TACTTCTAATACTCTTCCTAATATTACTAGTATTATTCGCACCAGACCTGCTTGGAGATC 360
cer.nip.cent TACTTCTAGTACTCTTCCTAATATTACTAGTATTATTCGCACCAGACCTGCTTGGAGATC 360
cer.nip.yes TACTTCTAGTACTCTTCCTAATATTACTAGTATTATTCGCACCAGACCTGCTTGGAGATC 360
cer.nip.ker TACTTCTAGTACTCTTCCTGATATTACTAGTATTATTCGCACCAGACCTGCTTGGAGATC 360
cer.nip.pul TACTTCTAGTACTCTTCCTGATATTACTAGTATTATTCGCACCAGACCTGCTTGGAGATC 360
cer.nip.nip TACTTCTAGTACTCTTCCTGATATTACTAGTATTATTCGCACCAGACCTACTTGGAGATC 360
cer.ela.sco TACTTCTTGTACTCTTCTTAATATTACTAGTATTATTCGCACCAGACTTGCTTGGAGACC 360
cer.dam     TATTCCTATTCTCTTCTTAATAACACTAGTACTATTTGCACCAGACTTACTAGGAGACC 360
ran.tar     TACTCCTAATTCTCTTCCTTATACTACTAGTATTATTTGCACCAGACTTACTTGGAGACC 360
mos.fus     TATTACTAATCTTAGTCTTAATAACACTAGTACTATTCACACCTGATTTACTTGGAGACC 360
mos.leu     TATTACTAATCTTAGTCTTAATAACACTAGTACTATTCACACCTGATTTACTTGGAGACC 360
mos.chr     TATTACTAATCCTAGTCTTAATAACACTAGTACTATTCACACCCGATTTACTTGGAGACC 360
mos.ber     TAATACTAATCTTAGTCTTAATAGTACTAGTACTATTCACACCCGATTTACTTGGAGATC 360
mos.mos     TATTACTAATCTTAATCTTAATAGCACTAGTGCTATTTACACCCGACCTACTTGGAGACC 360
tra.jav     TAGCCCTATTTCTAGCCCTAATACTACTAGTCCTATTCTCACCCGACCTACTTGGAGACC 360
trag.nap    TAGTCCTAATACTAGTCCTTCTATTACTAGTCCTATTTTCACCGGACTTGTTGGGAGACC 360
bala.acu    TACTACTAATTCTAACCCTACTAGCACTAACCCTATTCGCACCGGACCTGCTTGGAGACC 360
bala.bon    TACTACTAATTCTAACCCTACTAACACTAACCCTATTCGCACCCGACCTGCTCGGAGACC 360
bala.bor    TACTACTAATCCTAACCCTACTAATACTAACCCTATTCGCACCCGACCTGCTTGGAGACC 360
bala.edi    TACTACTAATCCTAACCCTACTAATGCTAACCCTATTCGTACCCGACCTACTTGGAGACC 360
esch.rob    TGCTACTAATCCTAACCCTACTAATACTAACCCTATTCGCACCCGACCTGCTCGGAGACC 360
bala.mus    TACTACTAATCCTAACCCTACTAATATTAACTCTATTTGCACCCGACTTACTCGGAGACC 360
mega.nov    TACTACTAATCCTAACCCTACTAATGTTAACCCTATTCGCACCTGACCTGCTTGGAGACC 360
bala.phy    TATTACTAATCCTAACCCTACTAATACTAACCCTATTCGCACCCGACCTACTTGGAGACC 360
cap.mar     TATTACTAATCCTAATCCTACTAATATTAACCTTATTTACACCTGACCTGCTTGGAGACC 360
ceph.com    TACTACTAATCCTGACCCTACTAATATTAACCTTATTTGCCCCCGACCTACTAGGAGACC 360
ceph.eut    TATTCCTAATCCTAACCCTACTAGCACTAACCCTATTCGCCCCTGACCTACTAGGAGACC 360
lage.obl    TATTCCTAATTCTAACCCTACTAGCACTAACCCTATTCGCCCCTGACCTACTGGGAGACC 360
ceph.hea    TATTCCTAATTCTAGCCCTACTAGCACTAACCCTATTCGCCCCTGACCTACTAGGAGACC 360
ceph.hec    TATTCCTAATTCTAATCCTACTAGCACTAACCCTATTCGCCCCTGACCTACTAGGAGACC 360
lage.aus    TATTCCTAATTCTAGCCCTACTAGCACTAACCCTATTCGCCCCTGACCTACTAGGAGACC 360
lage.cra    TATTCCTAATCCTAACCCTACTAGCACTAACCCTGTTCGCCCCTGACCTACTAGGAGACC 360
lage.obs    TATTCCTAATTCTAGCCCTACTAACACTAACCTTATTCGCCCCCGACCTACTAGGAGACC 360
lisso.bor   TATTCTTAATTCTGGCCCTACTAGCACTAACCCTATTCGCCCCTGACCTGTTAGGAGATC 360
lisso.per   TATTCTTAATTCTGACCCTACTAGCACTAACCCTATTTACCCCTGACCTACTAGGAGACC 360
glo.mac     TACTCTTAATCCTAGCACTACTAACACTAACCCTATTCACCCCTGACCTACTAGGAGACC 360
glo.mel     TACTCTTAATCCTAGCACTACTAACACTAACCCTATTCACCCCTGACCTACTAGGAGACC 360
fere.att    TACTCTTAATTCTAACATTACTAACACTAACCCTGTTCACCCCTGACCTACTAGGAGACC 360
pepo.ele    TACTCTTAATCTTAGCACTACTAACACTAACCCTATTCACCCCTGACCTACTAGGAGACC 360
gram.gri    TACTCCTAATCCTAACACTACTAACACTAACCCTATTCACCCCTGACCTACTAGGAGACC 360
pse.cra     TACTCTTAATTCTAACACTACTAACACTAACCCTATTCACCCCCGACCTACTAGGAGACC 360
lage.acu    TACTCTTAATTCTAACCCTACTAGCACTAACCCTATTCACCCCTGACCTACTAGGAGACC 360
orci.bre    TACTCTTAATCCTAACCCTCCTAGCACTAACCTTATTCACCCCTGACCTACTAGGAGACC 360
orca.bre    TACTCTTAATCCTAGTCCTACTAACACTAACCCTATTCACCCCTGACCTACTAGGAGACC 360
```

```
del.cap          TACTCCTAATCTTAACCCTACTAGCACTGACCCTATTCACTCCAGACCTACTAGGAGACC 360
del.tro          TACTCCTAATCTTAACCCTACTAGCACTGACCCTATTCACTCCCGACCTACTAGGAGACC 360
del.del          TACTCCTAATCTTAACCCTACTAGCACTAACCCTATTCACTCCCGACCTACTAGGAGACC 360
sten.cly         TACTCCTAATCTTAACCCTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAGACC 360
sten.coe         TACTCCTAATCTTAACCCTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAGACC 360
tur.adu          TACTCCTAATCTTAACCCTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAAACC 360
sten.fro         TACTCCTAATCCTAACCCTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAGACC 360
saus.chi         TACTCCTAATCTTAACCCTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAGACC 360
sten.lon         TACTCCTAATCTTAACCCTACTAGCACTAACCCTATTCACCCCTGACTTACTAGGAGACC 360
turs.tru         TACTCCTAATCTTAACCCTACTAGCATTAACCCTATTCGCCCCCGACCTACTAGGAGACC 360
lage.alb         TACTTTTAATCCTAACCTTACTAGCACTAACCCTATTTACCCCCGACCTACTAGGAGATC 360
sten.bre         TACTTTTAATCCTAACCTTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAGACC 360
sota.flu         TACTCCTAATCCTGACCCTACTAGCACTAACCCTATTCACCCCCGACCTACTAGGAGATC 360
del.leu          TACTACTAATCCTAACCCTATTAACAGTAACCCTATTCACACCTGACCTCCTAGGAGACC 360
mono.mon         TCCTACTAATCCTAATTCTACTAGCAATAACCCTACTCACACCTGACCTCCTAGGAGACC 360
plat.gan         TCATCCTAATCCTAACCTCACTCACATTAACCTTATTTACACCTGACCTACTAGGAGACC 360
plat.min         TCATCCTAATCCTAACCTCACTCACATTAACCTTATTTACACCTGACCTACTAGGAGACC 360
kogi.bre         TACTGCTAATCTCAGCGCTACTTACATTAACCCTATTCGCACCAGACCTATTAGGAGACC 360
kogi.sim         TACTACTAATCTCAGCACTACTCACACTGACCCTGTTCGCACCTGATCTACTAGGAGACC 360
phys.cat         TACTACTAATCCTATCCCTACTTACACTAACCCTGTTCGCACCCGACCTGCTAGGAGATC 360
lipo.vex         TTCTATTAATATTTGTTCTACTCACACTAACCTTACTTGCACCAGACCTACTCGGAGATC 360
phoc.sin         TACTATTTATTCTAACTTTACTAACACTAACCTTATTTTACCTGACCTTCTAGGAGACC 360
bera.bai         TACTACTAATCCTAGCCCTACTCACGCTAACCCTATTTGCACCCGACCTACTAGGAGAGC 360
ziph.car         TACTATTAATCGTAATTCTACTCGCACTAACCCTATTCGCACCCGACCTGCTAGGAGACC 360
meso.eur         TACTACTAATTCTAGCCCTACTCACCCTAACCCTATTCGCACCCGACCTGCTAGGAGACC 360
meso.bid         TACTACTAATTCTAACCCTACTCGCACTAACCCTATTCGCACCTGACCTGCTAGGAGACC 360
meso.den         TACTATTAATTCTGGCCCTACTTATACTAACCCTATTTGCACCTGACCTACTAGGAGACC 360
hype.amp         TATTACTAATCCTAGTCCTACTCACATTAACCCTATTCGCACCCGACCTACTAGGAGACC 360
meso.per         TATTATTAATTATAGTCCTACTTATACTAACCCTATTTGCACCTGACCTATTAGGAGATC 360
pont.bla         TATTAATAATCCTAACAATACTCACGCTGACTCTATTCACCCCTGACCTATTAGGAGACC 360
hex.lib          TACTTCTAATAACAATACTACTCACACTAACCTTATTTGCCCCAGACCTCCTAGGGGACC 360
hipp.amp         TACTCCTAATAACAACACTACTCACACTAACCTTATTTGCCCCAGACCTCCTAGGGGACC 360
dic.sum          TACTTCTAATCCTAGCCCTACTCACCCTAGTTCTATTCTCGCCTGACCTCCTAGGAGACC 360
rhin.sca         TGCTTCTAATTATAGTATTACTCACCCTAGTCCTATTCTCCCCTGACATCCTAGGGGACC 360
cera             TACTCCTAATCCTAGCACTACTCGCCCTAGTTCTATTCTCACCAGACATCCTAGGAGACC 360
equu             TCCTCCTAGTCCTACTCCTACTAACCCTAGTATTATTCTCCCCTGACCTCCTAGGAGACC 360
baby.bab         TACTCATAATTATAGCTCTTCTAATCCTAGTACTATTCTCACCAGATCTACTAGGAGACC 360
phac.afr         TATTCATAATACTAATCCTGCTAATCCTAGTATTATTCTCCCCAGACCTACTAGGAGACC 360
sus.bar          TATTTATAATACTAATCCTACTAATCCTTAGTACTATTCTCACCAGACCTACTAGGAGACC 360
sus.scr.ewbl     TATTTATAATACTAATCCTACTAATCCTTGTACTATTCTCACCAGACCTACTAGGAGACC 360
lama.gla         TACTACTTATTCTAACCCTACTTCTACTCGTACTATTCTCACCAGACCTACTAGGAGACC 360
lama.gua         TACTACTTATTCTGACCCTACTTCTACTCGTACTATTCTCACCAGACCTACTAGGAGACC 360
vic.vic          TACTACTTATTCTGATTCTACTCCTACTCGTACTATTCTCACCAGACCTACTAGGAGATC 360
cam.bac          TGCTACTAATATTAATTCTCCTTATTCTCGTACTGTTCTCACCAGACCTATTAGGAGATC 360
arc.for          TCCTACTAATCCTGATTCTAATACTACTAGTAATATTTCACCAGATCCTGCTAGGAGACC 360
arc.gaz          TCCTACTAATCCTAATTCTAATACTACTAGTAATATTTCACCAGATCCTGCTAGGAGACC 360
eum.jub          TCCTACTAATCCTAATCCTAATACTACTAGTAATATTTCACCAGACCTGCTGGGAGACC 360
cal.cal          TCCTACTAATCCTAACCCTAATACTACTAGTAATATTTCACCCGACCTGCTGGGAGACC 360
odo.ros          TCATTCTAATCCTAATCCTAATACTACTAGTACTATTCTCACCAGATTTACTGGGAGACC 360
pho.fasciata     TACTCCTCATCCTAGTCCTAATACTACTAGTACTATTCTCACCCGACCTACTAGGAGACC 360
pho.gro          TACTCCTCATCCTGGTCCTTATACTACTAGTACTGTTCTCACCCGACCTACTGGGAGACC 360
pho.vit          TACTTCTCATTCTAGTCCTGACACTACTAGTGCTATTCTCACCCGACCTGCTAGGAGACC 360
tys.cri          TACTCCTCATCCTAGTTCTAACACTACTAGTGCTATTCTCACCCGATCTGCTAGGAGACC 360
hyd.lep          TATTCCTCATTCTAACCCTAATACTACTAGTATTATTCTCACCCGACCTACTAGGAGACC 360
lep.wed          TACTCCTCATTCTAACCCTAATACTACTAGTATTATTCTCACCCGACCTGCTAGGAGATC 360
hir.leo          TACTTCTTATTCTAACCCTAATACTATTAGTGTTATTCTCACCCGACCTATTAGGAGACC 360
tri.bur          TACTTCTAATCCTAGTCCTTATACTTCTAGTGCTATTCTCACCCGACCTACTGGGAGATC 360
non.nch          TACTCCTTATCCTAATTCTAATACTACTAGTATTATTCTCACCCGACCTATTAGGAGACC 360
```



```
fal.spa          TGCTCATACTCCTGCCCCTAATAGCCCTAGCCCTATTCACCCCAAACCTGCTAGGAGACC 360
ayt.ame          TCCTCATGCTCACCCCCCTAATAGCACTAGCCCTATTCTCACCAAACCTCCTAGGAGACC 360
smi.sha          CAATCATACTAACACCACTAATAACCCTAGCCATATTCTCTCCTAACCTCCTAGGAGACC 360
vid.cha          TACTAATATTCGCACTCCTAGCTTCCATAGCCCTATTCTCCCCAAACATACTAGGAGATC 360
chry.pic         TTCTAATACTAACCCTCCTACTAACCCTAACACTATTCTCTCCAAACCTTTTAGGGGACC 360
emy.orb.kur      TCCTAATACTAGCCTTCCTGCTAACCCTAACACTATTCTCTCCTAACCTTCTAGGAGACC 360
che.mud          TTTTAATACTAACTTTCCTCCTAACCTTAACACTTTTCTCCCCCTACTTACTAGGAGACC 360
eum.egr          TCATTATACTGTCTGTTCTACTAGCCCTCGCCCTTTTCTCACCAAACCTTCTAGGCGACC 360
                           *                 *   * *   *   *   * * ** * *

aep.mel          CAGACAANNACATCCCCGCAAACCCACTCAACACCCCTCCCCACATCAAGCCCGAATGGT 420
ore.ore          CAGATAACTACACCCCAGCAAACCCACTCAACACTCCCCCTCACATTAAACCAGAATGGT 420
add.nas          CAGACAATTATACCCCAGCAAATCCACTTAGCACGCCCCCTCACATCAAACCTGAATGAT 420
ory.dam          CAGATAATTATACACCAGCAAATCCACTTAACACACCCCCTCACATCAAACCCGAATGAT 420
hip.equ          CAGACAACTATGCCCCAGCAAACCCACTCAACACGGCCCCTCACATTAAACCCGAATGAT 420
alc.bus          CAGACAACTACACCCCCGCGAACCCACTTAACACACCCCCTCACATCAAGCCCGAATGAT 420
sig.lic          CAGACAACTACACCCCCGCGAACCCACTTAACACACCCCCTCACATCAAGCCCGAATGAT 420
bea.hun          CAGACAACTACACCCCCGCAAACCCACTTAATACACCCCCTCACATCAAACCCGAATGAT 420
dam.lun          CAGACAACTACACCCCTGCAAACCCACTCAACACGCCCCCTCACATCAAGCCCGAGTGAT 420
con.tau          CAGACAACTACACCCCCGCAAATCCACTCAACACACCCCCTCACATCAAGCCCGAATGAT 420
amm.ler          CAGACAACTATACCCCAGCAAATCCACTCAACACACCCCCTCATATTAAACCTGAATGAT 420
pse.nay          CAGACAACTACACCCCAGCAAACCCACTCAACACACCCCCTCACATTAAACCCGAGTGAT 420
cap.ibe          CAGACAACTATACCCCAGCAAACCCACTCAATACACCCCCTCACATTAAACCTGAATGAT 420
hem.jem          CAGACAACTATACCCCAGCAAATCCACTCAACACACCCCCTCACATTAAACCTGAATGAT 420
cap.fal          CAGATAACTATATCCCAGCAAATCCACTCAATACACCCCCTCATATCAAACCTGAGTGGT 420
rup.pyr          CAGATAACTATACCCCAGCGAACCCACTCAACACACCCCCTCACATCAAACCCGAATGAT 420
rup.rup          CAGATAATTACACCCCAGCGAACCCACTCAACACACCCCCTCACATTAAACCCGAGTGAT 420
nem.cau          CAGACAACTATACCCCAGCAAACCCACTCAGCACACCCCCTCACATTAAACCTGAATGAT 420
bud.tax.tax      CAGATAATTATACCCCAGCAAATCCACTCAACACACCCCCTCACATCAAACCTGAATGAT 420
pan.hod          CAGACAATTATACCCCAGCAAACCCCCTCAACACACCACCCCACATTAAACCTGAATGGT 420
ovi.amm          CAGACAACTACACCCCAGCAAACCCACTTAACACTCCCCCTCACATCAAACCTGAATGAT 420
ovi.vig          CAGACAACTACACCCCAGCAAACCCACTTAACACTCCCCCTCACATCAAACCTGAATGAT 420
cap.cri          CAGACAACTACACTCCAGCAAACCCACTCAACACACCCCCTCACATCAAGCCCGAGTGAT 420
ovi.mos          CAGACAACTATACCCCAGCAAACCCACTCAACACACCCCCTCACATTAAACCAGAGTGAT 420
ore.ame          CAGACAACTACACTCCAGCAAACCCGCTAAATACACCTCCCCATATCAAGCCCGAATGAT 420
cep.dor          CAGATAACTACACCCCAGCAAACCCACTCAACACACCTCCCCATATTAAACCCGAATGAT 420
cep.max          CAGATAATTATACTCCAGCAAACCCACTTAACACACCTCCCCACATCAAGCCCGAATGAT 420
bis.bon          CAGATAACTACACCCCAGCAAATCCACTTAACACACCTCCCCACATCAAACCCGAATGAT 420
bos.gru          CAGACAACTACACCCCAGCAAATCCACTCAACACACCTCCCCACATCAAACCCGAATGAT 420
bos.tra          CAGACAACTACACCCCAGCAAACCCACTTAGCACACCTCCCCATATTAAGCCCGAATGGT 420
bub.min          CAGACAACTACACCCCAGCAAACCCACTCAACACACCTCCCCATATCAAACCTGAATGGT 420
buba.bub         CAGACAACTACACCCCAGCAAACCCACTCAACACACCTCCCCACATCAAGCCTGAATGGT 420
tra.ang          CCGACAACTACACCCCAGCGAACCCCCTCAATACACCTCCCCATATCAAACCTGAATGAT 420
tra.eur          CCGACAACTACACCCCAGCAAACCCACTCAACACACCACCTCATATCAAACCTGAATGAT 420
kob.ell          CTGACAACTATGCCCCAGCAAACCCACTTAACACGCCCCTCACAATTAAACCTGAATGAT 420
kob.meg          CTGACAATTATACCCCAGCAAACCCACTTAATACACCTCCCCATATTAAACCCGAATGAT 420
red.aru          CCGACAATTATACTCCAGCAAATCCACTCAACACACCCCCTCATATTAAACCCGAATGAT 420
red.ful          CGGACAATTACACCCCAGCAAACCCACTCAACACACCCCCTCACATCAAACCAGAATGGT 420
neo.mos          CAGACAACTACACCCCCGCAAACCCTCTTAACACGCCTCCCCATATCAAACCCGAATGAT 420
pel.cap          CTGACAATTACACCCCTGCAAACCCGCTCAACACACCCCCTCATATCAAACCCGAATGAT 420
gaz.dam          CAGACAACTACACACCAGCAAATCCACTCAATACACCCCCACATATTAAGCCTGAGCGAT 420
our.our          CAGACAACTATACACCAGCAAACCCACTAAATACACCCCCACATATTAAACCTGAGTGGT 420
ant.cer          CAGACAACTATACACCAGCAAACCCACTTAATACACCCCCACATATCAAGCCCGAATGAT 420
sai.tat          CAGACAACTACACRCCAGCAAACCCACTTAACACACCCCCACATATTAAACCCGAATGAT 420
mad.kir          CAGACAACTACACACCAGCAAATCCCCTTAACACGCCCCCACACATTAAACCTGAATGAT 420
rap.mel          CAGACAACTATACACCAGCAAACCCACTCAACACACCCCCACATATCAAACCCGAATGGT 420
gaz.gaz          CAGACAACTATACACCAGCAAATCCACTCAACACACCCCCACACATCAAACCTGAATGGT 420
ant.ame          CCGACAACTACACACCAGCTAACCCACTCAACACTCCCCCACACATTAAGCCAGAATGAT 420
```

```
turs.tru    CTGATAACTACACCCCAGCAAACCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
lage.alb    CCGATAACTATACCCCAGCAAATCCACTAAGCACTCCTGCACACATCAAACCAGAATGGT 420
sten.bre    CCGACAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGGT 420
sota.flu    CCGACAACTATACTCCAGCAAATCCACTTAACACCCCTGCACACATCAAACCAGAATGAT 420
del.leu     CAGACAATTACACCCCAGCAAACCCACTAAACACCCCCGCACACATCAAACCAGAATGGT 420
mono.mon    CTGACAATTATACCCCAGCAAACCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
plat.gan    CCGATAACTACACCCCAGCAAACCCGCTTAATACCCCAGCACATATCAAACCAGAGTGAT 420
plat.min    CCGATAACTACACCCCAGCAAACCCGCTTAATACCCCAGCACATATCAAACCAGAGTGAT 420
kogi.bre    CTGACAACTACACCCCAGCAAACCCACTAAGCACCCCGGCACACATTAAACCAGAATGAT 420
kogi.sim    CCGACAACTATACCCCAGCAAACCCACTAAGCACCCCCGCACACATTAAACCAGAATGAT 420
phys.cat    CTGACAACTACACCCCAGCAAATCCACTAAATACCCCAACACACATCAAACCAGAATGGT 420
lipo.vex    CTGATAATTATACCCCAGCAAACCCACTAAACACTCCCGCACACATCAAACCAGAATGAT 420
phoc.sin    CCGATAACTACATTCCAGCAAACCCACTAAGCACCCCAGCACACATTAAACCAGAATGAT 420
bera.bai    CCGACAACTATACCCCGGCAAACCCGCTCAGCACCCCAACACATATTAAGCCAGAATGAT 420
ziph.car    CCGATAACTATACCCCAGCAAATCCACTCAGCACCCCAGCACACATTAAGCCAGAATGAT 420
meso.eur    CCGACAATTACACCCCAGCAAACCCACTTAATACTCCAGCACACATCAAACCAGAATGAT 420
meso.bid    CCGACAACTATACCCCAGCAAACCCACTCAGCACCCCAGCCCACATCAAACCAGAGTGGT 420
meso.den    CCGATAATTATACTCCAGCAAACCCACTCAACACTCCAGCACACATCAAACCAGAGTGGT 420
hype.amp    CTGATAACTATACCCCAGCAAACCCACTCAGCACTCCAGCACACATCAAACCAGAATGGT 420
meso.per    CTGACAATTACACTCCAGCAAACCCACTTAGCACCCCAGCACATATTAAACCAGAATGAT 420
pont.bla    CAGACAACTATATCCCAGCAAACCCCATGAATACCCCAGAGCACATTAAACCAGAATGGT 420
hex.lib     CAGACAACTACACCCCCGCAAACCCCCTTAGCACACCACCACACATCAAACCAGAATGAT 420
hipp.amp    CAGACAACTACACCCCCGCAAACCCCCTTAGCACACCACCACACATTAAACCAGAATGAT 420
dic.sum     CGGACAACTACACACCCGCCAACCCTCTCAGCACCCCTCCACACATTAAACCAGAATGGT 420
rhin.son    CAGACAACTACATCCCAGCCAACCCTCTCAGCACCCCTCCACATATCAAACCAGAATGGT 420
cerv        CTGACAACTACACCCCTGCCAATCCTCTCAGCACTCCCCCACATATCAAACCAGAATGAT 420
equu        CTGACAACTACACCCCAGCTAACCCCCTCAGCACTCCCCCTCATATTAAGCCAGAATGGT 420
baby.bab    CAGACAACTACACCCCAGCAAACCCACTAAATACACCACCCCACATTAAGCCAGAATGAT 420
phac.afr    CGGACAACTATACTCCAGCAAACCCACTAAATACACCACCCCACATCAAACCAGAATGAT 420
sus.bar     CAGACAACTATACCCCAGCAAACCCATTAAACACACCACCCCACATCAAACCAGAATGAT 420
sus.scr.ewb3 CAGACAACTACACCCCAGCAAACCCACTAAACACCCCACCCCATATTAAACCAGAATGAT 420
lama.gla    CAGACAACTACACCCCAGCAAACCCACTAAACACCCCACCCCATATTAAACCAGAATGAT 420
lama.gua    CCGACAACTATACTCCCGCTAACCCCCTCAACACACCGCCCCATATTAAACCAGAATGAT 420
vic.vic     CCGACAACTATACTCCCGCTAACCCCCTCAACACACCGCCTCATATTAAACCAGAATGAT 420
cam.bac     CCGACAACTATACCCCCGCTAACCCCCTTAACACACCACCCCACATTAAACCAGAATGAT 420
arc.for     CTGACAACTATACTCCCGCTAACCCCCTCAATACAGCACCACACATTAAGCCGGAATGAT 420
arc.gaz     CAGACAACTACACCCCAGCCAACCCCCTCAGCACTCCACCACATATTAAACCTGAATGAT 420
eum.jub     CAGACAACTACATCCCAGCCAACCCCCTCAGTACTCCACCACATATCAAACCTGAATGGT 420
zal.cal     CAGACAACTACATCCCAGCCAACCCCCTCAGGACTCCACCACATATTAAACCCGAATGAT 420
odo.ros     CAGACAACTATATTCCAGCCAACCCCCTCAGCACTCCACCACATATTAAACCTGAGTGAT 420
pho.fasciata CGGACAATTACACCCCAGCCAACCCTCTCAGCACCCCACCCCATATCAAACCCGAATGAT 420
pho.gro     CCGACAACTACACCCCTGCCAACCCCCTAAGCACCCCACCACATATCAAGCCCGAATGAT 420
pho.vit     CCGACAACTACATCCCTGCCAATCCCCTAAGTACCCCACCACATATCAAGCCCGAATGAT 420
cys.cri     CCGACAACTATATCCCTGCCAATCCCCTAAGTACCCCACCACATATCAAACCCGAATGGT 420
hyd.lep     CCGACAACTATACCCCTGCCAACCCCCTAAGCACCCCACCACATATCAAACCCGAATGAT 420
lep.wed     CCGACAACTATATTCCTGCTAACCCCCTAAGCACCCCACCACATATCAAACCCGAATGAT 420
mir.leo     CCGACAACTATACTCCCGCTAATCCCCTAAGTACTCCACCACATATCAAACCCGAATGAT 420
eri.bar     CCGACAACTACACCCCTGCCAATCCCCTAAGCACCCCACCACATATTAAGCCCGAATGAT 420
mon.sch     CCGACAACTACACTCCCGCTAACCCCCTAAGCACCCCACCACATATTAAACCCGAATGAT 420
tela.mal    CTGACAACTACATCCCCGCAAATCCATTGAGCACCCCACCCCACATCAAACCCGAATGGT 420
tel.thi     CTGACAACTACATCCCCGCAAACCCACTGAGCACCCCACCCCACATCAAACCCGAATGAT 420
till.sul    CTGATAACTATACCCCCGCAAACCCACTGAGCACCCCACCCCACATCAAACCCGAATGAT 420
tel         CTGATAACTATATTCCCGCTAACCCATTAAGCACACCACCCCATATTAAACCTGAGTGGT 420
tan         CAGACAACTACATCCCAGCCAACCCCTTAAATACCCCTCCCCATATTAAACCTGAATGAT 420
al          CAGATAACTACACCCCTGCAAACCCCCTAAACACCCCTCCACATATTAAACCTGAGTGAT 420
la.sab      CAGACAATTACATCCCCGCCAACCCCCTAAACACACCACCCCATATTAAACCCGAATGGT 420
la.vol      CAGACAACTATACCCCAGCCAACCCACTCAACACCCCTCCCCACATCAAACCAGAATGAT 420
yl.pha      CTGACAACTACACCCCCGCCAACCCACTTAACACCCCTCCTCATATTAAACCAGAATGAT 420
```

```
aep.mel          ACTTCCTGTTNGCATACGCAATCCTACGATCAATCCCCAATAAACTAGGAGG 472
ore.ore          ATTTNCTATTNGCATATGCAATCCTACGATCAATCCCCAATAAACTAGGAGG 472
add.nas          ATTTCCTATTTGCATACGCAATTCTACGATCAATCCCCAACAAACTAGGAGG 472
ory.dam          ATTTCCTATTTGCATATGCGATCTTACGATCAATCCCCAACAAACTAGGAGG 472
hip.equ          ATTTTTTATTCGCGTACGCAATTCTACGATCGATCCCCAATAAGCTGGGAGG 472
alc.bus          ATTTCCTATTTGCATATGCAATCCTACGATCAATCCCTAACAAACTAGGAGG 472
sig.lic          ATTTCCTATTTGCATACGCAATCCTACGATCAATCCCTAACAAACTAGGAGG 472
bea.hun          ATTTCCTATTTGCATACGCAATCCTACGATCAATCCCCAATAAACTAGGAGG 472
dam.lun          ATTTCCTATTCGCATACGCAATCCTACGTTCGATCCCCAACGAGCTAGGAGG 472
con.tau          ACTTCCTATTTGCATATGCAATCCTACGATCAATCCCCAACGGACTAGGAGG 472
amm.ler          ACTTCCTATTTGCATACGCAATCCTACGATCAATCCCTAATAAACTGGGAGG 472
pse.nay          ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAGCTAGGAGG 472
cap.ibe          ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGGGG 472
hem.jem          ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cap.fal          ACTTCCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAACTAGGAGG 472
rup.pyr          ATTTCTTGTTTGCATATGCGATCCTACGATCAATTCCCAACAAACTTGGAGG 472
rup.rup          ATTTCCTATTTGCATATGCAATTCTACGATCAATCCCCAACAAACTTGGAGG 472
nem.cau          ATTTCCTATTTGCATATGCAATCTTACGATCAATCCCCAATAAACTAGGCGG 472
bud.tax.tax      ATTTCCTATTTGCATACGCAATCTTACGATCAATCCCCAACAAACTAGGAGG 472
pan.hod          ACTTTCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAACTAGGAGG 472
ovi.amm          ACTTCCTATTTGCATACGCAATCTTACGATCAATCCCTAATAAACTAGGAGG 472
ovi.vig          ATTTCCTATTTGCATATGCAATCTTACGATCAATCCCTAATAAACTAGGAGG 472
cap.cri          ACTTCCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAACTAGGCGG 472
ovi.mos          ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCTAACAAACTAGGCGG 472
ore.ame          ACTTCCTATTTGCATACGCAATCTTACGATCAATCCCCAATAAACTAGGAGG 472
cep.dor          ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCAAACAAACTAGGAGG 472
cep.max          ATTTCCTATTCGCGTACGCAATTCTACGATCAATTCCAAATAAACTAGGAGG 472
bis.bon          ACTTCTTATTTGCATANGCAATTTTACGGTCAATCCCCAACAAACTAGGAGG 472
bos.gru          ACTTCTTATTTGCATACGCAATTTTACGATCAATCCCCAATAAACTAGGAGG 472
bos.tra          ATTTCCTGTTCGCATACGCAATTCTACGATCAATCCCCAACAAACTAGGAGG 472
bub.min          ACTTCCTATTCGCATACGCAATCTTACGATCAGTTCCTAACAAACTAGGAGG 472
buba.bub         ACTTCCTATTCGCATACGCAATCTTACGATCAATTCCTAACAAACTAGGAGG 472
tra.ang          ATTTCCTGTTCGCATATGCAATCCTACGATCTATCCCCAACAAGCTAGGAGG 472
tra.eur          ACTTCCTATTCGCATATGCAATCCTACGATCAATCCCTAATAAACTAGGAGG 472
kob.ell          ACTTCCTATTCGCATATGCAATTCTACGATCAATCCCCAACAAACTAGGAGG 472
kob.meg          ATTTCTTATTCGCATACGCAATTTTACGGTCAATTCCTAATAAACTGGGAGG 472
red.aru          ACTTCTTATTTGCATATGCAATCCTACGATCAATCCCCAATAAACTAGGAGG 472
red.ful          ACTTCTTATTNGCATACGCAATCCTACGATCAATCCCCAATAAACTAGGAGG 472
neo.mos          ACTTTTTATTCGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
pel.cap          ATTTCCTATTTGCATATGCGATTCTACGATCAATTCCCAACAAACTAGGAGG 472
gaz.dam          ATTTCCTATTTGCATACGCAATTCTCCGATCGATTCCCAACAAACTAGGAGG 472
our.our          ATTTCCTATTCGCATACGCAATTCTCCGATCAATTCCTAACAAACTAGGAGG 472
ant.cer          ACTTCCTATTTGCATACGCAATCCTCCGATCAATTCCTAATAAACTAGGAGG 472
sai.cat          ACTTCCTATTCGCATACGCAATCCTCCGATCAATTCCTAACAAACTAGGGGG 472
mad.kir          ATTTCCTATTCGCATATGCAATCCTCCGATCAATTCCCAATAAATTAGGAGG 472
cap.mel          ATTTTCTATTCGCATATGCAATTCTCCGGTCAATTCCCAATAAACTAGGAGG 472
gaz.gaz          ACTTCCTATTCGCATATGCAATTCTCCGATCAATTCCCAATAAACTAGGAGG 472
ant.ame          ATTTCCTATTCGCATACGCAATCCTACGATCAATCCCTAACAAACTAGGAGG 472
hyd.ine          ATTTCCTATTTGCATACGCAATTCTACGATCTATCCCTAACAAATTAGGAGG 472
mun.mun          ATTTCCTATTTGCATACGCTATTCTACGATCAATTCCCTAACAAACTAGGAGG 472
alc.alc          ATTTCCTATTTGCATACGCAATTCTACGATCAATCCCCAATAAACTAGGGGG 472
cer.ela.kan      ATTTCCTATTTGCATACGCAATCCTACGATCGATTCCCAACAAACTAGGAGG 472
cer.ela.xan      ATTTCCTATTTGCATACGCAATCCTACGATCGATTCCCAACAAACTAGGAGG 472
cer.ela.can      ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cer.nip.senc     ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cer.nip.yes      ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cer.nip.ker      ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
```

```
cer.nip.pul  ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cer.nip.nip  ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cer.ela.sco  ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGAGG 472
cer.dam      ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAATAAACTAGGAGG 472
ran.tar      ACTTTCTATTCGCATACGCAATCCTACGATCAATTCCAAATAAACTAGGAGG 472
mos.fus      ATTTCCTATTTGCATATGCCATTCTACGATCAATTCCCAACAAACTAGGAGG 472
mos.leu      ATTTCCTATTTGCATATGCCATTCTACGATCAATTCCCAACAAACTAGGAGG 472
mos.chr      ACTTCCTATTTGCATATGCCATCCTACGATCAATTCCCAACAAACTAGGAGG 472
mos.ber      ACTTCCTATTTGCATATGCCATTCTACGATCAATTCCCAACAAACTAGGAGG 472
mos.mos      ACTTTCTATTTGCATATGCCATTCTACGATCAATTCCTAATAAACTAGGAGG 472
tra.jav      ATTTCTTATTTGCATACGCAATTCTTCGGTCAATCCCCAATAAACTAGGAGG 472
trag.nap     ATTTCCTATTCGCATACGCAATCCTACGATCAATCCCCAATAAATTAGGAGG 472
bala.acu     ACTTCCTATTCGCATACGCAATCCTACGATCAATCCCTAATAAACTAGGCGG 472
bala.bon     ATTTTCTATTCGCATACGCAATCCTACGATCAATCCCCAATAAACTAGGCGG 472
bala.bor     ATTTCCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAATTAGGCGG 472
bala.edi     ATTTCCTATTTGCATACGCAATCCTACGATCAATTCCCAACAAATTAGGCGG 472
esch.rob     ATTTCCTATTTGCATACGCAATCCTACGATCGATCCCCAACAAATTAGGCGG 472
bala.mus     ATTTCCTATTTGCATATGCAATCCTACGATCAATCCCCAACAAATTAGGCGG 472
mega.nov     ATTTCCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAACTAGGCGG 472
bala.phy     ATTTTCTATTCGCATACGCAATCCTACGATCAATTCCCAACAAACTAGGCGG 472
cap.mar      ACTTCCTATTTGCATATGCAATCCTACGATCAATTCCTAATAAATTAGGTGG 472
ceph.com     ACTTCCTATTCGCATATGCAATCCTACGATCAATTCCCAATAAACTTGGAGG 472
ceph.eut     ACTTCCTATTCGCATATGCAATCCTACGATCAATTCCTAATAAACTTGGAGG 472
lage.obl     ACTTCCTATTCGCATATGCAATCCTACGATCAATTCCCTAATAAACTTGGAGG 472
ceph.hea     ACTTCCTATTCGCATATGCAATCCTACGATCAATTCCTAATAAACTTGGAGG 472
ceph.hec     ACTTCCTATTCGCATATGCAATCCTACGATCAATTCCTAATAAACTCGGAGG 472
lage.aus     ATTTCCTATTCGCATATGCAATCCTACGATCAATTCCTAATAAACTCGGAGG 472
lage.cru     ATTTCCTATTCGCATATGCAATCCTACGATCAATTCCTAATAAACTTGGAGG 472
lage.obs     ATTTCCTATTCGCATACGCAATCCTACGATCAATTCCTAATAAACTTGGAGG 472
lisso.bor    ACTTCCTATTTGCATACGCAATCCTACGATCAATTCCTAATAAACTTGGAGG 472
lisso.per    ACTTTCTATTCGCATACGCAATCCTACGATCAATTCCTAATAAACTTGGAGG 472
glo.mac      ATTTCCTATTCGCATATGCAATCTTACGATCAATTCCCAATAAACTTGGAGG 472
glo.mel      ATTTCCTATTCGCATATGCAATCTTACGATCAATTCCTAATAAACTTGGAGG 472
fere.att     ATTTCCTATTCGCGTATGCAATCTTACGATCAATTCCCAATAAACTTGGAGG 472
pepo.ele     ATTTCCTATTCGCATATGCAATCTTACGATCAATTCCCAACAAACTTGGAGG 472
gram.gri     ATTTCCTATTCGCATATGCAATCTTGCGATCAATTCCTAATAAACTTGGAGG 472
pse.cra      ATTTCCTATTCGCATATGCAATCTTACGATCAATTCCTAATAAACTTGGAGG 472
lage.acu     ATTTCCTATTCGCATATGCAATCCTACGATCAATTCCCAACAAACTTGGAGG 472
orci.bre     ACTTCCTATTCGCATACGCAATCCTACGATCAGTTCCCAATAAACTTGGAGG 472
orca.bre     ACTTCCTATTCGCATACGCGATCCTACGATCAATTCCTAATAAACTCGGGGG 472
del.cap      ACTTTCTATTCGCATACGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
del.tro      ACTTTCTATTCGCATACGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
del.del      ACTTTCTATTCGCATATGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
sten.cly     ACTTTCTATTCGCATATGCAATCTTACGATCAATCCCTAACAAACTTGGAGG 472
sten.coe     ACTTTCTATTCGCATACGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
tur.adu      ACTTTCTATTCGCATACGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
sten.fro     ACTTTCTATTCGCATACGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
saus.chi     ATTTCCTATTCGCATACGCAATCTTACGGTCAATCCCTAATAAACTTGGAGG 472
sten.lon     ATTTCCTATTCGCATACGCAATCTTACGATCAATCCCTAATAAGCTCGGAGG 472
curs.tru     ACTTTCTATTCGCATACGCAATCTTACGATCAATCCCTAACAAACTTGGAGG 472
lage.alb     ATTTCCTATTCGCATATGCAATCCTACGATCAATCCCCAACAAACTTGGAGG 472
sten.bre     ATTTCCTATTCGCATACGCAATCTTACGATCAATCCCCAACAAACTTGGAGG 472
sota.flu     ATTTCCTATTCGCATATGCAATCTTACGATCAATCCCTAATAAACTTGGAGG 472
del.leu      ACTTCCTATTTGCATACACAATCCTACGATCAATCCCCAACAAACTAGGAGG 472
mono.mon     ATTTCCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAACTAGGAGG 472
plat.gan     ATTTCCTATTTGCATACGCAATCTTACGGTCAATCCCCAATAAACTAGGAGG 472
plat.min     ATTTCCTATTTGCATACGCAATCTTACGGTCAATCCCCAATAAACTAGGAGG 472
kogi.bre     ATTTCCTATTTGCATATGCCATCCTACGATCCATCCCTAACAAACTAGGGGG 472
```

```
hyd.ine      CAGACAATTATACTCCAGCAAACCCACTCAATACACCCCCTCACATTAAACCAGAATGAT 420
mun.mun      CCGACAATTATACCCCAGCAAACCCACTCAATACACCCCCTCACATCAAGCCTGAATGAT 420
alc.alc      CAGACAACTACACCCCAGCTAATCCACTCAACACACCCCCTCATATTAAGCCTGAATGGT 420
cer.ela.kan  CAGACAACTATACCCCAGCAAATCCACTCAATACACCCCCTCACATTAAACCTGAATGAT 420
cer.ela.xan  CAGACAACTATACCCCAGCAAATCCACTCAACACACCCCCTCACATTAAACCTGAATGAT 420
cer.ela.can  CAGACAACTATACCCCAGCAAATCCACTCAACACACCCCCTCACATTAAACCTGAATGAT 420
cer.nip.cent CAGACAACTATACCCCAGCAAATCCACTCAACACACCCCCTCACATCAAACCTGAATGAT 420
cer.nip.yes  CAGACAACTATACCCCAGCAAATCCACTCAACACACCCCCTCACATCAAACCTGAATGAT 420
cer.nip.ker  CAGACAACTACACCCCAGCAAATCCGCTCAACACACCCCCTCACATCAAACCTGAATGAT 420
cer.nip.pul  CAGACAACTACACCCCAGCAAATCCGCTCAACACACCCCCTCACATCAAACCTGAATGAT 420
cer.nip.nip  CAGACAACTACACCCCAGCAAATCCGCTCAACACACCCCCTCACATCAAACCTGAATGAT 420
cer.ela.sco  CAGATAACTACACCCCAGCAAACCCACTCAACACACCCCCTCATATTAAACCTGAATGAT 420
cer.dam      CAGACAAATACACTCCAGCAAATCCACTCAACACACCTCCTCATATTAAACCCGAATGAT 420
ran.tar      CAGACAACTATACCCCAGCAAACCCACTCAACACTCCCCCTCATATTAAACCTGAATGAT 420
mos.fus      CGGACAATTATACCCCAGCAAACCCATTAAATACGCCCCCACATATTAAACCCGAATGAT 420
mos.leu      CGGACAATTATACCCCAGCAAACCCATTAAATACACCCCCACATATTAAACCCGAATGAT 420
mos.chr      CGGACAATTATACCCCGGCAAACCCATTAAATACGCCCCCACATATTAAACCCGAATGAT 420
mos.ber      CGGACAATTATACCCCAGCAAACCCATTAAACACACCACCACATATTAAACCCGAATGAT 420
mos.mos      CGGACAACTATACTCCAGCAAACCCATTAAATACACCTCCACATATTAAACCCGAATGGT 420
tra.jav      CAGATAACTACACCCCCGCCAACCCCCTTAACACACCACCCCATATCAAACCCGAATGAT 420
trag.nap     CCGACAATTACACTCCGGCAAACCCCCTCAACACACCACCTCATATTAAGCCAGAGTGGT 420
bala.acu     CCGACAACTATACCCCAGCAAACCCACTCAGTACCCCAGCACACATTAAACCAGAATGAT 420
bala.bon     CCGACAACTACACCCCAGCAAACCCACTCAGTACCCCAGCACACATTAAACCAGAATGAT 420
bala.bor     CAGACAACTACACCCCAGCAAATCCACTCAGTACCCCAGCACACATTAAACCAGAATGAT 420
bala.edi     CAGACAACTACACTCCAGCAAATCCACTCAGTACCCCAACACACATTAAACCAGAATGAT 420
esch.rob     CAGACAACTATACCCCAGCAAACCCACTCAGCACCCCAACACATATTAAACCAGAGTGAT 420
bala.mus     CAGACAACTACACCCCAGCAAACCCACTCAGTACCCCAGCACACATTAAACCAGAGTGAT 420
mega.acv     CAGATAACTACACCCCAGCAAACCCACTCAGTACCCCAGCACACATTAAACCAGAATGGT 420
bala.phy     CAGACAACTATACCCCAGCAAACCCACTCAGTACCCCAGCACACATTAAACCAGAATGAT 420
cap.mar      CTGACAACTACACCCCAGCAAATCCCCTCAGCACCCCAGCACACATCAAGCCAGAATGAT 420
ceph.com     CTGATAACTATACCCCAGCAAATCCATTAAGCACCCCCGCACACATCAAACCAGAGTGAT 420
ceph.eut     CTGATAACTATACCCCAGCAAATCCATTAAGCACCCCCGCACACATCAAACCAGAATGAT 420
lage.obl     CTGATAACTATACCCCAGCAAATCCATTAAGCACCCCCGCACACATCAAACCAGAATGGT 420
ceph.hea     CTGATAACTATACCCCAGCAAATCCATTAAGCACCCCCGCACACATCAAACCAGAATGAT 420
ceph.hec     CTGATAACTATACCCCAGCAAATCCATTAAACACCCCCGCACACATCAAACCAGAATGAT 420
lage.aus     CTGACAACTATACCCCAGCAAATCCATTAAGCACCCCCGCACACATCAAACCAGAATGAT 420
lage.cru     CTGACAACTATACCCCAGCAAATCCATTAAGCACCCCCGCACACATCAAACCAGAATGAT 420
lage.obs     CTGATAACTATACCCCAGCAAATCCATTAAGCACCCCAGCACACATCAAACCAGAATGAT 420
lisso.bor    CTGATAACTATACCCCAGCAAATCCATTAAGCACCCCTGCACACATCAAACCAGAATGGT 420
lisso.per    CTGATAACTACACCCCAGCAAATCCATTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
glo.mac      CTGATAACTATACTCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
glo.mel      CTGATAACTATACTCCAGCAAACCCACTAAGCACCCCTGCACACATCAAACCAGAGTGAT 420
fere.att     CTGATAACTATACTCCAGCAAACCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
pepo.ele     CTAACAACTATACCCCAGCAAACCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
gram.gri     CTGATAACTACACTCCAGCAAACCCGCTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
pse.cra      CTGATAACTATATTCCAGCAAACCCACTAAACACCCCTGCACACATCAAACCAGAATGAT 420
lage.acu     CTGATAACTACACTCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
orci.bre     CTGACAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
orca.bre     CTGATAACTATACTCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
del.cap      CTGATAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACATATCAAACCAGAATGAT 420
del.tro      CTGATAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
del.del      CTGATAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
sten.cly     CTGACAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
sten.coe     CTGATAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAGTGAT 420
tur.adu      CTGATAACTATATCCCAGCAAATCCACTAAGTACCCCCGCACACATCAAACCAGAATGAT 420
sten.fro     CTGACAATTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
laus.chi     CCGATAACTATACCCCAGCAAATCCACTAAGCACCCCTGCACACATCAAACCAGAATGAT 420
sten.lon     CTGATAACTATACCCCAGCAAATCCACTAAACACCCCTGCACACATCAAACCAGAATGAT 420
```

```
kogi.sim          ACTTTCTATTCGCATACGCCATTCTACGATCAATTCCTAACAAACTGGGAGG 472
phys.cat          ATTTCCTATTCGCGTACGCCATCCTACGATCTGTCCCCAATAAACTAGGAGG 472
lipo.vex          ATTTCCTCTTCGCATACGCAATTCTACGATCAATTCCCAATAAATTAGGAGG 472
phoc.sin          ATTTCCTCTTCGCATACGCAATCCTACGATCAATCCCCAATAAACTAGGAGG 472
bera.bai          ACTTCCTGTTCGCATACGCAATCTTACGATCAGTCCCTAATAAACTAGGGGG 472
ziph.car          ACTTCCTATTCGCATACGCAATCCTACGATCAATTCCCAATAAACTAGGAGG 472
meso.eur          ACTTCCTATTCGCATATGCAATTCTACGATCAATTCCCAACAAACTAGGAGG 472
meso.bid          ATTTCCTATTCGCATACGCAATCTTACGATCAATTCCTAATAAACTAGGAGG 472
meso.den          ATTTTCTATTTGCATACGCAATCCTACGATCAATCCCCAACAAATTAGGAGG 472
hype.amp          ACTTCTTATTTGCATACGCAATCCTACGTTCAATCCCTAACAAACTAGGAGG 472
meso.per          ATTTTCTATTTGCATATGCAATTTTACGATCAGTTCCTAATAAACTAGGAGG 472
pont.bla          ATTTCCTATTTGCCTACGCCATCCTACGATCAATTCCCAATAAACTGGGAGG 472
hex.lib           ATTTCCTGTTCGCATACGCAATTCTCCGATCAATCCCTAACAAACTGGGAGG 472
hipp.amp          ATTTCCTGTTCGCGTACGCGATTCTCCGATCAATCCCCAACAAACTAGGAGG 472
dic.sum           ACTTCCTATTCGCCTACGCAATCCTACGATCCATCCCCAATAAACTAGGCGG 472
rhin.son          ATTTCCTATTTGCTTACGCAATCCTACGATCCATCCCTAACAAACTAGGCGG 472
cera              ACTTTCTATTTGCTTACGCAATCCTACGATCCATCCCTAACAAACTAGGCGG 472
equu              ATTTCCTATTTGCTTACGCCATCCTACGCTCCATTCCCAACAAACTAGGTGG 472
baby.bab          ATTTCCTATTTGCCTACGCCATCCTACGCTCAATCCCCAACAAATTAGGCGG 472
phac.afr          ACTTCCTATTTGCCTACGCCATCCTACGTTCAATCCCTAATAAATTAGGTGG 472
sus.bar           ACTTCCTATTCGCCTACGCCATCCTACGTTCAATCCCCAATAAACTAGGCGG 472
sus.scr.ewb3      ACTTCCTATTCGCCTACGCTATTCTACGTTCAATTCCTAATAAACTAGGTGG 472
lama.gla          ATTTCCTATTTGCATACGCCATCCTACGATCCATCCCCAATAAATTAGGCGG 472
lama.gua          ACTTCCTATTTGCATATGCCATCCTACGATCCATCCCCAACAAATTAGGCGG 472
vic.vic           ACTTCCTATTTGCATATGCTATTCTACGATCGATCCCCAATAAATTAGGCGG 472
cam.bac           ATTTCCTATTCGCATACGCTATCCTACGATCCATCCCCAACAAATTGGGAGG 472
arc.for           ATTTTCTATTCGCTTACGCCATTTTACGATCTATCCCCAACAAACTAGGAGG 472
arc.gaz           ATTTTCTATTCGCCTATGCCATTTTACGATCCATCCCCAACAAATTAGGGGG 472
eum.jub           ATTTCCTATTCGCCTATGCTATTTTACGATCCATCCCCAACAAATTAGGGGG 472
zal.cal           ATTTCCTATTCGCCTATGCTATTTTACGATCCATCCCCAACAAACTCGGGGG 472
odo.ros           ATTTCCTATTCGCCTACGCTATCCTCCGATCTATTCCCAACAAACTAGGAGG 472
pho.fasciata      ACTTTCTATTTGCCTACGCAATCCTACGATCAATCCCCAACAAACTAGGAGG 472
pho.gro           ACTTTTTATTTGCCTACGCAATCCTACGATCCATCCCCAACAAACTAGGAGG 472
pho.vit           ACTTCCTATTTGCCTACGCAATCTTACGATCCATCCCCAACAAACTAGGAGG 472
cys.cri           ACTTCCTATTCGCCTATGCAATCCTACGATCTATCCCCAACAAACTAGGAGG 472
hyd.lep           ATTTCCTATTTGCCTACGCAATCCTACGATCCATTCCCAATAAACTAGGAGG 472
lep.wed           ATTTCCTATTTGCCTACGCAATCTTACGATCCATCCCTAACAAACTAGGAGG 472
mir.leo           ATTTCCTATTTGCCTACGCAATCCTACGATCTATTCCCAACAAACTAGGAGG 472
eri.bar           ATTTCCTATTCGCCTATGCAATCCTACGATCCATCCCCAACAAACTTGGAGG 472
mon.sch           ATTTCCTATTCGCCTACGCAATCCTACGATCTATCCCCAATAAACTAGGAGG 472
hela.mal          ACTTTCTATTTGCCTACGCTATCCTACGATCCATCCCTAATAAACTAGGAGG 472
sel.thi           ACTTTTTATTTGCTTACGCTATCCTACGATCCATCCCCAACAAACTAGGAGG 472
ail.ful           ACTTTTTATTTGCTTACGCTATCCTACGATCCATCCCCAAACAAACTAGGAGG 472
fel               ATTTCCTATTCGCATATGCAATTCTACGATCCATCCCCAAACAAACTAGGGGG 472
can               ACTTCCTATTCGCATACGCAATTCTCCGATCCATCCCTAACAAACTAGGAGG 472
tal               ATTTTCTATTCGCATACGCAATTCTACGATCTATTCCCAATAAATTAGGAGG 472
gla.sab           ACTTTCTATTTGCATACGCAATTCTACGATCTATCCCAAATAAACTAGGAGG 472
gla.vol           ACTTTCTATTTGCGTATGCAATTCTACGATCTATCCCAATAAATTAGGACG 472
hyl.pha           ACTTTCTATTCGCATACGCAATCCTACGATCTATTCCCAATAAATTAGGAGG 472
pet.set           ACTTTCTATTCGCATACGCAATCCTACGATCTATTCCCAACAAACTAGGAGG 472
bel.pea           ACTTTCTAATTTATTACGCAATCCTTCGATCGATCCCCAACAAACTAGGCGG 472
pte.mom           ATTTCCTATTCGCATATGCTATCTTACGATCTATCCCCAACAAACTAGGAGG 472
gala.demi         ATTTCCTATTTGCCTACGCCATCCTACGATCTATCCCCAAACAAACTGGGAGG 472
pero.pot          ACTTTCTATTCGCCTACGCCATCTTACGATCCATCCCCAACAAACTAGGAGG 472
gala.mat          ACTTCTTATTTGCTTATGCCATCCTTCGATCAATCCCCAACAAACTAGGAGG 472
gala.moh          ACTTCTTATTTGCCTACGCCATCCTTCGATCAATCCCCAAATAAACTAGGAGG 472
oto.gar           ATTTCCTATTTGCTTATGCTATCTTACGATCCATCCCAAATAAACTAGGTGG 472
lor.tar           ATTTCCTATTCGCATACGCAATCCTACGATCAATCCCCAATAAACTAGGTGG 472
```

```
nyc.cou          ATTTTCTATTCGCCTACGCCATCCTTCGATCAATCCCCAACAAACTAGGAGG 472
mus              ATTTCCTATTTGCATACGCCATTCTACGCTCAATCCCCAATAAACTAGGAGG 472
gorr             ATTTCCTATTTGCCTACGCAATTCTCCGATCTGTCCCCAATAAACTAGGAGG 472
homo             ATTTCCTATTCGCCTACACAATTCTCCGATCCGTCCCTAACAAACTAGGAGG 472
dug.dug          ACTTTCTATTCCGATACGCTATCCTCCGATCTATCCCTAATAAACTAGGCGG 472
ele.max          ACTTCCTTTTTGCTTACGCCATTCTACGATCTGTACCAAACAAACTAGGAGG 472
afr.con          ATTTCTTATTTGCCTATGCCATCCTTCGCTCAATCCCAAACAAACTAGGAGG 472
pavo.mut         ACTTCTTATTTGCCTACGCCATCCTTCGTTCAATCCCCAACAAACTAGGAGG 472
tra.bly          ACTTCCTATTCGCTTATGCCATCCTGCGCTCAATCCCAAACAAACTTGGGGG 472
tra.sat          ACTTCCTATTCGCCTACGCCATCCTACGCTCAATCCCAAACAAACTTGGAGG 472
tra.cob          ATTTCCTGTTCGCTTATGCCATCCTACGCTCAATCCCAAACAAACTCGGAGG 472
tra.tem          ATTTTCTGTTCGCTTATGCCATCCTGCGCTCAATTCCAAACAAACTCGGAGG 472
arg.arg          ACTTCCTATTCGCCTATGCCATCCTACGCTCAATCCCAAACAAACTAGGAGG 472
cat.wal          ACTTCTTATTTGCCTACGCTATCCTACGCTCAATCCCAAATAAACTCGGAGG 472
cro.cro          ACTTCCTATTTGCCTATGCTATCCTGCGCTCAATCCCAAATAAACTCGGAGG 472
sym.ree          ACTTCCTATTTGCCTACGCCATCCTACGCTCAATCCCAAACAAACTGGGGGG 472
bam.tho          ACTTCCTATTCGCGTATGCTATCGTACGATCAATCCCCAACAAACTCGGAGG 472
fra.fra          ACTTCCTATTTGCCTACGCCATCCTACGCTCAATCCCCAACAAACTCGGAGG 472
ith.cru          ACTTCCTATTTGCCTACGCTATTCTACGCTCAATCCCCAATAAACTTGGAGG 472
ant.par          ATTTCTTATTTGCGTATGCCATCCTACGTTCAATTCCAAACAAACTAGGAGG 472
ant.vir          ATTTCTTATTTGCATACGCCATCCTACGTTCAATTCCAAACAAACTAGGAGG 472
gru.ant.ant      ACTTTTTATTTGCATACGCCATCCTACGTTCAATCCCAAACAAACTAGGAGG 472
gru.ant.gil      ACTTTTTATTTGCATACGCCATCCTACGTTCAATCCCAAACAAACTAGGAGG 472
gru.ant.sha      ACTTTTTATTTGCATACGCCATCCTACGTTCAATCCCAAACAAACTAGGAGG 472
gru.leu          ACTTCCTATTTGCATACGCCATCCGACGTTCAATCCCAAACAAACTAGGAGG 472
gru.can.pra      ACTTTTTATTTGCCTACGCCATCTTACGCTCAATCCCAAACAAACTAGGAGG 472
gru.can.row      ACTTTTTATTTGCCTACGCCATCTTACGCTCAATCCCAAACAAACTAGGAGG 472
gru.can.tab      ACTTTTTATTTGCCTACTCCATCTTACGCTCAATCCCAAACAAACTAGGAGG 472
gru.can.can      ACTTTTTATTTGCCTACGCCATCTTACGCTCAATCCCAAACAAACTAGGAGG 472
gru.ame          ACTTTTTATTTGCATACGCCATCCTACGTTCAATCCCAAACAAACTAGGAGG 472
gru.gru          ACTTTTTATTTGCATACGCCATCCTCCGTTCAATCCCAAACAAACTAGGAGG 472
gru.mon          ACTTTCTATTTGCATACGCCGTCCTACGTTCAATCCCAAACAAACTAGGAGG 472
gru.tig          ACTTTCTATTTGCATACGCTATCCTACGTTCAATCCCAAACAAACTAGGAGG 472
gru.jap          ACTTCTTATTTGCATACGCTATTCTGCGTTCAATCCCAAACAAACTAGGAGG 472
cic.boy          ACTTCCTCTTTGCATACGCCATCCTACGCTCCATCCCCAACAAACTAGGAGG 472
rhe.ame          ATTTCCTATTCGCTTACGCCATCTTACGCTCCATCCCCAACAAACTAGGAGG 472
ant.alb          ATTTCCTATTCGCATATGCCATCCTACGCTCAATCCCCAATAAACTAGGAGG 472
fal.fam          ACTTCCTATTCGCCTACGCCATCCTACGCTCAATCCCCAACAAACTAGGTGG 472
fal.ver          ACTTCCTATTTGCCTACGCCATCCTACGCTCAATCCCCAACAAACTGGGTGG 472
fal.per          ACTTCCTATTTGCTTACGCCATCCTACGCTCAATCCCCAATAAACTGGGCGG 472
fal.spa          ACTTCCTATTTGCCTACGCTATTCTACGCTCAATTCCCAACAAATTAGGCGG 472
ayt.ame          ACTTCCTATTCGCCTACGCCATCCTGCGATCAATCCCGAATAAACTAGGAGG 472
smi.sha          ATTTTTTATTTGCATACGCTATTCTGCGATCAATTCCAAACAAACTAGGAGG 472
vid.cha          ACTTCCTATTCGCCTACGCCATCCTACGATCCATCCCAAACAAACTAGGAGG 472
chry.pic         ACTTTCTTTTCGCTTACGCAATTCTACGATCCATCCCAAACAAATTAGGTGG 472
emy.orb.kur      ACTTTCTTTTTGCCTACGCAATCCTACGATCAATCCCAAACAAATTAGGAGG 472
che.mud          ACTTCCTATTTGCCTACGCAATCCTACGATCAATCCCAAACAAACTAGGCGG 472
eum.egr.         ACTTCTTATTTGCCTACGCCATCCTACGCTCCTATTCCAAACAAACTAGGCGG 472
PRIMER 'mcb869'                                  CGATCAATCCCTAACAAACTAGGAGG
                 . ..  .  .    ..  .  .    .. ..  . .. ..     . .. ..
```

Results for RID 984593689-1224-27770

BLASTN 2.1.2 [Nov-13-2000]

Reference:
Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

RID: 984593689-1224-27770

Query=
(328 letters)

Database: Sequences from complete mitochondrial genomes
129 sequences; 3,164,247 total letters

If you have any problems or questions with the results of this search please refer to the BLAST FAQs

Taxonomy reports

Distribution of 80 Blast Hits on the Query Sequence

Mouse-over to show defline and scores. Click to show alignments

Score

Sequences producing significant alignments:		(bits)	Value
ref|NC_001700.1|	Felis catus mitochondrion, complete genome	365	e-101
ref|NC_001325.1|	Phoca vitulina mitochondrion, complete genome	198	1e-51
ref|NC_002008.1|	Canis familiaris mitochondrion, complete g...	190	4e-49
ref|NC_001602.1|	Halichoerus grypus mitochondrion, complete...	180	3e-46
ref|NC_000884.1|	Cavia porcellus complete mitochondrial genome	176	5e-45
ref|NC_001808.1|	Ceratotherium simum mitochondrion, complet...	165	2e-41
ref|NC_001892.1|	Myoxus glis mitochondrion, complete genome	153	8e-38
ref|NC_001788.1|	Equus asinus mitochondrion, complete genome	151	3e-37
ref|NC_002078.1|	Orycteropus afer complete mitochondrial ge...	149	1e-36
ref|NC_001821.1|	Dasypus novemcinctus mitochondrion, comple...	141	3e-34
ref|NC_001779.1|	R.unicornis complete mitochondrial genome	135	2e-32
ref|NC_001569.1|	Mus musculus mitochondrion, complete genome	133	7e-32
ref|NC_000889.1|	Hippopotamus amphibius mitochondrion, comp...	125	2e-29
ref|NC_001640.1|	Equus caballus mitochondrion, complete genome	125	2e-29
ref|NC_001794.1|	Macropus robustus mitochondrion, complete ...	123	7e-29
ref|NC_000845.1|	Sus scrofa mitochondrion, complete genome	121	3e-28
ref|NC_001665.1|	Rattus norvegicus mitochondrial genome	121	3e-28
ref|NC_001567.1|	Bos taurus mitochondrion, complete genome	121	3e-28
ref|NC_001643.1|	Pan troglodytes mitochondrion, complete ge...	117	4e-27
ref|NC_001941.1|	Ovis aries mitochondrion, complete genome	109	1e-24
ref|NC_002391.1|	Talpa europaea mitochondrion, complete genome	103	7e-23
ref|NC_001913.1|	Oryctolagus cuniculus mitochondrion, compl...	103	7e-23
ref|NC_001644.1|	Pan paniscus mitochondrion, complete genome	101	3e-22
ref|NC_001807.2|	Human mitochondrion, complete genome	99	4e-21
ref|NC_001601.1|	Balaenoptera musculus mitochondrion, compl...	98	4e-21
ref|NC_002009.1|	Artibeus jamaicensis mitochondrion, comple...	96	2e-20
ref|NC_001645.1|	Gorilla gorilla mitochondrion, complete ge...	92	2e-19
ref|NC_001321.1|	Balaenoptera physalus mitochondrion, compl...	90	1e-18
ref|NC_001610.1|	Didelphis virginiana mitochondrion, comple...	80	9e-16
ref|NC_002082.1|	Hylobates lar mitochondrion, complete genome	70	9e-13
ref|NC_001727.1|	Crossostoma lacustre mitochondrion, comple...	70	9e-13
ref|NC_001804.1|	Latimeria chalumnae mitochondrion, complet...	68	4e-12
ref|NC_000880.1|	Vidua chalybeata mitochondrion, complete g...	56	1e-11
ref|NC_002069.1|	Corvus frugilegus mitochondrion, complete ...	54	6e-11
ref|NC_000886.1|	Chelonia mydas mitochondrial DNA, complete...	62	2e-10
ref|NC_001646.1|	Pongo pygmaeus mitochondrion, complete genome	62	2e-10
ref|NC_001606.1|	Cyprinus carpio mitochondrion, complete ge...	62	2e-10
ref|NC_000890.1|	Mustelus manazo mitochondrion, complete ge...	60	9e-10
ref|NC_001323.1|	Gallus gallus mitochondrion, complete genome	60	9e-10
ref|NC_002079.1|	Carassius auratus mitochondrion, complete ...	58	3e-09
ref|NC_000934.1|	Loxodonta africana mitochondrion, complete...	56	1e-08
ref|NC_000878.1|	Falco peregrinus mitochondrion, complete g...	56	1e-08
ref|NC_000846.1|	Rhea americana mitochondrion, complete genome	56	1e-08
ref|NC_002196.1|	Ciconia boyciana mitochondrion, complete g...	54	5e-08
ref|NC_001960.1|	Salmo salar mitochondrion, complete genome	54	5e-08
ref|NC_001778.1|	Polypterus ornatipinnis mitochondrion, com...	54	5e-08
ref|NC_002083.1|	Pongo pygmaeus abelii mitochondrion, compl...	52	2e-07
ref|NC_001953.1|	Struthio camelus complete mitochondrial ge...	52	2e-07
ref|NC_001947.1|	Pelomedusa subrufa mitochondrion, complete...	52	2e-07
ref|NC_001770.1|	Arbacia lixula mitochondrion, complete genome	52	2e-07

Alignments

```
cmpseq_0  1      tgaatctgaggaggcttctcagtagacaaagctaccctgacacgattctttgccttccac 60
NC_001700 15524  ..........g..g..............c.....a............g..... 15583
NC_001325 15580  ............a..t.......t.....a...t.a..........c..... 15639
NC_002008 14673  ........c..........g.......a.....a..............a.....t 14729
NC_001602 15553  ............a..t.............a...t.a...g.......c..... 15612
NC_000884 14650  ..........g..g..............c.....a..................... 14709
NC_001808 14662  ............a..t..c..t.......c..a..t..........c.....t... 14721
NC_001892 14654  .....t.....c.......c.............t..a..c.....t.....a..t... 14713
NC_001788 14671  ..........t..a..............c.....t..c.....t..... 14730
NC_002078 14663  .....c.....t.....t.......a..a..a..........c..... 14716
NC_001821 14657  ..........................a..t..a.....c.....c..... 14716
NC_001779 14664  ............a.......c.......c.....c..c.....t..... 14723
NC_001569 14625  .....t.....g..................c...t....c.......c..t..... 14684
NC_000889 14658  ................t..c.........c.....t..... 14717
NC_001640 14674  ..........t..a..............c.....t..c.....c.....t..... 14711
NC_001794 14670  ..........g..a.....c.......  .c.....c..c..c  .t..c.....t..t 14727
```

```
                                                                .c......... 15887
NC_000845 15828 ...........g.....t..c..c........a.....c...........c......... 14669
NC_001665 14610 ................................a.....a.....c.....c..a...... 15059
NC_001567 15000 ..........c..a..................a.....t..c........c..t.....t 14710
NC_001643 14655     ...........a..........gcc.......t..........ca........ 14704
NC_001941 14645 ........g.....a.......................c..c.....t..c.....t... 14730
NC_002391 14671 .....t.....t..g.................g..a..c...........c......... 14720
NC_001913 14661 .............a..t.....t..t.....c..t..t..c........c..t..t... 14711
NC_001644 14656     ...........a..........gcc.......t..........ca..c..... 15292
NC_001807 15233 ...............a..........gtc.c.....c............a....t... 15155
NC_001601 15096 ..........c..t..t..t..g..t.....a..a..a.....c............... 14695
NC_002009 14636 ..........t.....t..c..........a..t..c..c........c........t 14714
NC_001645 14686                              .......t.............a......... 15158
NC_001321 15099 ..........c..t.....t.....t.....a..a..a.....c..t........t... 14722
NC_001610 14663 .....t........a.....c..t..t........a..a..c.....t.....t..t... 14712
NC_002082 14657   ........c....a.........t..c..c..a..c.....c..t..ca....t... 15823
NC_001727 15764 ...........g..g..................t..a...t.......g.....c......... 14888
NC_001804 14829 ..............t..t..c..........c..c..a..c..g.................. 15500
NC_000880 15477    .........a..............
NC_002069 14190     .....t..a................cc.c..a..a..c.................. 14243
NC_000886 14718 ..............g..t............t..a.....a..c........ca........ 14777
NC_001646 14716                                 ............a..c.t... 14736
NC_001606 15779 ...........t..g................t..a..a..a............c..a...... 15838
NC_000890 14841 ..............g..t.............c..c.....t.....c..t..........t... 14900
NC_002079 15782 .....t..............c.....t..t..a..at.a..............c..a..t... 15841
NC_000934 14633 ...............t........t.....a...t.a.at.....t..c....c....t 14692
NC_000878 14222                     ..........cc.a..a.....c........c...c.a... 14263
NC_000846 14145                     ..........cc.......a..c........c...c.g... 14186
NC_001960 15870 .....t.........a..t..t..........c..c.....a........t..c......... 15929
NC_001778 14763 ..............g..t.....t..t...c.a..a..t..c............a...... 14822
NC_001953 14115    ......c..a........t.....cc.c.....a...............c.t... 14169
NC_001947 14805 ..............a..t............t..a.....a..c........            14854
NC_001770 15069       .....t........t........a.....a..c...........t..t... 15119

tmpseq_0  61    ttcatccttccatttatcatttcagctctagcagcagttcacctcttattcctttcacgag 120
NC_001700 15584 .....t.........c..t........ct......g...a......t..........t..a 15643
NC_001325 15640 ........a.....cg.ag.a.t...a....ac...........a........a.....a 15699
NC_002008 14730 ........c..t..c......g...........at...a...........t..a.....a 14789
NC_001502 15613 ........a.....cg.ag.a.t...a.................a........a.....a 15672
NC_000884 14710 ..t..t.........c......a.c..c....tgat..........t.......c...... 14769
NC_001808 14722 ..t.....c..c.....t...at...c......atcac.....a..............a 14781
NC_001892 14714 ..t..t..a..c..c..t..tg....c.....t.at.........t..............a 14773
NC_001788 14731 ..t..t..a..c..........a....c..g.t.atc.....t..a........c.....a 14790
NC_002078 14717 ..t.....g........t..tg..........tat.....t..a.....t..a.....a 14776
NC_001821 14717 ......t.a........t...a....a..c.t..t.........gt.......a.....a 14776
NC_001779 14724 ..t........c..c..t...ct...c.......a..c..-.....a........a.....a 14783
                                                   \
                                                   |
                                                   t
NC_001569 14685 ......t.a........t...g.g..c......atc..t.........c.....c.....a 14744
NC_000889 14718 ..t..t.........cg.t...a....a.....catc.....t..a........c..t..a 14777
NC_001640 14734 ........a..c..c......a....c..g.t..tc..a..tt.a.....t.........a 14793
NC_001794 14730 ..t.....a.............a....c....t.ct...t.................a...... 14789
NC_001794 14462                                              ................ 14475
NC_000845 15888 ..t.....g.....c.....ta.c..c..c.....c..a..t.............g.....a 15947
NC_001665 14670 ........c.....c..t...g.c..c..t...att..a..t..t..t.....c.....a 14729
NC_001567 15060 ..t..................at...aa.t..cat.........a.........c..|..a 15119
NC_001543 14711 ..t...t.a..c..c......a....c...a..a..c.t..t..........t.a.....a 14770
NC_001941 14705 ..t..tt.c.....c......g....c..c..cat...t.....a..c.....c.....a 14764
NC_002391 14731 .....t..g........t..tg.g..a.....t.g...t.....gt....t.........a 14790
NC_001913 14721 ......t.g...........                                          14740
NC_001644 14712 ..t.....a..c..c..t...a....c...a..a..c.t..t..........t.a.....a 14771
NC_001807 15293 ......t.g..c..c..t..tg....c.......a..c...................t.g.....a 15352
NC_001601 15156 .....t..c..c..c.....tat...at.....atc............a.t............a 15215
NC_002009 14596 ..tc.a.....c..c..tg.aa..........t.at...........tt.....t..a.....a 14755
NC_001645 14715 ..t.....a..c..c.......a....c...a..a.cc.....t.........t..a.....a 14774
NC_001321 15159 ..t.....c..c..t.......ct...at.....att...........ta.t............a 15218
NC_001610 14723 ..t..t.........c.....t.t.....a...t..t...a..t..t.....t.........a 14782
NC_002082 14713 ........a..t..c..t...a.g..c.........cc.g.....t..........a...... 14772
NC_001727 15824 ...                                                           15826
NC_001727 15872                                                  .. .........  15883
NC_001804 14887 ...c....g.....                                                14902
```

```
NC_001804 14928                                                  .....g..c........t... 14948
NC_000880 15567                                                  ..........ac......a.....a 15591
NC_002069 14244 ...c....a..c...g.a...g...gc...a..cc...t.....aacc...........a 14303
NC_000886 14778 ...                                                                    14780
NC_001646 14737 .....a..a..t..c.....ca........a..a.cc.t.....................a 14796
NC_001606 15839 ...                                                                    15841
NC_000890 14901 ..                                                                     14902
NC_002079 15842 ...c....a............                                                  15862
NC_000934 14693 .....t..........                                                       14708
NC_000878 14264 ...c.a.........                                                        14277
NC_000846 14235                                                  .....a.....a 14246
NC_000846 14187 ...                                                                    14189
NC_001960 15930 ...                                                                    15932
NC_001778 14823 .....t.....                                                            14833
NC_001953 14170 ...c....c.......                                                       14184
NC_001770 15120 ...                                                                    15122

tmpseq_0  121   acaggatctaacaaccccccaggaatagtatccgactcagacaaaattccattccaccca 180
NC_001700 15644 ..........................tac.....t..........c............ 15703
NC_001325 15700 ........a..........c.....ca..................c...........g 15759
NC_002008 14790 ..c.....c........t........cac...a.....................t.....t 14849
NC_001602 15673 ........a..........c.....ca..c.................c...........g 15732
NC_000884 14770 ........a........a......c..aac..a.....c........c...........t 14829
NC_001808 14782 ........c..t.....a........ccc....a..at.........c............ 14841
NC_001892 14774 ........g..t.....a......t..aac..a...a.........c...........t 14833
NC_001788 14791 ........c.................ccc...t...at.........c...........g 14850
NC_002078 14777 ..................t.t....t..a.t..t.............c..t........t 14836
NC_001821 14777 ........a.........a....t..cccg..aa..at.....c...c...........g 14836
NC_001779 14784 .....g..c........a........tcc....a..at.........c...........t 14843
NC_001569 14745 ........a........aa.....t..aac..a..tg....t...........t.....c 14804
NC_000889 14778 ........c........aa.......cccc..aa..g..........c...........c 14837
NC_001640 14794 ...........t..............ccc......tatg........c............ 14853
NC_001794 14790 ..c..t...........a..t.....caacc.................c...........t 14849
NC_000845 15948 ..c.....c........ta.c.....ccc...a...at..................t..... 16007
NC_001665 14730 ........a..t......a.....t..aac......g..........c........t... 14789
NC_001567 15120 .....c..c........aa.......tccc..a...gc.........c...........c 15179
NC_001643 14771 ........a..t......cc......cacc...c....c.........a.c........c 14830
NC_001941 14765 ........c.........a.......tcc...g...a....t........c........t 14824
NC_002391 14791 ........a........a......                                      14814
NC_001913 14815                                  .......t.....c..t........c 14840
NC_001644 14772 ........a..t......cc......cacc...c....c.........a.c........c 14831
NC_001807 15353 ..g.....a.........cc......cacc...c.t..c..t.....ca.c........t 15412
NC_001601 15216 ........c.........a....t..ccc...t...at...t...................c 15275
NC_002009 14756 ...................a....c..tcc...a...c......t...............c 14815
NC_001545 14775 ........a........tcc...c..cccc...c....t.........ca.c........c 14834
NC_001321 15219 ........c.........a....c..ccc.......at...t.....c...........c 15278
NC_001510 14781 ........a.g...t..aa....cc.....-....a.......t................c 14842
                                                 \
                                                  |
                                                  a
NC_002082 14773 ........a.....t....t...c..cccc...c.ac..........cg.c........c 14832
NC_001727 15884 .....c..c.........g....cc..aac......g....t.....cc.c.........  15943
NC_001804 14949 ........c.........                                            14965
NC_000880 15592 ........a.....t..aac......tcc...a....gt.....................  15651
NC_002069 14304 .....c..a.........gcc...t..cccc..a....gc.........c...........  14363
NC_001545 14797 ........a.c......                                             14814
NC_001321 15531                                  .........t..............t.....  15561
NC_002079 15939                                            ..........t.t.........  15961
NC_000934 14786                                            ..............c..c..t.....  14812
NC_000879 14363                                                  .........c...........  14383
NC_000845 14247 ..c..g..c..........t......c.....cc....t.........c...........c  14306
NC_002195 16371                                                  .....................c  16391
NC_002081 14858                                                  .........c..........c  14866
NC_001953 14269                                                  ........c..c.........  14289

tmpseq_0  181   cactacacaatcaaagatatcctggccttctagtactaatcctagcactcatactactc 240
NC_001700 15704 .....t..........c.....a..t..........g.tc..a.............  15763
NC_001325 15760 .....t.....t..........a..ggcc...c.t..c .t....tc..a.c.....a 15817
NC_002008 14850 ..............g .......                                    14972
NC_001602 15733 .....t.....t.....c.....                                  15755
NC_000884 15706                                                  .....a  15772
```

```
NC_000884 14830 ..t.............                                                14846
NC_001808 14842 ................c........aa..t..c.c.............ac.cgcc..a 14901
NC_001892 14834 ..t........t........t..a.....a..cc....c..tt.tctc......acc..a 14893
NC_001788 14851 ..........t.....c.....a..a.....                                14882
NC_001788 15080                                 ..............               15095
NC_002078 14837 ................                                              14853
NC_001821 14837 .....t.....t..........                                        14859
NC_001779 14844 ................c.....                                       14866
NC_001569 14805 .....t................                                        14827
NC_000889 14838 ..t..........g..c.....                                        14960
NC_001640 14854 ..t..t.....t.....c.....                                       14876
NC_001640 15085                                 ..............               15098
NC_001794 14850 ..t..t..t.........                                            14867
NC_000845 16008 ........t..t.....                                             16024
NC_001665 14790 ..t..t.....t.....                                             14806
NC_001567 15180 .....t..c..t..g..c...t......c...--........t.....t..a........a 15239
                                    \
                                    |
                                    ag
NC_001643 14831 ........................                                      14853
NC_001941 14825 ..t.....c..t.....c.....                                       14847
NC_001913 14841 ................                                              14857
NC_001644 14832 ..........c.............                                      14854
NC_001807 15413 ................                                              15429
NC_001601 15276 ...........t.....                                             15292
NC_002009 14816 .....t..t..t........                                          14835
NC_001645 14835 ................c.....a.....                                 14863
NC_001321 15279 ...c.......t.....                                             15295
NC_001610 14843 .....t..c..a...........                                       14865
NC_002082 14833 .....t...........c.....                                       14855
NC_001727 15944 ....                                                          15947
NC_000880 15652 ........                                                      15659
NC_002069 14364 ......t...........                                            14381
NC_001323 15562 ......t.ct.......c..t......                                   15588
NC_002079 15962 ....                                                          15965
NC_000934 14813 .....                                                         14817
NC_000878 14384 ......t.tc............                                        14406
NC_000846 14307 ....                                                          14310
NC_002196 16392 ....t.t.cc............a......                                 16421
NC_002083 14867 ................c.....a.....                                 14895
NC_001953 14290 .....                                                         14293

cmpseq_0  241   gtcctattctcaccagacctgttaggagaccccgataactacatcccctgccaacctctta 300
NC_001700 15764 ........t...........c..........a..c...........a.........t.. 15823
NC_001325 15820 ..g...........c................a..c.....t.....                15867
NC_002008 14914     ....t.....t.....a..........a..........c......a.....c... 14969
NC_001602 15793 ..a...........c.....a..g..........c.................t..c... 15852
NC_000884 14900             ....c.....a..........a..........ca..c........g..g 14949
NC_001808 14902 ..t................a.cc..........t..c.......c..........t..... 14960
NC_001892 14894 ...t.......c......t.a.........................c...c........a... 14953
NC_002078 14909                 ........a...........                           14928
NC_000845 16071   ..................ac..........a..c.......c...a..a.....a... 16127
NC_001567 15240 ..a......g....c.....cc.c........a..........c...a.....         15292
NC_001913 14901 ........t..........a..........a..c.......c.............c..t 14960
NC_001644 1484                                                  .........     1492
NC_001807 15476   ..................cc....c.....a..c..t..t.c..ta.........cc.. 15532
NC_002009 14880    ....t...........cc..........a..c..t..t..t..a..a..t..a..c 14935
NC_001645 14898   ..................cc..........a..c.......c.tta.........c... 14954
NC_001610 14907    ............t..t..........t..c...t..c...a..t..t..c..t 14962
NC_002082 14950                                                       ...     14952
NC_001904 15071   .......a.t...a.....................a....                     15108
NC_000985 14980                       ..........a..c....t..ca..a.............  15017
NC_002195 16454   ............ca....ac....t.....a..g....t..c...a.........     16507
NC_001950 16155                                                 ..........c... 16159

cmpseq_0  301   aatacccccccccatatcaagcctgaat 328
NC_001700 15824 ..................t..a.......  15851
NC_002008 14970 ..c........a.....t..a.....    14995
NC_001602 15853 .gc.....a..a........           15872
NC_000884 14950 .....  .                       14954
NC_001922 14954 .g..............               14977
```

```
NC_001779 3081  .............  3094
NC_000845 16128 ..c.....a.....  16144
NC_001911 14961 .................  14980
NC_001644 1493  ...c.....  1501
NC_001807 15533 ..c..........c........c....  15560
NC_002009 14936 ................t.....a....  14963
NC_001645 14955 .gc.....a.....c.....  14974
NC_001610 14963 ..c.....g..t..........a....  14990
NC_002082 14953 ..c..........c.....  14972
NC_001960 16170 gt...t..a..t..............  16197
NC_001951 14426 ...............c....  14437
```

Database: Sequences from complete mitochondrial genomes
Posted date: Jun 28, 2000 10:56 AM
Number of letters in database: 3,164,247
Number of sequences in database: 129

Lambda	K	H
1.37	0.711	1.31

Gapped

Lambda	K	H
1.37	0.711	1.31

Matrix: blastn matrix:1 -3
Gap Penalties: Existence: 5, Extension: 2
Number of Hits to DB: 788
Number of Sequences: 129
Number of extensions: 788
Number of successful extensions: 168
Number of sequences better than 10.0: 77
length of query: 328
length of database: 3,164,247
effective HSP length: 15
effective length of query: 313
effective length of database: 3,162,312
effective search space: 989803656
effective search space used: 989803656
T: 0
A: 30
X1: 6 (11.9 bits)
X2: 15 (29.7 bits)
S1: 12 (24.3 bits)
S2: 14 (28.2 bits)

Table 4

BLASTN 2.1.2 [Nov-13-2000]

Reference:
Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

RID: 984593400-28182-3122

Query=
(328 letters)

Database: nt
807,597 sequences; 2,863,827,885 total letters

If you have any problems or questions with the results of this search please refer to the BLAST FAQs

Taxonomy reports

Distribution of 50 Blast Hits on the Query Sequence

Mouse-over to show defline and scores. Click to show alignments

Sequences producing significant alignments:

		Score (bits)	E Value
gb|AY005809.1|	Panthera pardus cytochrome b gene, partial c...	601	e-170
gb|AF053054.1|AF053054	Panthera tigris sumatrae isolate Su1...	527	e-147
gb|AF053053.1|AF053053	Panthera tigris tigris isolate B7 mi...	527	e-147
gb|AF053050.1|AF053050	Panthera tigris corbetti isolate C2 ...	476	e-132
gb|AF053049.1|AF053049	Panthera tigris corbetti isolate C1 ...	476	e-132
gb|AF053025.1|AF053025	Panthera tigris tigris isolate B9 cy...	460	e-127
gb|AF053024.1|AF053024	Panthera tigris tigris isolate B8 cy...	460	e-127
gb|AF053023.1|AF053023	Panthera tigris tigris isolate B7 cy...	460	e-127
gb|AF053022.1|AF053022	Panthera tigris tigris isolate B6 cy...	460	e-127
gb|AF053021.1|AF053021	Panthera tigris tigris isolate B5 cy...	460	e-127
gb|AF053018.1|AF053018	Panthera tigris tigris isolate B2 cy...	460	e-127
gb|AF053051.1|AF053051	Panthera tigris corbetti isolate C3 ...	452	e-125
gb|AF053048.1|AF053048	Panthera tigris sumatrae isolate Su1...	452	e-125
gb|AF053047.1|AF053047	Panthera tigris sumatrae isolate Su9...	452	e-125
gb|AF053046.1|AF053046	Panthera tigris sumatrae isolate Su7...	452	e-125
gb|AF053045.1|AF053045	Panthera tigris sumatrae isolate Su6...	452	e-125
gb|AF053044.1|AF053044	Panthera tigris sumatrae isolate Su5...	452	e-125
gb|AF053042.1|AF053042	Panthera tigris sumatrae isolate Su3...	452	e-125
gb|AF053041.1|AF053041	Panthera tigris sumatrae isolate Su2...	452	e-125
gb|AF053040.1|AF053040	Panthera tigris sumatrae isolate Su1...	452	e-125
gb|AF053039.1|AF053039	Panthera tigris altaica isolate S15 ...	452	e-125
gb|AF053038.1|AF053038	Panthera tigris altaica isolate S14 ...	452	e-125
gb|AF053037.1|AF053037	Panthera tigris altaica isolate S13 ...	452	e-125
gb|AF053036.1|AF053036	Panthera tigris altaica isolate S12 ...	452	e-125
gb|AF053035.1|AF053035	Panthera tigris altaica isolate S11 ...	452	e-125
gb|AF053034.1|AF053034	Panthera tigris altaica isolate S10 ...	452	e-125
gb|AF053033.1|AF053033	Panthera tigris altaica isolate S8 c...	452	e-125
gb|AF053032.1|AF053032	Panthera tigris altaica isolate S7 c...	452	e-125
gb|AF053031.1|AF053031	Panthera tigris altaica isolate S6 c...	452	e-125
gb|AF053030.1|AF053030	Panthera tigris altaica isolate S5 c...	452	e-125
gb|AF053029.1|AF053029	Panthera tigris altaica isolate S4 c...	452	e-125
gb|AF053028.1|AF053028	Panthera tigris altaica isolate S3 c...	452	e-125
gb|AF053027.1|AF053027	Panthera tigris altaica isolate S2 c...	452	e-125
gb|AF053026.1|AF053026	Panthera tigris altaica isolate S1 c...	452	e-125
gb|AF053020.1|AF053020	Panthera tigris tigris isolate B4 cy...	452	e-125
gb|AF053019.1|AF053019	Panthera tigris tigris isolate B3 cy...	452	e-125
gb|AF053043.1|AF053043	Panthera tigris sumatrae isolate Su4...	444	e-122
emb|X82301.1|MIPTCYTB	P.tigris mitochondrial cytochrome b gene	444	e-122
gb|AF053052.1|AF053052	Panthera leo cytochrome b (cytb) gen...	440	e-121
emb|X82300.1|MIPLCYTBG	P.leo mitochondrial cytochrome b gene	438	e-121
dbj|AB004238.1|AB004238	Felis catus mitochondrial DNA for c...	399	e-106
dbj|AB004237.1|AB004237	Felis catus mitochondrial DNA for c...	381	e-103
emb|X82296.1|MIFDCYTB	F.domesticus mitochondrial cytochrome...	377	e-102
ref|NC_001700.1|	Felis catus mitochondrion, complete genome	365	1e-98
gb|U20753.1|FCU20753	Felis catus mitochondrion, complete ge...	365	1e-98
gb|AF125145.1|AF125145	Viverricula indica cytochrome b gene...	276	7e-72
gb|AF125144.1|AF125144	Chrotogale owstoni cytochrome b gene...	270	4e-70
gb|AF154975.1|AF154975	Martes martes specimen_voucher AF175...	256	7e-66
dbj|AB051237.1|AB051237	Martes martes mitochondrial cytb ge...	256	7e-66
gb|AF125149.1|AF125149	Viverra tangalunga cytochrome b gene...	246	6e-63

Alignments

```
tmpseq_0   1    tgaatctgaggaggctttcagtagacaaagctaccctgacacgattctttgcttttcac 60
                                                                          98
AY005809   39   ..........g.....................t.....................  546
AF053054   487  ..........g.....................c.....................  546
AF053053   487  ..........g.....................c.....................  546
AF053050   487  ..........g..t..................................................  546
AF053049   487  ..........g..t..................................................  546
AF053025   487  ..........g..t..................................................  546
AF053024   487  ..........g..t..................................................  546
AF053023   487  ..........g..t..................................................  546
AF053022   487  ..........g..t..................................................  546
AF053021   487  ..........g..t..................................................  546
AF053018   487  ..........g..t..................................................  546
AF053051   487  ..........g..t..................................................  546
AF053048   487  ..........g..t..................................................  546
AF053047   487  ..........g..t..................................................  546
```

```
AF053046  487  ..........g..t.....................................  546
AF053045  487  ..........g..t.....................................  546
AF053044  487  ..........g..t.....................................  546
AF053042  487  ..........g..t.....................................  546
AF053041  487  ..........g..t.....................................  546
AF053040  487  ..........g..t.....................................  546
AF053039  487  ..........g..t.....................................  546
AF053038  487  ..........g..t.....................................  546
AF053037  487  ..........g..t.....................................  546
AF053036  487  ..........g..t.....................................  546
AF053035  487  ..........g..t.....................................  546
AF053034  487  ..........g..t.....................................  546
AF053033  487  ..........g..t.....................................  546
AF053032  487  ..........g..t.....................................  546
AF053031  487  ..........g..t.....................................  546
AF053030  487  ..........g..t.....................................  546
AF053029  487  ..........g..t.....................................  546
AF053028  487  ..........g..t.....................................  546
AF053027  487  ..........g..t.....................................  546
AF053026  487  ..........g..t.....................................  546
AF053020  487  ..........g..t.....................................  546
AF053019  487  ..........g..t.....................................  546
AF053043  487  ..........g..t.....................................  546
X82301    487  ..........g..t.....................................  546
AF053052  487  ..............................c......................  546
X82300    490  ..............................c......................  546
A9004238  487  ..........g...................c.....a..............  545
A3004237  487  ..........g...................c.....a............t.....  546
X82296    487  ..........g...................c.....a..............  546
NC_001700 15524 ..........g..g...............c.....a............g.....  15583
U20753    15524 ..........g..g...............c.....a............g.....  15583
AF125145  357  ................t............c...t.a..c........c.....  416
AF125144  357  .....t.....g.....t........t.....c.....a.....c.....  415
AF154975  487  ..............g.....g..........c.....a..g........c.....  546
A3051237  487  ..............g.....g..........c.....a..g........c.....  546
AF125149  357  ..........g.....t..........g..c...t.a............t.....  415

tmpseq_0  61   ttcatcattccatttatcatcttagctctagcagcagtccaccttcctattcccttcacgag  120
AY005809  99   ..........................................................  158
AF053054  547  ..........................c.............................c..t...  606
AF053053  547  ..........................c.............................c..t...  606
AF053050  547  ..........g...............c..................................a  606
AF053049  547  ..........g...............c..................................a  606
AF053025  547  ..........g.....g.......c..................................a  606
AF053024  547  ..........g.....g.......c..................................a  606
AF053023  547  ..........g.....g.......c..................................a  606
AF053022  547  ..........g.....g.......c..................................a  606
AF053021  547  ..........g.....g.......c..................................a  606
AF053018  547  ..................g.....c..................................a  606
AF053051  547  ..........g.....g.......c..................................a  606
AF053048  547  ..........g.....g.......c..................................a  606
AF053047  547  ..........g.....g.......c..................................a  606
AF053046  547  ..........g.....g.......c..................................a  606
AF053045  547  ..........g.....g.......c..................................a  606
AF053044  547  ..........g.....g.......c..................................a  606
AF053042  547  ..........g.....g.......c..................................a  606
AF053041  547  ..........g.....g.......c..................................a  606
AF053040  547  ..........g.....g.......c..................................a  606
AF053019  547  ..........g.....g.......c..................................a  606
AF053018  547  ..........g.....g.......c..................................a  606
AF053017  547  ..........g.....g.......c..................................a  606
AF053016  547  ..........g.....g.......c..................................a  606
AF053015  547  ..........g.....g.......c..................................a  606
AF053014  547  ..........g.....g.......c..................................a  606
AF053013  547  ..........g.....g.......c..................................a  606
AF053012  547  ..........g.....g.......c..................................a  606
AF053011  547  ..........g.....g.......c..................................a  606
AF053010  547  ..........g.....g.......c..................................a  606
AF053009  547  ..........g.....g.......c..................................a  606
AF053008  547  ..........g.....g.......c..................................a  606
AF053007  547  ..........g.....g.......c..................................a  606
```

```
AF053026  547  ..........g.....g.....c.....................................a 606
AF053020  547  ..........g.....g.....c.....................................a 606
AF053019  547  ..........g.....g.....c.....................................a 606
AF053041  547  ....c.....g.....g.....c.....................................a 606
X82301    547  ....c.....g.....g.....c.....................................a 606
AF053052  547  ........................c.....................g.....c..t..a 606
X82300    547  ........................c.....................g.....c..t..a 606
AB004238  547  ..............c..t.......cc.........a......t.........t..a 606
AB004237  547  .....t........c..t.......cc.........a......t.........t..a 606
X82296    547  .....t........c..t.......cc.........a......t.........t..a 15643
NC_001700 15584  .....t........c..t.......cc......g...a......t.........t..a 15643
U20753    15584  .....t........c..t.......cc......g...a......t.........t..a 476
AF125145  417  ..t.....................c........c..t..tt.a........a.....a 476
AF125144  417  ..t..t.....t..c.....t.....c..............t.a.....t..a.....a 476
AF154975  547  ..t.....g........tg.......at.........a.....t........c.....a 606
AB051237  547  ..t.....g........tg.......at.........a.....t........c.....a 606
AF125149  417  ..............c..t.......c..............t.at....t..a..t..a 476

tmpseq_0  121  acaggatctaacaacccctcaggaatagtatccgactcagacaaaattccattccaccca 180
AY005809  159  ..............................t.............................. 219
AF053054  607  ..............................t.............c..g.......... 666
AF053053  607  ..............................t.............c..g.......... 666
AF053050  607  ........c..t.............g..g................................ 666
AF053049  607  ........c..t.............g..g................................ 666
AF053025  607  ........c..t.............g..g.................c.............. 666
AF053024  607  ........c..t.............g..g.................c.............. 666
AF053023  607  ........c..t.............g..g.................c.............. 666
AF053022  607  ........c..t.............g..g.................c.............. 666
AF053021  607  ........c..t.............g..g.................c.............. 666
AF053018  607  ........c..t.............g..g.................c.............. 666
AF053051  607  ........c..t.............g..g.................c.............. 666
AF053048  607  ........c..t.............g..g.................c.............. 666
AF053047  607  ........c..t.............g..g.................c.............. 666
AF053046  607  ........c..t.............g..g.................c.............. 666
AF053045  607  ........c..t.............g..g.................c.............. 666
AF053044  607  ........c..t.............g..g.................c.............. 666
AF053042  607  ........c..t.............g..g.................c.............. 666
AF053041  607  ........c..t.............g..g.................c.............. 666
AF053040  607  ........c..t.............g..g.................c.............. 666
AF053039  607  ........c..t.............g..g.................c.............. 666
AF053038  607  ........c..t.............g..g.................c.............. 666
AF053037  607  ........c..t.............g..g.................c.............. 666
AF053036  607  ........c..t.............g..g.................c.............. 666
AF053035  607  ........c..t.............g..g.................c.............. 666
AF053034  607  ........c..t.............g..g.................c.............. 666
AF053033  607  ........c..t.............g..g.................c.............. 666
AF053032  607  ........c..t.............g..g.................c.............. 666
AF053031  607  ........c..t.............g..g.................c.............. 666
AF053030  607  ........c..t.............g..g.................c.............. 666
AF053029  607  ........c..t.............g..g.................c.............. 666
AF053028  607  ........c..t.............g..g.................c.............. 666
AF053027  607  ........c..t.............g..g.................c.............. 666
AF053026  607  ........c..t.............g..g.................c.............. 666
AF053020  607  ........c..t.............g..g.................c.............. 666
AF053019  607  ........c..t.............g..g.................c.............. 666
AF053041  607  ........c..t.............g..g.................c.............. 666
X82301    607  ........c..t.............g..g.................c.............. 666
AF053052  607  ..........t.............g.....t........t.....c.........t... 666
X82300    607  ..........t.............g.....t........t.....................t... 666
AB004238  607  ..........................tac.....t.........c.............. 666
AB004237  607  ..........................tac.....t.........c.............. 666
X82295    607  ..........................tac.....t.........c.............. 15703
NC_001700 15644  ..........................tac.....t.........c.............. 15703
U20753    15644  ..........................tac.....t.........c.............. 536
AF125145  477  ........c.....t.....................t..t.........c.............. 536
AF125144  477  ..........c..t..........ga....t........t..................... 666
AF154975  607  ..........t.............cccc........t........c.............. 666
AB051237  607  ..........t.............cccc........t.. .....c..............g 536
AF125147  477  ........c..t..t.........g..a....t.............c.............. 

tmpseq_0  181  tactcacaactcaaagtatcctgggccttctgtactaatcctagcactcatactactc 240
```

```
AY005809  279 ..........................................t.................. 278
AF053054  667 ..................c.............................a.............. 726
AF053053  667 ..................c.............................a.............. 726
AF053050  667 ..........t.........t.a.....ct..............a.c............. 726
AF053049  667 ..........t.........t.a.....ct..............a.c............. 726
AF053025  667 ..........t.........t.a.....ct..............a.c............. 726
AF053024  667 ..........t.........t.a.....ct..............a.c............. 726
AF053023  667 ..........t.........t.a.....ct..............a.c............. 726
AF053022  667 ..........t.........t.a.....ct..............a.c............. 726
AF053021  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053018  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053051  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053048  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053047  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053046  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053045  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053044  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053042  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053041  667 ..........t.........t.a.....ct........g.....a.c............. 726
AF053040  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053039  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053038  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053037  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053036  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053035  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053034  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053033  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053032  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053031  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053030  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053029  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053028  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053027  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053026  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053020  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053019  667 ..........t.........t.a.....ct..............a.c....c........ 726
AF053043  667 ..........t.........t.a.....ct........g.....a.c.............. 726
X82301    667 ..........t.........t.a.....ct........g.....a.c.............. 726
AF053052  667 .....t.....................a.....................t..a.......... 726
X82300    667 .....t.....................a.....................t...t..a...... 726
AB004238  667 .....t...........c.....a..t...........g.tt..a.............. 726
AB004237  667 .....t...........c.....a..t...........g.tt..a.............. 726
X82296    667 .....t...........c.....a..t...........g.tt..a.......c....... 15763
NC_001700 15703 .....t...........c.....a..t...........g.tt..a.............. 15763
U20753    15703 .....t...........c.....a..t...........g.tt..a.............. 15763
AF125145  537 .....t.................nt.a.....c...t.c.........at.t.a.....g..a 596
AF125144  537 .....t.....................c.....gt..t.t.................a...t.g..a 596
AF154975  667 ........c........c.....a...gcc...c.c...........tg.......a....a 726
AB051237  667 ........c........c.....a...gcc...t.c...........tg.......a....a 726
AF125148  537 .....t.....t........t..a..t..c...t.c.......t.....t.a.....gt.a 596

tmpseq_0  241 gtcctatttctaccagacctgttaggagaccccgataactacatcccgctaaccctcta 300
AY005809  279 ..........................................t.........c.............. 338
AF053054  727 ......................a.....g.....................c.............. 786
AF053053  727 ......................a.....g.....................c.............. 786
AF053050  727 ......................a...........t.............c.........c... 786
AF053049  727 ......................a...........t.............c.........c... 786
AF053025  727 ......................a...........t.............c.........c... 786
AF053024  727 ......................a...........t.............c.........c... 786
AF053023  727 ......................a...........t.............c.........c... 786
AF053022  727 ......................a...........t.............c.........c... 786
AF053021  727 ......................a...........t.............c.........c... 786
AF053018  727 ......................a...........t.............c.........c... 786
AF053051  727 ......................a...........t.............c.........c... 786
AF053049  727 ......................a...........t.............c.........c... 786
AF053047  727 ......................a...........t.............c.........c... 786
AF053045  727 ......................a...........t.............c.........c... 786
AF053043  727 ......................a...........t.............c.........c... 786
AF053041  727 ......................a...........t.............c.........c... 786
AF053042  727 ......................a...........t.............c.........c... 786
AF053031  727 ......................a...........t.............c.........c... 786
```

```
AF053040   727  ....................a..........c.....................
AF053039   727  ....................a..........c.....................c........c... 786
AF053038   727  ....................a..........c.....................c........c... 786
AF053037   727  ....................a..........c.....................c........c... 786
AF053036   727  ....................a..........c.....................c........c... 786
AF053035   727  ....................a..........c.....................c........c... 786
AF053034   727  ....................a..........c.....................c........c... 786
AF053033   727  ....................a..........c.....................c........c... 786
AF053032   727  ....................a..........c.....................c........c... 786
AF053031   727  ....................a..........c.....................c........c... 786
AF053030   727  ....................a..........c.....................c........c... 786
AF053029   727  ....................a..........c.....................c........c... 786
AF053028   727  ....................a..........c.....................c........c... 786
AF053027   727  ....................a..........c.....................c........c... 786
AF053026   727  ....................a..........c.....................c........c... 786
AF053020   727  ....................a..........c.....................c........c... 786
AF053019   727  ....................a..........c.....................c........c... 786
AF053043   727  ....................a..........c.....................c........c... 786
X82301     727  ....................a..........c.....................c........c... 786
AF053052   727  ....................a.......t....c....t.c...c.....t...... 786
X82300     727  ....................a.......t....c....t.c...c.....t...... 786
AB004238   727  ........t...........c.........a..c.g.........a.........t.. 786
AB004237   727  ........t...........c.........a..c...........a.........t.. 786
X82296     727  .....r..t...........c.........a..c...........a.........t.. 786
NC_001700  15764 ........t...........c.........a..c...........a.........t.. 15823
U20753     15764 ........t...........c.........a..c...........a.........t.. 15823
AF125145   597  ..............t.....t..........a.....t.....t..c.....        650
AF125144   597  ..t.....t.....t.....t..........a..c.......c......a..... 656
AF154975   727  ..a...........c......c.g.......a..c...........c........a..c 786
AB051237   727  ..a...........c......c.g.......a..c...........c........a..c 786
AF125149   597  ..............t.....cc.........a........t.c.............. 656

tmpseq_0   301  aataccccctccccatatcaagcctgaat 328
AY005809   339  ............................ 366
AF053054   787  ..c.....................     808
AF053053   787  ..c.....................     808
AF053050   787  ..................t.....c.... 814
AF053049   787  ..................t.....c.... 814
AF053025   787  ..................t.....c.... 814
AF053024   787  ..................t.....c.... 814
AF053023   787  ..................t.....c.... 814
AF053022   787  ..................t.....c.... 814
AF053021   787  ..................t.....c.... 814
AF053018   787  ..................t.....c.... 814
AF053051   787  ..................t.....c.... 814
AF053048   787  ..................t.....c.... 814
AF053047   787  ..................t.....c.... 814
AF053046   787  ..................t.....c.... 814
AF053045   787  ..................t.....c.... 814
AF053044   787  ..................t.....c.... 814
AF053042   787  ..................t.....c.... 814
AF053041   787  ..................t.....c.... 814
AF053040   787  ..................t.....c.... 814
AF053039   787  ..................t.....c.... 814
AF053038   787  ..................t.....c.... 814
AF053037   787  ..................t.....c.... 814
AF053036   787  ..................t.....c.... 814
AF053035   787  ..................t.....c.... 814
AF053034   787  ..................t.....c.... 814
AF053033   787  ..................t.....c.... 814
AF053032   787  ..................t.....c.... 814
AF053031   787  ..................t.....c.... 814
AF053030   787  ..................t.....c.... 814
AF053029   787  ..................t.....c.... 814
AF053028   787  ..................t.....c.... 814
AF053027   787  ..................t.....c.... 814
AF053026   787  ..................t.....c.... 814
AF053020   787  ..................t.....c.... 814
AF053019   787  ..................t.....c.... 814
AF053043   787  ..................t.....c.... 814
X82301     787  ..................t.....c.... 814
```

```
AF051052  787    .gc..................a.....  812
X82100    787    .gc..................a.....  814
AB004238  787    ..................c..a.....  814
AB004237  787    ..................c..a.....  814
X82296    787    ..................c..a.....  814
NC_001700 15824  ..................c..a.....  15851
U20753    15824  ..................c..a.....  15851
AF125144  657    ..c.....                      664
AF154975  787    ..c..a..a........             803
AB051237  787    ..c..a..a........             803
AF125149  657    ..c.....                      664

Database: nt
  Posted date:  Mar 2, 2001 12:20 AM
Number of letters in database: 2,863,827,885
Number of sequences in database:  807,597

Lambda     K      H
    1.37    0.711     1.31

Gapped
Lambda     K      H
    1.37    0.711     1.31


Matrix: blastn matrix:1 -3
Gap Penalties: Existence: 5, Extension: 2
Number of Hits to DB: 460542
Number of Sequences: 807597
Number of extensions: 460542
Number of successful extensions: 22671
Number of sequences better than 10.0: 6487
length of query: 328
length of database: 2,863,827,885
effective HSP length: 20
effective length of query: 308
effective length of database: 2,847,675,945
effective search space: 877084191060
effective search space used: 877084191060
T: 0
A: 30
X1: 6 (11.9 bits)
X2: 15 (29.7 bits)
S1: 12 (24.3 bits)
S2: 19 (38.2 bits)
```

Table 5. Reference animals and the allocated code numbers included in the study

SN.	Code number	Name of the animal	Zoological name
1	bhz25t	Indian tiger	*Panthera tigris tigris*
2	bhz26t	Indian tiger	*Panthera tigris tigris*
3	bhz30t	Indian tiger	*Panthera tigris tigris*
4	bhz45t	Indian tiger	*Panthera tigris tigris*
5	bhz56t	Indian tiger	*Panthera tigris tigris*
6	bhz63t	Indian tiger	*Panthera tigris tigris*
7	bhz20wt	Indian white tiger	*Panthera tigris bengalensis*
8	bhz22wt	Indian white tiger	*Panthera tigris bengalensis*
9	bhz23wt	Indian white tiger	*Panthera tigris bengalensis*
10	bhz28wt	Indian white tiger	*Panthera tigris bengalensis*
11	gz1l	Normal leopard	*Panthera pardus*
12	gz2l	Normal leopard	*Panthera pardus*
13	gz3l	Normal leopard	*Panthera pardus*
14	gz21cl	Clouded leopard	*Neofelis nebulosa*
15	gz22cl	Clouded leopard	*Neofelis nebulosa*
16	darz14sl	Snow leopard	*Panthera unicia*
17	darz15sl	Snow leopard	*Panthera unicia*
18	darz16sl	Snow leopard	*Panthera unicia*
19	sbz22al	Asiatic lion	*Panthera leo persica*
20	sbz38al	Asiatic lion	*Panthera leo persica*
21	sbz39al	Asiatic lion	*Panthera leo persica*
22	humsk	Human	*Homo sapiens sapiens*
23	chimss	Chimpanzee	*Pan sp.*

Table 6. Multiple sequence alignments of the cytochrome b sequences of reference animals with the sequence obtained from confiscated animal remain

```
sbz22al          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
sbz38al          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
sbz39al          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
adil.flesh       TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCTACCCTGACACGATTCTTTGCCTTCCAC 60
gz1nl            TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCTACCTTGACACGATTCTTTGCCTTCCAC 60
gz2nl            TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCTACCTTGACACGATTCTTTGCCTTCCAC 60
gz3nl            TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz23wt          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz28wt          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz22wt          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz20wt          TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz63t           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz56t           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz26t           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz30t           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz45t           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
bhz25t           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
dz14sl           TGAATCTGAGGAGGCTTCTCAGTACACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
dz15sl           TGAATCTGAGGAGGCTTCTCAGTACACAAAGCCACCCTGACACGATTCTTTGCCTTCCAC 60
dz16sl           TGAATCTGAGGAGGCTTCTCAGTACACAAAGCCACCCTGACACGATTTTTCGCCTTCCAC 60
gz21cl           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTTTTCGCCTTCCAC 60
gz22cl           TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCCACCCTGACACGATTCTTCACCTTCCAC 60
chimss           TGAATCTGAGGAGGCTACTCAGTAGACAGCCCTACCCTTACACGATTCTTTACCTTTCAC 60
humsk            TGAATCTGAGGAGGCTACTCAGTAGACAGTCCCACCCTCACACGATTCTTTACCTTTCAC 60
                 ********************* ******* ***   * *** * ******** **  **** *** .

sbz22al          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTGTTCCTCCATGAA 120
sbz38al          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTGTTCCTCCATGAA 120
sbz39al          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTTCACGAG 120
adil.flesh       TTCATCCTTCCATTTATCATCTCAGCTCTAGCAGCAGTCCACCTCCTATTCCTTCACGAG 120
gz1nl            TTCATCCTTCCATTTATCATCTCAGCTCTAGCAGCAGTCCACCTCCTATTCCTTCACGAG 120
gz2nl            TTCATCCTTCCATTTATCATCTCAGCTCTAGCAGCAGTCCACCTCCTATTCCTTCACGAG 120
gz3nl            TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz23wt          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz28wt          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz22wt          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz20wt          TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz63t           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz56t           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz26t           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz30t           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz45t           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
bhz25t           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
dz14sl           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
dz15sl           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTCCACCTCCTATTCCTCCATGAG 120
dz16sl           TTCATCCTTCCATTTATCATCTCAGCCCTAGCAGCAGTTCACCTTCTATTTCTCCATGAA 120
gz21cl           TTCATCCTCCCATTTATCATCTCAGCCTTAGCAGCAGTTCACCTTCTATTTCTCCATGAA 120
gz22cl           TTCATCCTCCCATTTATCATCTCAGCCTTAGCAGCAGTTCACCTTCTATTCTTACACGAA 120
chimss           TTTATCTTACCCTTCATTATCACAGCCCTAACAACACTTCATCTCCTATTCTTGCACGAA 120
humsk            TTCATCTTGCCCTTCATTATTGCAGCCCTAGCAGCACTTCACCTCCTATTCTTGCACGAA 120
                 ** *** * ** ** ** **  ****  ** ** ** * ** ** ** **  * ** **

sbz22al          ACACGATCTAATAACCCCTCAGGAATGGTATCTGACTCAGATAAAATTCCATTCCATCCA 180
sbz38al          ACACGATCTAATAACCCCTCAGGAATGGTATCTGACTCAGATAAAATTCCATTCCATCCA 180
```

```
sbz39al       ACAGGATCTAATAACCCCTCAGGAATGGTATCTGACTCAGATAAAATTCCATTCCATCCA 180
adil.flesh    ACAGGATCTAACAACCCCTCAGGAATAGTATCCGACTCAGACAAAATTCCATTCCACCCA 180
gz1nl         ACAGGATCTAACAACCCCTCAGGAATAGTATCCGACTCAGACAAAATTCCATTCCACCCA 180
gz2nl         ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATTCCATTCCACCCA 180
gz3nl         ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATTCCATTCCACCCA 180
bhz23wt       ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz28wt       ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz22wt       ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz20wt       ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz63t        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz56t        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz26t        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz30t        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz45t        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
bhz25t        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
dz14sl        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
dz15sl        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
dz16sl        ACAGGATCTAACAACCCCTCAGGAATAGTATCTGACTCAGACAAAATCCCGTTCCACCCA 180
gz21cl        ACAGGATCCAATAACCCCTCAGGAATGGTATCCGATTCAGACAAAATCCCGTTCCACCCG 180
gz22cl        ACAGGATCCAATAACCCCTCAGGAATGGTATCCGATTCAGACAAAATCCCGTTCCACCCG 180
chimss        ACAGGATCAAATAACCCCCTGGGAATCACCTCCCACTCCGACAAAATTACCTTCCACCCC 180
humsk         ACGGGATCAAACAACCCCCTAGGAATCACCTCCCATTCCGATAAAATCATCTTCCACCCT 180
                ** ***** ** ******   *****    **  * ** ** *****    ***** **

sbz22al       TACTATACAATCAAAGATATCCTAGGCCTTCTAGTACTAATCTTAACACTCATACTACTC 240
sbz38al       TACTATACAATCAAAGATATCCTAGGCCTTCTAGTACTAATCTTAACACTCATACTACTC 240
sbz39al       TACTATACAATCAAAGATATCCTAGGCCTTCTAGTACTAATCTTAACACTCATACTACTC 240
adil.flesh    TACTACACAATCAAAGATATCCTGGGCCTTCTAGTACTAATCCTAGCACTCATACTACTC 240
gz1nl         TACTACACAATCAAAGATATCCTGGGCCTTCTAGTACTAATCCTAGCACTCATACTACTC 240
gz2nl         TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCTTAGCACTCATACTACTC 240
gz3nl         TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCTTAGCACTCATACTACTC 240
bhz23wt       TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz28wt       TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz22wt       TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz20wt       TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz63t        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz56t        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz26t        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz30t        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz45t        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
bhz25t        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
dz14sl        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
dz15sl        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
dz16sl        TACTACACAATCAAAGACATCCTGGGCCTTCTAGTACTAATCCTAACACTCATACTACTC 240
gz21cl        TACTATACAATCAAAGATATCCTAGGCCTCCTAGTTCTAATTCTAGCGCTCACACTACTT 240
gz22cl        TACTATACAATCAAAGATATCCTAGGCCTCCTAGTTCTAATTCTAGCGCTCACACTACTT 240
chimss        TACTACACAATCAAAGATATCCTTGGCTTATTCCTTTCCTCCTTATCCTAATGACATTA 240
humsk         TACTACACAATCAAAGACGCCCTCGGCTTACTTCTCTTCCTTCTCTCCTTAATGACATTA 240
              ***** ***********   *** *** *  *  *  *  *  *     *  *    *  *

sbz22al       GTCCTATTCTCACCAGACCTATTAGGAGATCCCGACAACTATACCCCCGCCAATCCTCTA 300
sbz38al       GTCCTATTCTCACCAGACCTATTAGGAGATCCCGACAACTATACCCCCGCCAATCCTCTA 300
sbz39al       GTCCTATTCTCACCAGACCTATTAGGAGATCCCGACAACTATACCCCCGCCAATCCTCTA 300
adil.flesh    GTCCTATTCTCACCAGACCTGTTAGGAGACCCCGATAACTACATCCCTGCCAACCCTCTA 300
gz1nl         GTCCTATTCTCACCAGACCTGTTAGGAGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
gz2nl         GTCCTATTCTCACCAGACCTGTTGGGAGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
gz3nl         GTCCTATTCTCACCAGACCTGTTGGGAGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz23wt       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
```

```
bhz28wt      GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz22wt      GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz20wt      GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz63t       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz56t       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz26t       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz30t       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz45t       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
bhz25t       GTCCTATTCTCACCAGACCTATTAGGGGACCCCGATAACTACATCCCCGCCAACCCTCTA 300
dz14sl       GTCCTATTCTCACCAGACCTATTAGGGGACGCCGATAACTACATCCCCGCCAACCCTCTA 300
dz15sl       GTCCTATTCTCACCAGACCTATTAGGGGACGCCGATAACTACATCCCCGCCAACCCTCTA 300
dz16sl       GTCCTATTCTCACCAGACCTATTAGGGGACGCCGATAACTACATCCCCGCCAACCCTCTA 300
gz21cl       GTTCTATTCTCCCCAGACCTACTAGGAGACCCTGACAATTACACTCCCGCCAACCCTCTA 300
gz22cl       GTTCTATTCTCCCCAGACCTACTAGGAGACCCTGACAATTACACTCCCGCCAACCCTCTA 300
chimss       ACACTATTCTCACCAGACCTCCTGGGCGATCCAGACAACTATACCCTAGCTAACCCCCTA 300
humsk        ACACTATTCTCACCAGACCTCCTAGGCGACCCAGACAATTATACCCTAGCCAACCCCTTA 300
                ******** ********  * ** **  * ** ** ** * *  ** ** **  **

sbz22al      AGCACCCCTCCCCATATCAAACCTGAAT 328
sbz38al      AGCACCCCTCCCCATATCAAACCTGAAT 328
sbz39al      AGCACCCCTCCCCATATCAAACCTGAAT 328
adil.flesh   AATACCCCTCCCCATATCAAGCCTGAAT 328
gz1nl        AATACCCCTCCCCATATCAAGCCTGAAT 328
gz2nl        AATACCCCTCCCCATATCAAGCCTGAAT 328
gz3nl        AATACCCCTCCCCATATCAAGCCTGAAT 328
bhz23wt      AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz28wt      AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz22wt      AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz20wt      AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz63t       AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz56t       AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz26t       AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz30t       AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz45t       AACACCCCTCCCCATATCAAGCGCGAAT 328
bhz25t       AACACCCCTCCCCATATCAAGCGCGAAT 328
dz14sl       AACACCCCTCCCCATATCAAGCCCGAAT 328
dz15sl       AACACCCCTCCCCATATCAAGCCCGAAT 328
dz16sl       AACACCCCTCCCCATATCAAGCCCGAAT 328
gz21cl       AATACCCCTCCCCATATCAAGCCTGAAT 328
gz22cl       AATACCCCTCCCCATATCAAGCCTGAAT 328
chimss       AACACCCCACCCCACATTAAACCCGAAT 328
humsk        AACACCCCTCCCCACATCAAGCCCGAAT 328
             *  ***** ***** ** ** *  ****
```

Table 7a



Table 7b



Table 7c

Position	211	213	214	216	217	219	220	222	223	226	226	227	228	229	231	233	234	235	236	238	240	241	242	243	252	261	262	264	267	270	271
adil.flesh	C	A	G	A	C	A	A	C	C	A	G	C	A	C	C	T	A	C	T	C	C	G	T	C	A	G	T	A	A	C	C
gz1l	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
gz2l	[redacted]																														
gz3l	[redacted]																														
bhz25t	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz26t	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz30t	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz45t	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz56t	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz20wt	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz22wt	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
bhz23wt	.	.	.	.	.	.	.	.	.	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	G	.	.
dz14sl	[redacted]										A															A			G		G
dz15sl	[redacted]										A															A			G		G
sbz22al	.	.	.	.	.	.	.	.	T	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	.	T	.
sbz38al	.	.	.	.	.	.	.	.	T	.	A	.	.	.	.	.	.	.	.	.	.	.	.	.	.	A	.	.	.	T	.
gz21cl	.	.	T	.	.	.	.	T	.	.	.	.	G	.	.	.	C	.	.	.	.	T	.	.	T	C	A	C	.	.	.
gz22cl	.	.	T	.	.	.	.	T	.	.	.	.	G	.	.	.	C	.	.	.	.	T	.	.	T	C	A	C	.	.	.
chlmse	[redacted]																														
humsk	[redacted]																														

Table 7d

Position	273	276	279	282	284	285	287	288	291	294	297	298	302	303	309	315	318	321	323	324
adil.flesh	C	T	C	C	T	C	C	T	C	C	T	C	A	T	T	T	C	G	C	T
gz1l	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
gz2l	[redacted]																			
gz3l	[redacted]																			
bhz25t	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz26t	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz30t	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz45t	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz56t	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz20wt	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz22wt	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
bhz23wt	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	G	C
dz14sl	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	.	C
dz15sl	.	.	.	.	.	.	.	C	.	.	.	.	.	C	.	.	.	.	.	C
sbz22al	.	C	.	T	C	.	.	C	.	T	.	.	G	C	.	.	.	A	.	.
sbz38al	.	C	.	T	C	.	.	C	.	T	.	.	G	C	.	.	.	A	.	.
gz21cl	T	C	T	.	C	T	.	C	.	.	.	.	.	.	.	.	.	.	.	.
gz22cl	T	C	T	.	C	T	.	C	.	.	.	.	.	.	.	.	.	.	.	.
chimss	[redacted]																			
humsk	[redacted]																			

Table 8. Percent similarity matrix calculated by pair-vise comparisons of cytochrome b gene sequences revealed from 'adil.flesh' and *different felids*

	bhz20wt	bhz25t	dz14sl	humsk	chimss	sbz22al	gz1L	gz2L	gz3L	gz21cl	adil.flesh
bhz20wt		100	99.1	81.7	78.7	93.3	95.1	95.4	95.4	89.6	95.4
bhz25t	100		99.1	81.7	78.7	93.3	95.1	95.4	95.4	89.6	95.4
dz14sl	99.1	99.1		81.4	78.4	93	94.8	95.1	95.1	89.3	95.1
humsk	81.7	81.7	81.4		86.9	79.6	81.1	80.2	80.2	79	81.4
chimss	78.7	78.7	78.4	86.9		78.7	79.6	78.7	78.7	76.8	79.9
sbz22al	93.3	93.3	93	79.6	78.7		92.1	92.4	92.4	89	92.4
gz1L	95.1	95.1	94.8	81.1	79.6	92.1		98.5	98.5	89.3	99.7
gz2L	95.4	95.4	95.1	80.2	78.7	92.4	98.5		100	88.1	98.2
gz3L	95.4	95.4	95.1	80.2	78.7	92.4	98.5	100		88.1	98.2
gz21cl	89.6	89.6	89.3	79	76.8	89	89.3	88.1	88.1		89.6
adil.flesh	95.4	95.4	95.1	81.4	79.9	92.4	99.7	98.2	98.2	89.6	

Table 10

BLASTN 2.1.2 [Nov-13-2000]

Reference:
Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

RID: 984591695-10075-13605

Query=
(25 letters)

Database: nt
807,597 sequences; 2,863,827,885 total letters

If you have any problems or questions with the results of this search please refer to the BLAST FAQs

Taxonomy reports

Distribution of 500 Blast Hits on the Query Sequence

Mouse-over to show defline and scores. Click to show alignments

Sequences producing significant alignments:	Score (bits)	E Value
gb|AF231651.1|AF231651 Strongylura notata clone HB-82 cytoc...	50	2e-05
gb|AF231650.1|AF231650 Strongylura notata clone HB-159 cyto...	50	2e-05
ref|NC_002672.1| Dinornis giganteus mitochondrion, complete...	50	2e-05
ref|NC_002673.1| Emeus crassus mitochondrion, complete genome	50	2e-05
gb|AF232015.1|AF232015 Nothrotheriops shastensis cytochrome...	50	2e-05
gb|AF232013.1|AF232013 Bradypus variegatus cytochrome b gen...	50	2e-05
gb|AY016015.1| Emeus crassus mitochondrion, complete genome	50	2e-05
gb|AY016013.1| Dinornis giganteus mitochondrion, complete g...	50	2e-05
gb|AY016014.1| Dromaius novaehollandiae mitochondrion, part...	50	2e-05
gb|AF230167.1|AF230167 Bonasa umbellus cytochrome b (CYTB) ...	50	2e-05
gb|AF074594.1|AF074594 Baeolophus bicolor cytochrome b gene...	50	2e-05
gb|AY005210.1| Poospiza melanoleuca isolate 3 cytochrome b ...	50	2e-05
gb|AY005209.1| Poospiza melanoleuca isolate 2 cytochrome b ...	50	2e-05
gb|AY005208.1| Poospiza melanoleuca isolate 1 cytochrome b ...	50	2e-05
gb|AY005205.1| Poospiza hispaniolensis cytochrome b (cytb) ...	50	2e-05
gb|AY005204.1| Poospiza garleppi cytochrome b (cytb) gene, ...	50	2e-05
gb|AY005203.1| Poospiza erythrophrys cytochrome b (cytb) ge...	50	2e-05
gb|AY005201.1| Poospiza boliviana cytochrome b (cytb) gene....	50	2e-05
gb|AY005199.1| Poospiza alticola isolate 2 cytochrome b (cy...	50	2e-05
gb|AY005198.1| Poospiza alticola isolate 1 cytochrome b (cy...	50	2e-05
gb|AF155870.1|AF155870 Heterocephalus glaber cytochrome b (...	50	2e-05
gb|AF189123.1|AF189123 Glyptotermes eukalypti cytochrome b ...	50	2e-05
gb|AF102099.1|AF102099 Criniferoides leuconaster cytochrome...	50	2e-05
gb|AF102095.1|AF102095S1 Corythaixoides concolor cytochrome...	50	2e-05
gb|AF271065.1|AF271065 Mustela erminea specimen-voucher AF1...	50	2e-05
gb|AF243857.1|AF243857 Strongylura notata notata cytochrome...	50	2e-05
gb|AF243856.1|AF243856 Strongylura notata forsythia cytochr...	50	2e-05
ref|NC_001567.1| Bos taurus mitochondrion, complete genome	50	2e-05
gb|AF306872.1|AF306872 Brachyramphus marmoratus haplotype M...	50	2e-05
gb|AF306871.1|AF306871 Brachyramphus marmoratus haplotype M...	50	2e-05
gb|AF306870.1|AF306870 Brachyramphus brevirostris haplotype...	50	2e-05
gb|AF306869.1|AF306869 Brachyramphus brevirostris haplotype...	50	2e-05
gb|AF306868.1|AF306868 Brachyramphus brevirostris haplotype...	50	2e-05
gb|AF010406.1|AF010406 Ovis aries complete mitochondrial ge...	50	2e-05
gb|AF248662.1|AF248662 Gryllus campestris haplotype 2 cytoc...	50	2e-05
gb|AF248661.1|AF248661 Gryllus campestris haplotype 1 cytoc...	50	2e-05
gb|AF096462.1|AF096462 Rhipidura albicollis cytochrome b ge...	50	2e-05
gb|AF283644.1|AF283644 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283643.1|AF283643 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283642.1|AF283642 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283641.1|AF283641 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283640.1|AF283640 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283639.1|AF283639 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283637.1|AF283637 Elaphe obsoleta LSUMZ 45359 cytochro...	50	2e-05
gb|AF283636.1|AF283636 Elaphe obsoleta LSUMZ 44662 cytochro...	50	2e-05
gb|AF283635.1|AF283635 Elaphe obsoleta LSUMZ 40443 cytochro...	50	2e-05
gb|AF283634.1|AF283634 Elaphe obsoleta LSUMZ 44335 cytochro...	50	2e-05
gb|AF283633.1|AF283633 Elaphe obsoleta LSUMZ 42624 cytochro...	50	2e-05
gb|AF283632.1|AF283632 Elaphe obsoleta LSUMZ H1911 cytochro...	50	2e-05
gb|AF283631.1|AF283631 Elaphe obsoleta LSUMZ 41197 cytochro...	50	2e-05
gb|AF283630.1|AF283630 Elaphe obsoleta LSUMZ 41189 cytochro...	50	2e-05
gb|AF283629.1|AF283629 Elaphe obsoleta LSUMZ 41188 cytochro...	50	2e-05
gb|AF283628.1|AF283628 Elaphe obsoleta LSUMZ 41187 cytochro...	50	2e-05
gb|AF283627.1|AF283627 Elaphe obsoleta LSUMZ 41186 cytochro...	50	2e-05
gb|AF283626.1|AF283626 Elaphe obsoleta LSUMZ 40943 cytochro...	50	2e-05
gb|AF283625.1|AF283625 Elaphe obsoleta LSUMZ 37499 cytochro...	50	2e-05
gb|AF283624.1|AF283624 Elaphe obsoleta LSUMZ 44480 cytochro...	50	2e-05
gb|AF283623.1|AF283623 Elaphe obsoleta LSUMZ 44451 cytochro...	50	2e-05
gb|AF283622.1|AF283622 Elaphe obsoleta LSUMZ 40444 cytochro...	50	2e-05
gb|AF283621.1|AF283621 Elaphe obsoleta LSUMZ 39925 cytochro...	50	2e-05
gb|AF283620.1|AF283620 Elaphe obsoleta LSUMZ 39163 cytochro...	50	2e-05
gb|AF283619.1|AF283619 Elaphe obsoleta LSUMZ39162 cytochrom...	50	2e-05
gb|AF283618.1|AF283618 Elaphe obsoleta LSUMZ H15896 cytochr...	50	2e-05
gb|AF283617.1|AF283617 Elaphe obsoleta LSUMZ H15892 cytochr...	50	2e-05
gb|AF283616.1|AF283616 Elaphe obsoleta LSUMZ 15891 cytochro...	50	2e-05
gb|AF283615.1|AF283615 Elaphe obsoleta LSUMZ H15890 cytochr...	50	2e-05
gb|AF283614.1|AF283614 Elaphe obsoleta LSUMZ H15887 cytochr...	50	2e-05
gb|AF283613.1|AF283613 Elaphe obsoleta LSUMZ H15884 cytochr...	50	2e-05

Table 9. Animals selected for validation of minimum P'S score for efficient amplification of DNA templates in PCR

SL.	Name	P, S/AFF	P, S/AFR
1	Indian black buck (Antilope cervicapra)	97, 58	96, 54
2	Sheep (Ovis	87, 53	96, 54
3	Pig (*Sus scrofa*)	87, 52	87, 41
4	Fresh water dolphin (*Platanista gangetica*)	86, 49	82, 47

Sequences producing significant alignments:	Score (bits)	E Value
gb|AF231651.1|AF231651 Strongylura notata clone HB-82 cytoc...	50	2e-05
gb|AF231650.1|AF231650 Strongylura notata clone HB-159 cyto...	50	2e-05
ref|NC_002672.1| Dinornis giganteus mitochondrion, complete...	50	2e-05
ref|NC_002673.1| Emeus crassus mitochondrion, complete genome	50	2e-05
gb|AF232015.1|AF232015 Nothrotheriops shastensis cytochrome...	50	2e-05
gb|AF232013.1|AF232013 Bradypus variegatus cytochrome b gen...	50	2e-05
gb|AY016015.1| Emeus crassus mitochondrion, complete genome	50	2e-05
gb|AY016013.1| Dinornis giganteus mitochondrion, complete g...	50	2e-05
gb|AY016014.1| Dromaius novaehollandiae mitochondrion, part...	50	2e-05
gb|AF230167.1|AF230167 Bonasa umbellus cytochrome b (CYTB) ...	50	2e-05
gb|AF074594.1|AF074594 Baeolophus bicolor cytochrome b gene...	50	2e-05
gb|AY005210.1| Poospiza melanoleuca isolate 3 cytochrome b ...	50	2e-05
gb|AY005209.1| Poospiza melanoleuca isolate 2 cytochrome b ...	50	2e-05
gb|AY005208.1| Poospiza melanoleuca isolate 1 cytochrome b ...	50	2e-05
gb|AY005205.1| Poospiza hispaniolensis cytochrome b (cytb) ...	50	2e-05
gb|AY005204.1| Poospiza garleppi cytochrome b (cytb) gene, ...	50	2e-05
gb|AY005203.1| Poospiza erythrophrys cytochrome b (cytb) ge...	50	2e-05
gb|AY005201.1| Poospiza boliviana cytochrome b (cytb) gene,...	50	2e-05
gb|AY005199.1| Poospiza alticola isolate 2 cytochrome b (cy...	50	2e-05
gb|AY005198.1| Poospiza alticola isolate 1 cytochrome b (cy...	50	2e-05
gb|AF155870.1|AF155870 Heterocephalus glaber cytochrome b (...	50	2e-05
gb|AF189123.1|AF189123 Glyptotermes eukalypti cytochrome b ...	50	2e-05
gb|AF102099.1|AF102099 Criniferoides leucogaster cytochrome...	50	2e-05
gb|AF102095.1|AF102095S1 Corythaixoides concolor cytochrome...	50	2e-05
gb|AF271065.1|AF271065 Mustela erminea specimen-voucher AF1...	50	2e-05
gb|AF243857.1|AF243857 Strongylura notata notata cytochrome...	50	2e-05
gb|AF243856.1|AF243856 Strongylura notata forsythia cytochr...	50	2e-05
ref|NC_001567.1| Bos taurus mitochondrion, complete genome	50	2e-05
gb|AF306872.1|AF306872 Brachyramphus marmoratus haplotype M...	50	2e-05
gb|AF306871.1|AF306871 Brachyramphus marmoratus haplotype M...	50	2e-05
gb|AF306870.1|AF306870 Brachyramphus brevirostris haplotype...	50	2e-05
gb|AF306869.1|AF306869 Brachyramphus brevirostris haplotype...	50	2e-05
gb|AF306868.1|AF306868 Brachyramphus brevirostris haplotype...	50	2e-05
gb|AF010406.1|AF010406 Ovis aries complete mitochondrial ge...	50	2e-05
gb|AF248662.1|AF248662 Gryllus campestris haplotype 2 cytoc...	50	2e-05
gb|AF248661.1|AF248661 Gryllus campestris haplotype 1 cytoc...	50	2e-05
gb|AF096462.1|AF096462 Rhipidura albicollis cytochrome b ge...	50	2e-05
gb|AF283644.1|AF283644 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283643.1|AF283643 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283642.1|AF283642 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283641.1|AF283641 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283640.1|AF283640 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283639.1|AF283639 Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283637.1|AF283637 Elaphe obsoleta LSUMZ 45359 cytochro...	50	2e-05
gb|AF283636.1|AF283636 Elaphe obsoleta LSUMZ 44662 cytochro...	50	2e-05
gb|AF283635.1|AF283635 Elaphe obsoleta LSUMZ 40443 cytochro...	50	2e-05
gb|AF283634.1|AF283634 Elaphe obsoleta LSUMZ 44335 cytochro...	50	2e-05
gb|AF283633.1|AF283633 Elaphe obsoleta LSUMZ 42624 cytochro...	50	2e-05
gb|AF283632.1|AF283632 Elaphe obsoleta LSUMZ H1911 cytochro...	50	2e-05
gb|AF283631.1|AF283631 Elaphe obsoleta LSUMZ 41197 cytochro...	50	2e-05
gb|AF283630.1|AF283630 Elaphe obsoleta LSUMZ 41189 cytochro...	50	2e-05
gb|AF283629.1|AF283629 Elaphe obsoleta LSUMZ 41188 cytochro...	50	2e-05
gb|AF283628.1|AF283628 Elaphe obsoleta LSUMZ 41187 cytochro...	50	2e-05
gb|AF283627.1|AF283627 Elaphe obsoleta LSUMZ 41186 cytochro...	50	2e-05
gb|AF283626.1|AF283626 Elaphe obsoleta LSUMZ 40943 cytochro...	50	2e-05
gb|AF283625.1|AF283625 Elaphe obsoleta LSUMZ 37499 cytochro...	50	2e-05
gb|AF283624.1|AF283624 Elaphe obsoleta LSUMZ 44480 cytochro...	50	2e-05
gb|AF283623.1|AF283623 Elaphe obsoleta LSUMZ 44451 cytochro...	50	2e-05
gb|AF283622.1|AF283622 Elaphe obsoleta LSUMZ 40444 cytochro...	50	2e-05
gb|AF283621.1|AF283621 Elaphe obsoleta LSUMZ 39925 cytochro...	50	2e-05
gb|AF283620.1|AF283620 Elaphe obsoleta LSUMZ 39163 cytochro...	50	2e-05
gb|AF283619.1|AF283619 Elaphe obsoleta LSUMZ39162 cytochrom...	50	2e-05
gb|AF283618.1|AF283618 Elaphe obsoleta LSUMZ H15896 cytochr...	50	2e-05
gb|AF283617.1|AF283617 Elaphe obsoleta LSUMZ H15892 cytochr...	50	2e-05
gb|AF283616.1|AF283616 Elaphe obsoleta LSUMZ 15891 cytochro...	50	2e-05
gb|AF283615.1|AF283615 Elaphe obsoleta LSUMZ H15890 cytochr...	50	2e-05
gb|AF283614.1|AF283614 Elaphe obsoleta LSUMZ H15889 cytochr...	50	2e-05
gb|AF283613.1|AF283613 Elaphe obsoleta LSUMZ H15888 cytochr...	50	2e-05

gb|AF283612.1|AF283612	Elaphe obsoleta LSUMZ H15884 cytochr...	50	2e-05
gb|AF283611.1|AF283611	Elaphe obsoleta LSUMZ H15031 cytochr...	50	2e-05
gb|AF283610.1|AF283610	Elaphe obsoleta LSUMZ H15030 cytochr...	50	2e-05
gb|AF283609.1|AF283609	Elaphe obsoleta CAS 169468 cytochrom...	50	2e-05
gb|AF283608.1|AF283608	Elaphe obsoleta LSUMZ H14782 cytochr...	50	2e-05
gb|AF283607.1|AF283607	Elaphe obsoleta LSUMZ H14781 cytochr...	50	2e-05
gb|AF283606.1|AF283606	Elaphe obsoleta LSUMZ H14724 cytochr...	50	2e-05
gb|AF283605.1|AF283605	Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283604.1|AF283604	Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283603.1|AF283603	Elaphe obsoleta cytochrome b gene, c...	50	2e-05
gb|AF283602.1|AF283602	Elaphe obsoleta LSUMZ H3388 cytochro...	50	2e-05
gb|AF283601.1|AF283601	Elaphe obsoleta LSUMZ H3385 cytochro...	50	2e-05
gb|AF283600.1|AF283600	Elaphe obsoleta LSUMZ H3384 cytochro...	50	2e-05
gb|AF283599.1|AF283599	Elaphe bairdi LSUMZ H3382 cytochrome...	50	2e-05
gb|AF283598.1|AF283598	Elaphe bairdi LSUMZ H3381 cytochrome...	50	2e-05
gb|AF283597.1|AF283597	Elaphe obsoleta LSUMZ H3379 cytochro...	50	2e-05
gb|AF283596.1|AF283596	Elaphe obsoleta LSUMZ 39616 cytochro...	50	2e-05
gb|AF283595.1|AF283595	Elaphe obsoleta LSUMZ H3376 cytochro...	50	2e-05
gb|AF283594.1|AF283594	Elaphe obsoleta LSUMZ H3345 cytochro...	50	2e-05
gb|AF283593.1|AF283593	Elaphe obsoleta LSUMZ H3309 cytochro...	50	2e-05
gb|AF283592.1|AF283592	Elaphe obsoleta LSUMZ H3306 cytochro...	50	2e-05
gb|AF283591.1|AF283591	Elaphe obsoleta LSUMZ H3276 cytochro...	50	2e-05
gb|AF283590.1|AF283590	Elaphe obsoleta LSUMZ H3246 cytochro...	50	2e-05
gb|AF283589.1|AF283589	Elaphe obsoleta LSUMZ H3212 cytochro...	50	2e-05
gb|AF283588.1|AF283588	Elaphe obsoleta LSUMZ H3209 cytochro...	50	2e-05
gb|AF283587.1|AF283587	Elaphe obsoleta LSUMZ H3206 cytochro...	50	2e-05
gb|AF283586.1|AF283586	Elaphe obsoleta LSUMZ H3191 cytochro...	50	2e-05
gb|AF283585.1|AF283585	Elaphe obsoleta LSUMZ H3190 cytochro...	50	2e-05
gb|AF283584.1|AF283584	Elaphe obsoleta LSUMZ H3189 cytochro...	50	2e-05
gb|AF283583.1|AF283583	Elaphe obsoleta LSUMZ H3188 cytochro...	50	2e-05
gb|AF283582.1|AF283582	Elaphe obsoleta LSUMZ H3186 cytochro...	50	2e-05
gb|AF283581.1|AF283581	Elaphe obsoleta LSUMZ H3169 cytochro...	50	2e-05
gb|AF283580.1|AF283580	Elaphe obsoleta CAS 203083 cytochrom...	50	2e-05
gb|AF283579.1|AF283579	Elaphe obsoleta CAS 203079 cytochrom...	50	2e-05
gb|AF283578.1|AF283578	Elaphe obsoleta LSUMZ H2286 cytochro...	50	2e-05
gb|AF283577.1|AF283577	Elaphe obsoleta CAS 208631 cytochrom...	50	2e-05
gb|AF283576.1|AF283576	Elaphe obsoleta LSUMZ H2229 cytochro...	50	2e-05
gb|AF187030.1|AF187030	Rhinophylla pumilio isolate TK46001 ...	50	2e-05
gb|AF310052.1|AF310052	Poospiza hispaneolensis cytochrome b...	50	2e-05
gb|AF310046.1|AF310046	Volatinia jacarina cytochrome b gene...	50	2e-05
gb|AF171919.1|AF171919	Deinagkistrodon acutus cytochrome b ...	50	2e-05
gb|AF171897.1|AF171897	Trimeresurus mucrosquamatus cytb gen...	50	2e-05
gb|AF290174.1|AF290174	Agelaius cyanopus cytochrome b (cytb...	50	2e-05
gb|AF290173.1|AF290173	Agelaius phoeniceus cytochrome b (cy...	50	2e-05
gb|AF290171.1|AF290171	Quiscalus major cytochrome b (cytb) ...	50	2e-05
gb|AF290170.1|AF290170	Amblycercus holosericeus cytochrome ...	50	2e-05
gb|AF290150.1|AF290150	Volatinia jacarina cytochrome b (cyt...	50	2e-05
gb|AF176252.1|AF176252	Reithrodontomys zacatecae cytochrome...	50	2e-05
gb|AF176251.1|AF176251	Reithrodontomys zacatecae cytochrome...	50	2e-05
gb|AF163907.1|AF163907	Microtus xanthognathus cytochrome b ...	50	2e-05
gb|AF163904.1|AF163904	Microtus pinetorum cytochrome b gene...	50	2e-05
gb|AF163901.1|AF163901	Microtus ochrogaster cytochrome b ge...	50	2e-05
gb|AF163899.1|AF163899	Microtus miurus cytochrome b gene, c...	50	2e-05
gb|AF163891.1|AF163891	Microtus californicus cytochrome B (...	50	2e-05
gb|AF163890.1|AF163890	Microtus abbreviatus cytochrome B (c...	50	2e-05
gb|AF288524.1|AF288524	Dipsochelys dussumieri isolate Germa...	50	2e-05
gb|AF288523.1|AF288523	Dipsochelys dussumieri isolate white...	50	2e-05
gb|AF288522.1|AF288522	Dipsochelys dussumieri isolate Aldy ...	50	2e-05
gb|AF123530.1|AF123530	Psilopogon pyrolophus cytochrome b (...	50	2e-05
gb|AF123512.1|AF123512	Eubucco bourcierii tucinkae cytochro...	50	2e-05
gb|AF206548.1|AF206548	Adolfus vaueraselli cytochrome b gen...	50	2e-05
gb|AF197867.1|AF197867	Cymnorhina tibicen cytochrome b gene...	50	2e-05
gb|U63197.2|SEU63197	Sitta europaea cytochrome b gene, part...	50	2e-05
ref|NC_001965.1|	Dinodon semicarinatus mitochondrion, compl...	50	2e-05
ref|NC_001821.1|	Dasypus novemcinctus mitochondrion, comple...	50	2e-05
gb|AF141217.1|AF141217	Dasymys incomtus country Tanzania cy...	50	2e-05
gb|AF201615.1|AF201615	Pantodon buchholzi cyotchrome b gene...	50	2e-05
gb|AF077920.1|AF077920	Bombus nevadensis cytochrome b gene,...	50	2e-05
gb|AF190612.1|AF190612	Oreamnos americanus cytochrome b (cy...	50	2e-05
gb|J01394.1|BOVMT	Bos taurus mitochondrion, complete genome	50	2e-05
gb|AF191810.1|AF191810	Cochlearius cochlearius cytochrome b...	50	2e-05

gb|U89161.1|CAU89161	Chlorostilbon aureoventris cytochrome ...	50	2e-05
gb|U89171.1|AFU89171	Asio flammeus cytochrome b (cytb) gene...	50	2e-05
gb|AF217833.1|AF217833	Homoroselaps lacteus cytochrome b ge...	50	2e-05
gb|AF217822.1|AF217822	Hydrophis semperi cytochrome b gene....	50	2e-05
gb|AF217813.1|AF217813	Acanthophis antarcticus cytochrome b...	50	2e-05
gb|AF220408.1|AF220408	Calliophis kelloggi cytochrome b (cy...	50	2e-05
gb|AF126430.1|AF126430	Ellobius fuscocapillus cytochrome b ...	50	2e-05
gb|AF090337.1|AF090337	Aythya americana mitochondrion, comp...	50	2e-05
gb|AF059111.1|AF059111	Sarkidiornis melanotos cytochrome b ...	50	2e-05
gb|AF059053.1|AF059053	Aix sponsa cytochrome b gene, partia...	50	2e-05
gb|AF099308.1|AF099308	Icterus wagleri wagleri cytochrome b...	50	2e-05
gb|AF099295.1|AF099295	Icterus gularis yucatanensis cytochr...	50	2e-05
gb|AF099294.1|AF099294	Icterus gularis tamaulipensis cytoch...	50	2e-05
gb|AF099293.1|AF099293	Icterus gularis gularis cytochrome b...	50	2e-05
gb|AF160610.1|AF160610	Cricetomys emini Cemi636 cytochrome ...	50	2e-05
gb|AF036280.1|AF036280	Tragelaphus strepsiceros cytochrome ...	50	2e-05
gb|AF036277.1|AF036277	Tragelaphus scriptus cytochrome b (c...	50	2e-05
gb|AF036274.1|	Tetracerus quadricornis cytochrome b (cytb) ...	50	2e-05
gb|AF194218.1|AF194218	Phrynosoma platyrhinos cytochrome b ...	50	2e-05
gb|AF194216.1|AF194216	Urosaurus ornatus cytochrome b gene,...	50	2e-05
ref|NC_002009.1|	Artibeus jamaicensis mitochondrion, comple...	50	2e-05
ref|NC_001941.1|	Ovis aries mitochondrion, complete genome	50	2e-05
ref|NC_000877.1|	Aythya americana mitochondrion, complete g...	50	2e-05
ref|NC_000846.1|	Rhea americana mitochondrion, complete genome	50	2e-05
gb|U27551.1|GCU27551	Grus canadensis tabida cytochrome b (c...	50	2e-05
gb|AF089058.1|AF089058	Quiscalus quiscula cytochrome b (cyt...	50	2e-05
gb|AF089055.1|AF089055	Quiscalus major cytochrome b (cytb) ...	50	2e-05
gb|AF089054.1|AF089054	Quiscalus lugubris cytochrome b (cyt...	50	2e-05
gb|AF089046.1|AF089046	Oreopsar bolivianus cytochrome b (cy...	50	2e-05
gb|AF089042.1|AF089042	Molothrus badius cytochrome b (cytb)...	50	2e-05
gb|AF089039.1|AF089039	Macroagelaius imthurni cytochrome b ...	50	2e-05
gb|AF089037.1|AF089037	Lampropsar tanagrinus cytochrome b (...	50	2e-05
gb|AF089026.1|AF089026	Gymnomystax mexicanus cytochrome b (...	50	2e-05
gb|AF089025.1|AF089025	Gnorimopsar chopi cytochrome b (cytb...	50	2e-05
gb|AF089024.1|AF089024	Euphagus cyanocephalus cytochrome b ...	50	2e-05
gb|AF089023.1|AF089023	Euphagus carolinus cytochrome b (cyt...	50	2e-05
gb|AF089021.1|AF089021	Dives warszewiczi cytochrome b (cyt...	50	2e-05
gb|AF089020.1|AF089020	Curaeus curaeus cytochrome b (cytb) ...	50	2e-05
gb|AF089016.1|AF089016	Amblycercus holosericeus cytochrome ...	50	2e-05
gb|AF089013.1|AF089013	Agelaius xanthophthalmus cytochrome ...	50	2e-05
gb|AF089012.1|AF089012	Agelaius xanthomus cytochrome b (cyt...	50	2e-05
gb|AF089008.1|AF089008	Agelaius phoeniceus sub-species phoe...	50	2e-05
gb|AF089006.1|AF089006	Agelaius humeralis cytochrome b (cyt...	50	2e-05
gb|AF089005.1|AF089005	Agelaius cyanopus cytochrome b (cytb...	50	2e-05
gb|AF108695.1|AF108695	Scolomys juruaense cytochrome B (cyt...	50	2e-05
gb|AF108685.1|AF108685	Wiedomys pyrrhorhinos cytochrome B (...	50	2e-05
gb|AF108677.1|AF108677	Thomasomys oreas cytochrome B (cytB)...	50	2e-05
gb|AF145531.1|AF145531	Melanoplus foedus cytochrome b gene,...	50	2e-05
gb|AF145511.1|AF145511	Melanoplus angustipennis cytochrome ...	50	2e-05
gb|U89627.1|9MU89627	Bolitoglossa marmorea cytochrome b (cy...	50	2e-05
gb|U89623.1|BPU89623	Batrachoseps pacificus cytochrome b (c...	50	2e-05
gb|AF181470.1|AF181470	Okapia johnstoni cytochrome b gene, ...	50	2e-05
gb|AF084075.1|AF084075	Lagenorhynchus acutus cytochrome b g...	50	2e-05
gb|U90303.1|OMU90303	Ovibos moschatus cytochrome b (cytb) g...	50	2e-05
gb|U90302.1|OMU90302	Ovibos moschatus cytochrome b (cytb) g...	50	2e-05
gb|U90301.1|OMU90301	Ovibos moschatus cytochrome b (cytb) g...	50	2e-05
gb|U90300.1|OMU90300	Ovibos moschatus cytochrome b (cytb) g...	50	2e-05
gb|AF038883.1|AF038883	Deinagkistrodon acutus cytochrome b ...	50	2e-05
gb|AF039268.1|AF039268	Agkistrodon contortrix cytochrome b ...	50	2e-05
gb|AF039267.1|AF039267	Boa constrictor cytochrome b (cytb) ...	50	2e-05
gb|S49215.1|S49215	apocytochrome b [sheep, domestic, Merino...	50	2e-05
gb|AF158698.1|AF158698	Geomys pinetis cytochrome b gene, co...	50	2e-05
gb|AF158692.1|AF158692	Geomys bursarius jugoasicularis cyto...	50	2e-05
gb|AF058193.1|AF058193	Ichaginia cruentus cytochrome b (cyt...	50	2e-05
gb|AF091629.1|AF091629	Antilocapra americana cytochrome b (...	50	2e-05
gb|AF022061.1|	Tragelaphus strepsiceros cytochrome b (cytb) ...	50	2e-05
gb|AF022062.1|	Tragelaphus derbianus cytochrome b (cytb) ge...	50	2e-05
gb|AF022060.1|	Hippotragus equinus cytochrome b (cytb) gene...	50	2e-05
gb|AF022057.1|	Tragelaphus oryx cytochrome b (cytb) gene, m...	50	2e-05
gb|AF111500.1|AF111500	Lagenorhynchus acutus isolate LAC94...	50	2e-05
gb|AF111499.1|AF111499	Lagenorhynchus acutus isolate LAC93 ...	50	2e-05

gb|U69[illegible].1|LBU69[illegible]	Loxocemus bicolor cytochrome b (cytb) ...	50	2e-05
gb|U69810.1|EMU69810	Eunectes notaeus cytochrome b (cytb) g...	50	2e-05
gb|U69808.1|EMU69808	Eunectes murinus cytochrome b (cytb) g...	50	2e-05
gb|U69799.1|ESU69799	Epicrates striatus fosteri cytochrome ...	50	2e-05
gb|U69796.1|ESU69796	Epicrates striatus strigilatus cytochr...	50	2e-05
gb|U69795.1|ESU69795	Epicrates striatus strigilatus cytochr...	50	2e-05
gb|U69794.1|ESU69794	Epicrates striatus mccraniei cytochrom...	50	2e-05
gb|U69793.1|ESU69793	Epicrates striatus mccraniei cytochrom...	50	2e-05
gb|U69792.1|EMU69792	Epicrates monensis cytochrome b (cytb)...	50	2e-05
gb|U69790.1|EMU69790	Epicrates monensis cytochrome b (cytb)...	50	2e-05
gb|U69786.1|EFU69786	Epicrates fordi cytochrome b (cytb) ge...	50	2e-05
gb|U69784.1|EFU69784	Epicrates fordi cytochrome b (cytb) ge...	50	2e-05
gb|U69779.1|ECU69779	Epicrates cenchria cytochrome b (cytb)...	50	2e-05
gb|U69777.1|ECU69777	Epicrates cenchria cytochrome b (cytb)...	50	2e-05
gb|U69776.1|EAU69776	Epicrates angulifer cytochrome b (cytb...	50	2e-05
gb|U69774.1|EAU69774	Epicrates angulifer cytochrome b (cytb...	50	2e-05
gb|U69772.1|CEU69772	Corallus enydris cytochrome b (cytb) g...	50	2e-05
gb|U69771.1|CEU69771	Corallus enydris cytochrome b (cytb) g...	50	2e-05
gb|U69770.1|CEU69770	Corallus enydris cytochrome b (cytb) g...	50	2e-05
gb|U69769.1|CEU69769	Corallus enydris cytochrome b (cytb) g...	50	2e-05
gb|U69752.1|CAU69752	Candoia aspera cytochrome b (cytb) gen...	50	2e-05
gb|U69746.1|BCU69746	Boa constrictor cytochrome b (cytb) ge...	50	2e-05
gb|U69740.1|BCU69740	Boa constrictor cytochrome b (cytb) ge...	50	2e-05
gb|AF139057.1|AF139057	Isoodon macrourus cytochrome b gene,...	50	2e-05
gb|AF090339.1|AF090339	Rhea americana mitochondrion, comple...	50	2e-05
gb|AF006275.1|AF006275	Chemidophorus tigris strain Isla Ang...	50	2e-05
gb|AF006267.1|AF006267	Chemidophorus tigris strain Isla Smi...	50	2e-05
gb|AF034969.1|AF034969	Connochaetes taurinus cytochrome b g...	50	2e-05
gb|AF028822.1|AF028822	Alcelaphus buselaphus cytochrome b g...	50	2e-05
gb|AF028821.1|AF028821	Damaliscus lunatus cytochrome b gene...	50	2e-05
gb|AF061340.1|AF061340	Artibeus jamaicensis mitochondrial D...	50	2e-05
gb|AF076093.1|AF076093	Thalassarche impavida cytochrome b (...	50	2e-05
gb|AF076091.1|AF076091	Thalassarche carteri cytochrome b (c...	50	2e-05
gb|AF076072.1|AF076072	Pelagodroma marina cytochrome b (cyt...	50	2e-05
gb|AF076063.1|AF076063	Oceanodroma furcata cytochrome b (cy...	50	2e-05
gb|AF076059.1|AF076059	Hydrobates pelagicus cytochrome b (c...	50	2e-05
gb|AF076056.1|AF076056	Garrodia nereis cytochrome b (cytb) ...	50	2e-05
gb|AF076053.1|AF076053	Fregetta tropica cytochrome b (cytb)...	50	2e-05
gb|AF076050.1|AF076050	Diomedea gibsoni cytochrome b (cytb)...	50	2e-05
gb|AF076049.1|AF076049	Diomedea epomophora cytochrome b (cy...	50	2e-05
gb|AF076048.1|AF076048	Diomedea chionoptera cytochrome b (c...	50	2e-05
gb|AF076047.1|AF076047	Diomedea antipodensis cytochrome b (...	50	2e-05
gb|U83314.1|MSU83314	Micrastur semitorquatus cytochrome b (...	50	2e-05
gb|U83318.1|MEU83318	Microhierax erythrogenys cytochrome b ...	50	2e-05
gb|U37303.1|SAU37303	Synthliboramphus antiquus cytochrome b...	50	2e-05
gb|U37302.1|PAU37302	Ptychoramphus aleuticus cytochrome b g...	50	2e-05
gb|U37296.1|CPU37296	Cyclorrhynchus psittacula cytochrome b...	50	2e-05
gb|U37289.1|BBU37289	Brachyramphus brevirostris cytochrome ...	50	2e-05
gb|U37286.1|APU37286	Aethia pygmaea cytochrome b gene, mito...	50	2e-05
gb|U37104.1|APU37104	Aethia pusilla cytochrome b gene, mito...	50	2e-05
gb|U37087.1|ACU37087	Aethia cristatella cytochrome b gene, ...	50	2e-05
gb|U87525.1|HGU87525	Heterocephalus glaber cytochrome-b gen...	50	2e-05
gb|U87524.1|HGU87524	Heterocephalus glaber cytochrome-b gen...	50	2e-05
gb|U87523.1|HGU87523	Heterocephalus glaber cytochrome-b gen...	50	2e-05
gb|U87522.1|HGU87522	Heterocephalus glaber cytochrome-b gen...	50	2e-05
gb|U17964.1|STU17864	Saiga tatarica cytochrome b gene, mito...	50	2e-05
gb|U17863.1|OAU17863	Oreamnos americanus cytochrome b gene....	50	2e-05
gb|U17862.1|OMU17862	Ovibos moschatus moschatus cytochrome ...	50	2e-05
gb|U17860.1|ODU17860	Ovis dalli cytochrome b gene, mitochon...	50	2e-05
gb|U17859.1|OCU17859	Ovis canadensis cytochrome b gene, mit...	50	2e-05
gb|U65274.1|TBU65274	Thomomys bottae cytochrome b (cytb) ge...	50	2e-05
gb|U65267.1|TBU65267	Thomomys bottae cytochrome b (cytb) ge...	50	2e-05
gb|U65260.1|TBU65260	Thomomys bottae cytochrome b (cytb) ge...	50	2e-05
gb|U65101.1|PAU65101	Perognathus amplus cytochrome b (cytb)...	50	2e-05
gb|AF014719.1|AF014719	Capra aegagrus cytochrome b (cytb) g...	50	2e-05
gb|AF014718.1|	Capra caucasica cytochrome b (cytb) gene, mi...	50	2e-05
gb|AF014717.1|	Capra cylindricornis cytochrome b (cytb) gen...	50	2e-05
gb|AF014716.1|AF014716	Capra falconeri cytochrome b (cytb) ...	50	2e-05
gb|AF014715.1|	Capra ibex cytochrome b (cytb) gene, mitocho...	50	2e-05
gb|AF014710.1|AF014710	Ovis aries cytochrome b (cytb) gene,...	50	2e-05
gb|AF014709.1|AF014709	Ovis vignei cytochrome b (cytb) gene	50	2e-05

gb|AF034724.1|	Ovis dalli dalli cytochrome b (cytb) gene, m...	50	2e-05
gb|AF034727.1|	Ovis ammon darwini cytochrome b (cytb) gene....	50	2e-05
gb|AF034724.1|AF034724	Pantholops hodgsoni cytochrome b (cy...	50	2e-05
gb|AF057132.1|AF057132	Taxidea taxus cytochrome b (cytb) ge...	50	2e-05
gb|U94805.1|TMU94805	Trogon melanurus cytochrome b gene, mi...	50	2e-05
gb|U94804.1|TCU94804	Trogon comptus cytochrome b gene, mito...	50	2e-05
gb|U94803.1|TVU94803	Trogon viridis cytochrome b gene, mito...	50	2e-05
gb|AF006251.1|AF006251	Sericossypha albocristata cytochrome...	50	2e-05
gb|AF006249.1|AF006249	Pyrrhocoma ruficeps cytochrome b (cy...	50	2e-05
gb|AF006238.1|AF006238	Lamprospiza melanoleuca cytochrome b...	50	2e-05
gb|AF006234.1|AF006234	Hemispingus atropileus cytochrome b ...	50	2e-05
gb|AF006226.1|AF006226	Cypsnagra hirundinacea cytochrome b ...	50	2e-05
gb|AF006215.1|AF006215	Chlorophanes spita cytochrome b (cyt...	50	2e-05
gb|AF006214.1|AF006214	Chlorochrysa calliparaea cytochrome ...	50	2e-05
gb|AF006213.1|AF006213	Calochaetes coccineus cytochrome b (...	50	2e-05
gb|AF006212.1|AF006212	Buthraupis montana cytochrome b (cyt...	50	2e-05
emb|AJ293419.1|RRU293419	Rupicapra rupicapra rupicapra mito...	50	2e-05
emb|AJ293416.1|RPY293416	Rupicapra pyrenaica pyrenaica mito...	50	2e-05
emb|AJ293415.1|RPY293415	Rupicapra pyrenaica parva mitochon...	50	2e-05
emb|AJ293414.1|RPY293414	Rupicapra pyrenaica ornata mitocho...	50	2e-05
emb|AJ293412.1|RRU293412	Rupicapra rupicapra rupicapra mito...	50	2e-05
emb|AJ293418.1|CFA293418	Capra falconeri mitochondrial part...	50	2e-05
gb|U07578.1|DCU07578	Dasycercus cristicauda mitochondrion c...	50	2e-05
emb|AJ004180.1|HPAJ4180	Hydrobates pelagicus mitochondrial ...	50	2e-05
emb|Y15695.1|SMY15695	Schilbe mystus mitochondrial cytb gen...	50	2e-05
emb|Y15697.1|EDY15697	Eutropius depressirostris mitochondri...	50	2e-05
emb|Y15696.1|EDY15696	Eutropius depressirostris mitochondri...	50	2e-05
gb|AF015035.1|AF015035	Steatocranus casuarinus 20 cytochrom...	50	2e-05
gb|AF015761.1|AF015761	Palmeria dolei cytochrome b (Cytb) g...	50	2e-05
gb|AF015758.1|AF015758	Oreomystis mana cytochrome b (Cytb) ...	50	2e-05
gb|AF015756.1|AF015756	Vestiaria coccinea cytochrome b (Cyt...	50	2e-05
gb|AF015754.1|AF015754	Himatione sanguinea cytochrome b (Cy...	50	2e-05
gb|U76052.1|DNU76052	Dromaius novaehollandiae cytochrome b ...	50	2e-05
emb|AJ236834.1|CGL236834	Clethrionomys glareolus mitochondr...	50	2e-05
gb|U83158.1|POU83158	Pelecanus onocrotalus cytochrome B gen...	50	2e-05
gb|U83157.1|POU83157	Pelecanus onocrotalus cytochrome B gen...	50	2e-05
gb|U83156.1|AAU83156	Anhinga anhinga cytochrome B gene, mit...	50	2e-05
gb|U83155.1|AAU83155	Anhinga anhinga cytochrome B gene, mit...	50	2e-05
gb|U83154.1|AAU83154	Anhinga anhinga cytochrome B gene, mit...	50	2e-05
gb|U81356.1|CLU81356	Chelodina longicollis cytochrome b gen...	50	2e-05
emb|AJ277676.1|ESC277676	Elaphe scalaris mitochondrial part...	50	2e-05
emb|AJ277675.1|ESC277675	Elaphe scalaris mitochondrial part...	50	2e-05
emb|AJ277672.1|ELO277672	Elaphe longissima mitochondrial pa...	50	2e-05
emb|AJ277671.1|ELO277671	Elaphe longissima mitochondrial pa...	50	2e-05
emb|Y11832.1|MTDNCOMGN	Dasypus novemcinctus complete mitoch...	50	2e-05
emb|AJ388467.1|NBAJ388467	Nemacheilus barbatulus mitchondria...	50	2e-05
emb|AJ388468.1|IME388468	Ictalurus melas mitchondrial cyt b...	50	2e-05
emb|AJ388459.1|LDE388459	Leucaspius delineatus mitchondrial...	50	2e-05
gb|U46167.1|SCU46167	Sciurus carolinensis cytochrome b gene...	50	2e-05
emb|AJ245673.1|SIN245673	Schilbe intermedius partial mitoch...	50	2e-05
emb|AJ245638.1|SIN245638	Schilbe intermedius partial mitoch...	50	2e-05
emb|AJ245678.1|EDE245678	Eutropius depressirostris partial ...	50	2e-05
emb|AJ245677.1|EDE245677	Eutropius depressirostris partial ...	50	2e-05
emb|AJ245676.1|EDE245676	Eutropius depressirostris partial ...	50	2e-05
emb|AJ245675.1|EDE245675	Eutropius depressirostris partial ...	50	2e-05
emb|AJ245674.1|EDE245674	Eutropius depressirostris partial ...	50	2e-05
emb|Y16886.1|MTRACOMPL	Rhea americana complete mitochondria....	50	2e-05
gb|U60768.1|PCU60768	Parus cinctus cytochrome b gene, mitoc...	50	2e-05
gb|U48955.1|TMU48955	Thalassarche melanophris melanophris c...	50	2e-05
gb|U48954.1|TCU48954	Thalassarche chrysostoma cytochrome b ...	50	2e-05
gb|U48944.1|TCU48944	Thalassarche chlororhynchos chlororhym...	50	2e-05
gb|U48943.1|PPU48943	Phoebetria palpebrata cytochrome b (cy...	50	2e-05
gb|U48942.1|PFU48942	Phoebetria fusca cytochrome b (cytb) g...	50	2e-05
gb|U48941.1|MCU48941	Macronectes giganteus cytochrome b (cy...	50	2e-05
gb|U48947.1|DEU48947	Diomedea exulans dabbenena cytochrome ...	50	2e-05
gb|U48946.1|DEU48946	Diomedea epomophora sanfordi cytochrom...	50	2e-05
gb|U48948.1|DAU48948	Diomedea amsterdamensis cytochrome b (...	50	2e-05
gb|U15735.1|PRU15735	Piranga rubra cytochrome b gene, mitoc...	50	2e-05
gb|U65509.1|APU65509	Artibeus planirostris cytochrome b (cy...	50	2e-05
gb|U65507.1|AOU65507	Artibeus obscurus cytochrome b (cytb) ...	50	2e-05
gb|U65505.1|AOU65505	Artibeus obscurus cytochrome b (cytb) ..	50	2e-05

gb|U66505.1|ALU66505	Artibeus lituratus cytochrome b (cytb)...	50	2e-05
gb|U66504.1|AJU66504	Artibeus jamaicensis cytochrome b (cyt...	50	2e-05
gb|U66503.1|AJU66503	Artibeus jamaicensis cytochrome b (cyt...	50	2e-05
gb|U66502.1|AIU66502	Artibeus intermedius cytochrome b (cyt...	50	2e-05
gb|U66501.1|AIU66501	Artibeus inopinatus cytochrome b (cytb...	50	2e-05
gb|U66500.1|AHU66500	Artibeus hirsutus cytochrome b (cytb) ...	50	2e-05
gb|U66499.1|AFU66499	Artibeus fraterculus cytochrome b (cyt...	50	2e-05
gb|U66498.1|AFU66498	Artibeus fimbriatus cytochrome b (cytb...	50	2e-05
gb|U63061.1|BBU63061	Brachyramphus brevirostris cytochrome ...	50	2e-05
gb|U63060.1|BBU63060	Brachyramphus brevirostris cytochrome ...	50	2e-05
gb|U63059.1|BBU63059	Brachyramphus brevirostris cytochrome ...	50	2e-05
gb|U63058.1|BBU63058	Brachyramphus brevirostris cytochrome ...	50	2e-05
gb|U58386.1|SJU58386	Scolomys juruaense cytochrome b (cyt-b...	50	2e-05
gb|L11905.1|CGYMTCYTBD	Cratogeomys gymnurus mitochondrial c...	50	2e-05
gb|U34672.1|MNU34672	Metachirus nudicaudatus cytochrome b l...	50	2e-05
gb|U34671.1|MNU34671	Metachirus nudicaudatus cytochrome b l...	50	2e-05
emb|Y14951.1|MTY14951	Capreolus capreolus mitochondrial cyt...	50	2e-05
emb|Y14371.1|MTCCCYTB	Capreolus capreolus mitochondrial cyt...	50	2e-05
gb|L11909.1|CGYMTCYTBH	Cratogeomys tylorhinus mitochondrial...	50	2e-05
gb|L11901.1|PPGMTCYTBB	Geomys bursarius juggosicularis mito...	50	2e-05
gb|L11904.1|CGYMTCYTBC	Cratogeomys goldmani goldmani mitoch...	50	2e-05
emb|X94928.1|SPCYTB	S.putorius mitochondrial DNA for cytoch...	50	2e-05
gb|U46770.1|ARU46770	Anthus richardi cytochrome b gene, mit...	50	2e-05
gb|U46769.1|ABU46769	Anthus berthelotii cytochrome b gene, ...	50	2e-05
gb|U46183.1|SSU46183	Sciurus stramineus cytochrome b gene, ...	50	2e-05
emb|Y10728.1|PSMY10728	P.schwarzi mitochondrial cytb gene, ...	50	2e-05
emb|X95768.1|NLMCB	N.leucopterus mitochondrial cytochrome b...	50	2e-05
emb|X95767.1|NGRIMCB	N.griseus mitochondrial cytochrome b gene	50	2e-05
emb|X86763.1|MTVGCYT26	V.gryphus mitochondrial cytb gene	50	2e-05
emb|X86754.1|MTLCCYT17	L.crumeniferus mitochondrial cytb gene	50	2e-05
emb|X86743.1|MTCACYT6	C.aura mitochondrial cytb gene	50	2e-05
dbj|AB035242.1|AB035242	Pantodon buchholzi mitochondrial cy...	50	2e-05
emb|X50946.1|MITDCB33	T. dorbignyi mitochondrial gene for c...	50	2e-05
emb|AJ000029.1|MIRTCYB29	Rangifer tarandus mitochondrial cy...	50	2e-05
emb|X82302.1|MIPFCYTBG	P.fasciata mitochondrial cytochrome ...	50	2e-05
emb|X56291.1|MIOHCYTB	O.hemionus mitochondrion cytb gene fo...	50	2e-05
emb|X56284.1|MIOACYTB	O.aries mitochondrion cytb gene for c...	50	2e-05
emb|AJ000022.1|MIMSCYB22	Dama dama mitochondrial cytb gene	50	2e-05
emb|X72005.1|MILWCYTB	L.weddelli mitochondrial gene for cyt...	50	2e-05
emb|Y09914.1|MIHLCYTBG	H.liberiensis mitochondrial cytochro...	50	2e-05
emb|X60942.1|MIGTCBII	Gymnorhina tibicen mitochondrial gene...	50	2e-05
emb|X56290.1|MIDDCYTB	D.dama mitochondrion cytb gene for cy...	50	2e-05
emb|AJ000021.1|MICECYB21	Cervus elaphus mitochondrial cytb ...	50	2e-05
emb|AJ000024.1|MICCCYB24	Capreolus capreolus mitochondrial ...	50	2e-05
emb|V00654.1|MIBTXX	Bos taurus complete mitochondrial genome	50	2e-05
emb|X56286.1|MIAACYTBA	A.americana mitochondrion cytb gene ...	50	2e-05
gb|L19718.1|ALUMTCYTB	Artibeus lituratus mitochondrial cyto...	50	2e-05
gb|U27543.1|BRU27543	Balearica regulorum cytochrome b (cytb...	50	2e-05
dbj|AB030025.1|AB030025	Sciurus stramineus mitochondrial cy...	50	2e-05
gb|U18258.1|SCU18258	Spharagemon campestris cytochrome b ge...	50	2e-05
gb|U18257.1|SCU18257	Spharagemon collare cytochrome b gene....	50	2e-05
gb|U18253.1|TPU18253	Trimerotropis pistrinaria cytochrome b...	50	2e-05
gb|U18250.1|CPU18250	Camnula pellucida cytochrome b gene, m...	50	2e-05
gb|U17904.1|CCU17904	Circotettix carlinianus mitochondrion ...	50	2e-05
dbj|D84202.1|GOTMTCBB	Capra falconeri mitochondrial DNA for...	50	2e-05
dbj|D82889.1|D82889	Bos javanicus mitochondrial DNA for cyt...	50	2e-05
dbj|D32195.1|CCRMTCB25	Capricornis sumatrensis mitochodrial...	50	2e-05
dbj|D32191.1|CCRMTCB21	Capricornis crispus mitochondrial ge...	50	2e-05
dbj|AB021098.1|AB021098	Cervus elaphus kansuensis mitochond...	50	2e-05
dbj|AB021097.1|AB021097	Cervus elaphus xanthopygus mitochon...	50	2e-05
dbj|AB021095.1|AB021095	Cervus nippon yesoensis mitochondri...	50	2e-05
dbj|AB021094.1|AB021094	Cervus nippon centralis mitochondri...	50	2e-05
dbj|AB021092.1|AB021092	Cervus nippon mageshimae mitochondr...	50	2e-05
dbj|AB021091.1|AB021091	Cervus nippon keramae mitochondrial...	50	2e-05
dbj|AB001612.1|AB001612	Cervus elaphus mitochondrial DNA fo...	50	2e-05
dbj|D84205.1|SHPMTCBE	Sheep mitochondrial DNA for cytochrom...	50	2e-05
dbj|D84203.1|SHPMTCBC	Ovis musimon mitochondrial DNA for cy...	50	2e-05
dbj|D14615.1|BOVMTCBB	Bos javanicus mitochondrial gene for ...	50	2e-05
dbj|D14615.1|BOVMTCBA	Bovine mitochondrial gene for cytochr...	50	2e-05
dbj|D12198.1|ORMMTCB18	Oreamnos americanus mitochondrial ge...	50	2e-05
dbj|D12195.1|NAGMTCB16	Nemorhaedus goral mitochondrial gene...	50	2e-05

dbj|D32182.1|CEUMTCBII	Cervus nippon mitochondrial gene for...	50	2e-05
dbj|AB021095.1|AB021095	Cervus elaphus scoticus mitochondri...	50	2e-05
dbj|AB021096.1|AB021096	Cervus elaphus canadensis mitochond...	50	2e-05
dbj|AB021093.1|AB021093	Cervus nippon nippon mitochondrial ...	50	2e-05
dbj|AB021090.1|AB021090	Cervus nippon pulchellus mitochondr...	50	2e-05
dbj|AB006539.1|AB006539	Dinocon semicarinatus mitochondrial...	50	2e-05
dbj|AB006800.1|AB006800	Ovis aries mitochondrial DNA for cy...	50	2e-05
gb|L12761.1|LDHMTCYTB	Lepidochelys kempi (LK-3) mitochondri...	50	2e-05
gb|L06032.1|CPLMTCYTBA	Carcharhinus plumbeus mitochondrial ...	50	2e-05
gb|L28941.1|URRCYB	Uroderma bilobatum cytochrome b gene, 5'...	50	2e-05
gb|L28937.1|CDECYB	Chiroderma doriae cytochrome b gene, 5' end	50	2e-05
emb|AJ010056.1|CPY010056	Capra pyrenaica (individual 12) mi...	50	2e-05
emb|AJ010054.1|CPY010054	Capra pyrenaica (individual 11) mi...	50	2e-05
emb|AJ010053.1|CPY010053	Capra pyrenaica (individual 10) mi...	50	2e-05
emb|AJ010052.1|CPY010052	Capra pyrenaica (individual 9) mit...	50	2e-05
emb|AJ010051.1|CPY010051	Capra pyrenaica (individual 8) mit...	50	2e-05
emb|AJ010050.1|CPY010050	Capra pyrenaica (individual 7) mit...	50	2e-05
emb|AJ010049.1|CPY010049	Capra pyrenaica (individual 6) mit...	50	2e-05
emb|AJ010048.1|CPY010048	Capra pyrenaica (individual 5) mit...	50	2e-05
emb|AJ010047.1|CPY010047	Capra pyrenaica (individual 4) mit...	50	2e-05
emb|X95777.1|CLMCB	C.longirostris mitochondrial cytochrome ...	50	2e-05
emb|AJ009879.1|CIB9879	Capra ibex nubiana mitochondrial cyt...	50	2e-05
emb|AJ010055.1|CIB010055	Capra ibex (individual 1) ibex mit...	50	2e-05
gb|U08946.1|CAU08946	Coragyps atratus mitochondrion cytochr...	50	2e-05
gb|U08945.1|CBU08945	Cathartes burrovianus mitochondrion cy...	50	2e-05
gb|U08944.1|VGU08944	Vultur gryphus mitochondrion cytochrom...	50	2e-05
gb|U08941.1|PAU08941	Platalea alba mitochondrion cytochrome...	50	2e-05
gb|U08940.1|PRU08940	Phoenicopterus ruber mitochondrion cyt...	50	2e-05
emb|X95775.1|ACMCB	A.cristatus mitochondrial cytochrome b gene	50	2e-05
emb|X95774.1|ABMCB	A.bennettii mitochondrial cytochrome b gene	50	2e-05
emb|X95764.1|AAMCB	A.albertisi mitochondrial cytochrome b gene	50	2e-05
gb|AF040383.1|AF040383	Alces alces cytochrome b (cytb) gene...	48	8e-05
gb|AF232023.1|AF232023	Tamandua tetradactyla clone 7 cytoch...	46	3e-04
gb|AF232022.1|AF232022	Tamandua tetradactyla clone 6 mitoch...	46	3e-04
gb|AF232021.1|AF232021	Tamandua tetradactyla clone 5 cytoch...	46	3e-04
gb|AF157466.1|AF157466	Lepus timidus cytochrome b (Cyb) gen...	46	3e-04
gb|AF157465.1|AF157465	Lepus granatensis cytochrome b (Cyb)...	46	3e-04
gb|AF157464.1|AF157464	Lepus corsicanus haplotype 1 cytochr...	46	3e-04
gb|AF157463.1|AF157463	Lepus corsicanus haplotype 3 cytochr...	46	3e-04
gb|AF157460.1|AF157460	Lepus europaeus cytochrome b (Cyb) g...	46	3e-04
gb|AF231664.1|AF231664	Tylosurus crocodilus crocodilus cyto...	46	3e-04
gb|AF231663.1|AF231663	Tylosurus crocodilus clone STRI-1317...	46	3e-04
gb|AF231662.1|AF231662	Tylosurus crocodilus clone HB-166 cy...	46	3e-04
gb|AF231660.1|AF231660	Tylosurus acus pacificus cytochrome ...	46	3e-04
gb|AF231659.1|AF231659	Tylosurus acus melanotus clone STRI-...	46	3e-04
gb|AF231658.1|AF231658	Tylosurus acus melanotus clone STRI-...	46	3e-04
gb|AF231657.1|AF231657	Tylosurus acus imperialis cytochrome...	46	3e-04
gb|AF231656.1|AF231656	Tylosurus acus acus cytochrome b oxi...	46	3e-04
gb|AF231644.1|AF231644	Strongylura hubbsi cytochrome b oxid...	46	3e-04
gb|AF231639.1|AF231639	Ablennes hians cytochrome b oxidase ...	46	3e-04
gb|AF232019.1|AF232019	Tamandua tetradactyla clone 3 cytoch...	46	3e-04
gb|AF232017.1|AF232017	Tamandua tetradactyla clone 1 cytoch...	46	3e-04
gb|AF232014.1|AF232014	Mylodon darwinii cytochrome b gene. ...	46	3e-04
gb|AF118564.1|AF118564	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118563.1|AF118563	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118562.1|AF118562	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118561.1|AF118561	Alligator mississippiensis isolate G...	46	3e-04
gb|AF118560.1|AF118560	Alligator mississippiensis isolate G...	46	3e-04
gb|AF118559.1|AF118559	Alligator mississippiensis isolate A...	46	3e-04
gb|AF118558.1|AF118558	Alligator mississippiensis isolate A...	46	3e-04
gb|AF118557.1|AF118557	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118556.1|AF118556	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118555.1|AF118555	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118554.1|AF118554	Alligator mississippiensis isolate S...	46	3e-04
gb|AF118553.1|AF118553	Alligator mississippiensis isolate L...	46	3e-04
gb|AF118552.1|AF118552	Alligator mississippiensis isolate L...	46	3e-04
gb|AF118551.1|AF118551	Alligator mississippiensis isolate L...	46	3e-04
gb|AF118550.1|AF118550	Alligator mississippiensis isolate F...	46	3e-04
gb|AF118549.1|AF118549	Alligator mississippiensis isolate F...	46	3e-04
gb|AF118548.1|AF118548	Alligator mississippiensis isolate F...	46	3e-04
gb|AF119041.1|AF119041	Sorex monticolus specimen_voucher AF...	46	3e-04

gb|AF326272.1|AF326272	Myospalax myospalax cytochrome b (cy...	46	3e-04
gb|AF326271.1|AF326271	Myospalax psilurus isolate 2 cytochr...	46	3e-04
gb|AF326270.1|AF326270	Myospalax psilurus isolate 1 cytochr...	46	3e-04
gb|AF326266.1|AF326266	Eospalax fontanierii isolate 4 cytoc...	46	3e-04
emb|AJ004340.1|ADAJ4340	Acrocephalus dumetorum mitochondria...	44	0.001
emb|AJ004264.1|ADAJ4264	Acrocephalus dumetorum mitochondria...	44	0.001

Alignments

tmpseq_0	1	taccatgaggacaaatatcattctg	25
AF231651	398	.....	422
AF231650	398	.....	422
NC_002672	15560	.....	15584
NC_002671	15552	.....	15576
AF232015	398	.....	422
AF232013	398	.....	422
AY016015	15552	.....	15576
AY016013	15560	.....	15584
AY016014	11516	.....	11540
AF230167	266	.....	290
AF074594	206	.....	230
AY005210	290	.....	314
AY005209	290	.....	314
AY005208	290	.....	314
AY005205	290	.....	314
AY005204	290	.....	314
AY005203	290	.....	314
AY005201	290	.....	314
AY005199	290	.....	314
AY005198	290	.....	314
AF155870	398	.....	422
AF189123	326	.....	350
AF102099	215	.....	239
AF102095	208	.....	232
AF271065	398	.....	422
AF243857	275	.....	299
AF243856	275	.....	299
NC_001567	14911	.....	14935
AF306872	302	.....	326
AF306871	302	.....	326
AF306870	302	.....	326
AF306869	302	.....	326
AF306868	302	.....	326
AF010406	14556	.....	14580
AF248662	303	.....	327
AF248661	303	.....	327
AF096462	264	.....	288
AF283644	374	.....	398
AF283643	374	.....	398
AF283642	374	.....	398
AF283641	374	.....	398
AF283640	374	.....	398
AF283639	374	.....	398
AF283637	374	.....	398
AF283636	374	.....	398
AF283635	374	.....	398
AF283634	374	.....	398
AF283633	374	.....	398
AF283632	374	.....	398
AF283631	374	.....	398
AF283630	374	.....	398
AF283629	374	.....	398
AF283628	374	.....	398
AF283627	374	.....	398
AF283626	374	.....	398
AF283625	374	.....	398
AF283624	374	.....	398
AF283623	374	.....	398
AF283622	374	.....	398
AF283621	374	.....	398
AF283620	374	.....	398

AF283619	374	.....	398
AF283618	374	.....	398
AF283617	374	.....	398
AF283616	374	.....	398
AF283615	374	.....	398
AF283614	374	.....	398
AF283613	374	.....	398
AF283612	374	.....	398
AF283611	374	.....	398
AF283610	374	.....	398
AF283609	374	.....	398
AF283608	374	.....	398
AF283607	374	.....	398
AF283606	374	.....	398
AF283605	374	.....	398
AF283604	374	.....	398
AF283603	374	.....	398
AF283602	374	.....	398
AF283601	374	.....	398
AF283600	374	.....	398
AF283599	374	.....	398
AF283598	374	.....	398
AF283597	374	.....	398
AF283596	374	.....	398
AF283595	374	.....	398
AF283594	374	.....	398
AF283593	374	.....	398
AF283592	374	.....	398
AF283591	374	.....	398
AF283590	374	.....	398
AF283589	374	.....	398
AF283588	374	.....	398
AF283587	374	.....	398
AF283586	374	.....	398
AF283585	374	.....	398
AF283584	374	.....	398
AF283583	374	.....	398
AF283582	374	.....	398
AF283581	374	.....	398
AF283580	374	.....	398
AF283579	374	.....	398
AF283578	374	.....	398
AF283577	374	.....	398
AF283576	374	.....	398
AF187030	398	.....	422
AF310052	299	.....	323
AF310046	299	.....	323
AF171919	302	.....	326
AF171897	297	.....	321
AF290174	281	.....	305
AF290173	281	.....	305
AF290171	281	.....	305
AF290170	281	.....	305
AF290150	281	.....	305
AF176252	398	.....	422
AF176251	398	.....	422
AF163907	398	.....	422
AF163904	398	.....	422
AF163901	398	.....	422
AF163899	398	.....	422
AF163891	398	.....	422
AF163890	398	.....	422
AF288524	401	.....	425
AF288523	401	.....	425
AF288522	401	.....	425
AF123510	303	.....	327
AF123512	303	.....	327
AF206548	303	.....	327
AF197867	401	.....	425
U63197	303	.....	327
NC_001545	15302	.....	15326

NC_001821	14568	.....	14592
AF141217	398	.....	422
AF201615	385	.....	409
AF077920	154	.....	178
AF190632	398	.....	422
J01394	14911	.....	14935
AF193830	302	.....	326
U89181	401	.....	425
U89171	401	.....	425
AF217833	371	.....	395
AF217822	374	.....	398
AF217813	374	.....	398
AF220408	413	.....	437
AF126430	398	.....	422
AF090337	15123	.....	15147
AF059111	305	.....	329
AF059053	305	.....	329
AF099308	303	.....	327
AF099295	303	.....	327
AF099294	303	.....	327
AF099293	303	.....	327
AF160610	398	.....	422
AF036280	398	.....	422
AF036277	398	.....	422
AF036274	398	.....	422
AF194218	302	.....	326
AF194216	302	.....	326
NC_002009	14547	.....	14571
NC_001941	14556	.....	14580
NC_000877	15123	.....	15147
NC_000846	14038	.....	14062
U27551	401	.....	425
AF089058	281	.....	305
AF089055	281	.....	305
AF089054	281	.....	305
AF089046	281	.....	305
AF089042	272	.....	296
AF089039	281	.....	305
AF089037	281	.....	305
AF089026	281	.....	305
AF089025	281	.....	305
AF089024	281	.....	305
AF089023	281	.....	305
AF089021	281	.....	305
AF089020	281	.....	305
AF089016	281	.....	305
AF089013	281	.....	305
AF089012	281	.....	305
AF089008	281	.....	305
AF089006	257	.....	281
AF089005	281	.....	305
AF108696	398	.....	422
AF108685	392	.....	416
AF108677	398	.....	422
AF145531	169	.....	193
AF145511	169	.....	193
U89627	360	.....	384
U89623	360	.....	384
AF181470	303	.....	327
AF084075	398	.....	422
U90101	398	.....	422
U90102	398	.....	422
U90101	398	.....	422
U90100	398	.....	422
AF010881	392	.....	416
AF019268	392	.....	416
AF019267	392	.....	416
S49215	56	.....	80
AF158698	398	.....	422
AF158693	398	.....	422
AF068191	401	.....	425

AF091629	398	422
AF022063	398	422
AF022062	398	422
AF022060	398	422
AF022057	398	422
AF113500	384	408
AF113499	363	387
U69845	374	398
U69810	374	398
U69808	374	398
U69799	374	398
U69796	374	398
U69795	374	398
U69794	374	398
U69793	374	398
U69792	374	398
U69790	374	398
U69786	374	398
U69784	374	398
U69779	374	398
U69777	374	398
U69776	374	398
U69774	374	398
U69772	374	398
U69771	374	398
U69770	374	398
U69769	374	398
U69752	74	98
U69746	374	398
U69740	374	398
AF139057	398	422
AF090339	15199	15223
AF006275	475	499
AF006267	475	499
AF034969	398	422
AF028822	398	422
AF028821	398	422
AF061340	14547	14571
AF076093	401	425
AF076091	401	425
AF076072	401	425
AF076063	401	425
AF076059	401	425
AF076056	401	425
AF076053	401	425
AF076050	401	425
AF076049	401	425
AF076048	401	425
AF076047	401	425
U83314	401	425
U83318	401	425
U37301	303	327
U37302	303	327
U37296	303	327
U37289	303	327
U37286	303	327
U37104	303	327
U37087	303	327
U87525	380	404
U87524	385	409
U87521	354	378
U87522	379	403
U17864	398	422
U17861	329	353
U17862	398	422
U17860	398	422
U17859	329	353
U65274	398	422
U65267	398	422
U65260	398	422
U65101	398	422

AF034719	398	422
AF034718	398	422
AF034717	398	422
AF034716	398	422
AF034715	398	422
AF034710	398	422
AF034729	398	422
AF034728	398	422
AF034727	398	422
AF034724	398	422
AF057132	396	422
U94805	401	425
U94804	401	425
U94803	401	425
AF006251	303	327
AF006249	303	327
AF006238	303	327
AF006234	303	327
AF006226	303	327
AF006215	303	327
AF006214	303	327
AF006213	303	327
AF006212	303	327
AJ293419	398	422
AJ293416	398	422
AJ293415	398	422
AJ293414	398	422
AJ293412	398	422
AJ293418	398	422
U07578	398	422
AJ004180	302	326
Y15695	432	456
Y15697	432	456
Y15696	432	456
AF015035	448	472
AF015761	303	327
AF015758	303	327
AF015756	303	327
AF015754	303	327
U76052	401	425
AJ236834	398	422
U83158	302	326
U83157	304	328
U83156	302	326
U83155	303	327
U83154	300	324
U81356	320	344
AJ277676	299	323
AJ277675	299	323
AJ277672	299	323
AJ277671	299	323
Y11832	14568	14592
AJ388467	305	329
AJ388468	305	329
AJ388459	305	329
U46167	398	422
AJ245673	400	424
AJ245638	400	424
AJ245678	400	424
AJ245677	400	424
AJ245676	400	424
AJ245675	400	424
AJ245674	400	424
Y16884	14038	14062
U60769	243	267
U48955	401	425
U48954	401	425
U48944	401	425
U48943	401	425
U48942	401	425
U48941	401	425

U48947	401	425
U48946	401	425
U48948	401	425
U15725	303	327
U66508	398	422
U66507	398	422
U66506	398	422
U66505	398	422
U66504	398	422
U66503	398	422
U66502	398	422
U66501	398	422
U66500	398	422
U66499	398	422
U66498	398	422
U63061	302	326
U63060	302	326
U63059	302	326
U63058	302	326
U58386	398	422
L11905	398	422
U34672	398	422
U34671	398	422
X14951	398	422
X14371	398	422
L11909	398	422
L11901	398	422
L11904	398	422
X94928	398	422
U46770	302	326
U46769	302	326
U46183	398	422
X10728	299	323
X95768	303	327
X95767	303	327
X86763	299	323
X86754	299	323
X86743	299	323
AB035242	398	422
X60946	302	326
AJ000029	398	422
X82302	398	422
X56291	398	422
X56284	398	422
AJ000022	398	422
X72005	398	422
Y08814	398	422
X60942	302	326
X56290	398	422
AJ000021	398	422
AJ000024	398	422
V00654	14911	14935
X56286	398	422
L19718	398	422
U27543	401	425
AB030025	343	367
U18258	169	193
U18257	169	193
U18253	169	193
U18250	169	193
U17904	169	193
D84202	398	422
D82889	398	422
D32195	243	267
D32191	398	422
AB021098	398	422
AB021097	398	422
AB021095	398	422
AB021094	398	422
AB021092	398	422
AB021091	398	422

AB001612	398	422
D84205	398	422
D84203	398	422
D14636	398	422
D14635	398	422
D12198	243	267
D12196	243	267
D12192	398	422
AB021099	398	422
AB021096	398	422
AB021093	398	422
AB021090	398	422
AB008539	15302	15326
AB006800	398	422
L12763	260	284
L08032	401	425
L28941	398	422
L28937	398	422
AJ010056	269	293
AJ010054	269	293
AJ010053	269	293
AJ010052	269	293
AJ010051	269	293
AJ010050	269	293
AJ010049	269	293
AJ010048	269	293
AJ010047	269	293
X95777	407	431
AJ009879	269	293
AJ010055	269	293
U08946	303	327
U08945	303	327
U08944	303	327
U08941	303	327
U08940	303	327
X95775	303	327
X95774	303	327
X95764	303	327
AF040383	287	310
AF232023	400	422
AF232022	400	422
AF232021	400	422
AF157466	322	344
AF157465	324	346
AF157464	324	346
AF157463	324	346
AF157460	321	343
AF231664	400	422
AF231663	400	422
AF231662	400	422
AF231660	400	422
AF231659	400	422
AF231658	400	422
AF231657	400	422
AF231656	400	422
AF231644	400	422
AF231639	400	422
AF232019	400	422
AF232017	400	422
AF232014	400	422
AF318564	345	367
AF318563	345	367
AF318562	344	366
AF318561	344	366
AF318560	344	366
AF318559	344	366
AF318558	344	366
AF318557	381	403
AF318556	381	403
AF318555	381	403
AF318554	381	403

AF118551	381	.....	403
AF118552	381	.....	403
AF118551	381	.....	403
AF118550	381	.....	403
AF118549	381	.....	403
AF118548	381	.....	403
AF238041	400	.....	422
AF326272	400	.....	422
AF326271	400	.....	422
AF326270	400	.....	422
AF326266	400	.....	422
AJ004340	302	....n.....	326
AJ004264	302	....n.....	326

Database: nt
  Posted date: Mar 2, 2001 12:20 AM
Number of letters in database: 2,863,827,885
Number of sequences in database: 807,597

Lambda	K	H
1.37	0.711	1.31

Gapped

Lambda	K	H
1.37	0.711	1.31

Matrix: blastn matrix:1 -3
Gap Penalties: Existence: 5, Extension: 2
Number of Hits to DB: 39355
Number of Sequences: 807597
Number of extensions: 39355
Number of successful extensions: 15066
Number of sequences better than 10.0: 5706
length of query: 25
length of database: 2,863,827,885
effective HSP length: 17
effective length of query: 8
effective length of database: 2,850,098,736
effective search space: 22800789888
effective search space used: 22800789888
T: 0
A: 30
X1: 6 (11.9 bits)
X2: 15 (29.7 bits)
S1: 12 (24.3 bits)
S2: 16 (32.2 bits)

Table 11. BLAST analysis of primers 'mcb869' in *nr* database of NCBI. It demonstrates that the 3' end of this primer is highly conserved among a vast range of animal species. It also shows the significant homology among the primer and templates (i.e. the cytochrome b gene fragment of different animal species), confirming the universal nature of our primer.

BLASTN 2.1.2 [Nov-13-2000]

Reference:
Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

RID: 984593033-24247-14777

Query=
(26 letters)

Database: nt
807,597 sequences; 2,863,827,885 total letters

If you have any problems or questions with the results of this search please refer to the BLAST FAQs

Taxonomy reports

Distribution of 500 Blast Hits on the Query Sequence

Mouse-over to show defline and scores. Click to show alignments

Sequences producing significant alignments:

	Score (bits)	E Value
gb|AF189111.1|AF189111 Cryptotermes austrinus cytochrome b ...	52	6e-06
gb|U86834.1|U86834 Phyllotis wolffsohni MSB 67270 cytochrom...	52	6e-06
gb|AF123633.1|AF123633 Perissocephalus tricolor cytochrome ...	52	6e-06
gb|AF123617.1|AF123617 Pipreola arcuata cytochrome b gene, ...	52	6e-06
gb|AF127202.1|AF127202 Hylopezus fulviventris cytochrome b ...	52	6e-06
gb|AF127194.1|AF127194 Grallaria guatimalensis cytochrome b...	52	6e-06
gb|AF217828.1|AF217828 Aspidelaps scutatus cytochrome b gen...	52	6e-06
gb|AF160578.1|AF160578 Hypogeomys antimena Hant555 cytochro...	52	6e-06
gb|AF009931.2|AF009931 Archocentrus centrarchus cytochrome ...	52	6e-06
gb|AF091629.1|AF091629 Antilocapra americana cytochrome b (...	52	6e-06
gb|AF034967.1| Sigmoceros lichtensteinii cytochrome b gene,...	52	6e-06
gb|AF038290.1|AF038290 Antechinus sp. cytochrome b gene, mi...	52	6e-06
gb|U07577.1|AMU07577 Antechinus melanurus mitochondrion cyt...	52	6e-06
gb|U81343.1|CFU81343 Chelus fimbriata cytochrome b gene, mi...	52	6e-06
emb|AJ222681.1|ABCYTOB Alcelaphus buselaphus mitochondrial ...	52	6e-06
gb|M99464.1|PNZMTCYTB Planigale sp. cytochrome b gene, comp...	52	6e-06
emb|AJ225116.1|DNJ225116 Dryomys nitedula mitochondrial gen...	52	6e-06
gb|U25738.1|PRU25738 Paradisaea raggiana cytochrome b gene,...	52	6e-06
gb|U25736.1|PRU25736 Paradisaea rubra cytochrome b gene, mi...	52	6e-06
gb|U15202.1|SMU15202 Seleucidis melanoleuca mitochondrion c...	52	6e-06
gb|U15204.1|PRI5204 Paradisaea raggiana mitochondrion cytoc...	52	6e-06
emb|X56290.1|MIDDCYTB D.dama mitochondrion cytb gene for cy...	52	6e-06
emb|X56286.1|MIAACYTBA A.americana mitochondrion cytb gene ...	52	6e-06
dbj|D88639.1|D88639 Anoa depressicornis mitochondrial DNA f...	52	6e-06
dbj|D82890.1|D82890 Bubalus depressicornis mitochondrial DN...	52	6e-06
gb|AF119261.1|AF119261 Peromyscus maniculatus cytochrome b ...	46	3e-04
gb|AF123615.1|AF123615 Rupicola rupicola cytochrome b gene,...	46	3e-04
gb|AF160603.1|AF160603 Apodemus sylvaticus Asyl588 cytochro...	46	3e-04
gb|U62697.1|CCOLCYTB2 Charadrius collaris cytochrome b (cyt...	46	3e-04
gb|U62685.1|CBICCYTB2 Charadrius bicinctus cytochrome b (cy...	46	3e-04
gb|AF022071.1| Madoqua guentheri cytochrome b (cytb) gene, ...	46	3e-04
gb|AF022070.1| Madoqua kirkii cytochrome b (cytb) gene, mit...	46	3e-04
gb|U83317.1|PSU83317 Polihierax semitorquatus cytochrome b ...	46	3e-04
gb|U37293.1|CCU37293 Cepphus columba cytochrome b gene, mit...	46	3e-04
gb|U37292.1|CCU37292 Cepphus carbo cytochrome b gene, mitoc...	46	3e-04
gb|U37291.1|BMU37291 Brachyramphus marmoratus perdix cytoch...	46	3e-04
gb|AF082055.1|AF082055 Rupicola rupicola cytochrome b gene,...	46	3e-04
gb|U72770.1|JMU72770 Jabiru mycteria cytochrome b gene, mit...	46	3e-04
gb|U07578.1|DCU07578 Dasycercus cristicauda mitochondrion c...	46	3e-04
gb|AF031908.1|GOCCCYTB1 Geopsittacus occidentalis cytochrom...	46	3e-04
emb|AJ004231.1|SBAJ4231 Sula bassana mitochondrial cytb gen...	46	3e-04
emb|AJ004230.1|SBAJ4230 Sula bassana mitochondrial cytb gen...	46	3e-04
emb|AJ004229.1|SBAJ4229 Sula bassana mitochondrial cytb gen...	46	3e-04
emb|AJ004232.1|SBAJ4232 Sula bassana mitochondrial cytb gen...	46	3e-04
gb|U88865.1| Pomacentrus sp. cytochrome b (cytb) gene, mito...	46	3e-04
gb|U90001.1|MBU90001 Morus bassanus cytochrome b gene, mito...	46	3e-04
gb|U63057.1|BMU63057 Brachyramphus marmoratus perdix cytoch...	46	3e-04
dbj|AB036404.1|AB036404 Rana porosa brevipoda mitochondrial...	46	3e-04
dbj|AB036402.1|AB036402 Rana porosa brevipoda mitochondrial...	46	3e-04
dbj|AB036400.1|AB036400 Rana porosa brevipoda mitochondrial...	46	3e-04
dbj|AB036398.1|AB036398 Rana porosa porosa mitochondrial DN...	46	3e-04
gb|U19611.1|JMU19611 Jabiru mycteria cytochrome b gene, mit...	46	3e-04
emb|X92539.1|HACYTB H.ampullatus cytochrome b gene (complet...	46	3e-04
gb|L08014.1|GAEMTCYTBA Galeocerdo cuvier mitochondrial cyto...	46	3e-04
gb|L08033.1|CPLMTCYTB8 Carcharhinus porosus mitochondrial c...	46	3e-04
gb|AY015012.1| Cryptcrellus tataupa mitochondrion, partial ...	44	0.001
gb|AF074591.1|AF074591 Petrochelidon pyrrhonota cytochrome ...	44	0.001
gb|AY005212.1| Poospiza whitii isolate 2 cytochrome b (cytb...	44	0.001
gb|AY005211.1| Poospiza whitii isolate 1 cytochrome b (cytb...	44	0.001
gb|AF182122.1|AF182122 Cryptotermes tropicalis cytochrome b...	44	0.001
gb|AF182120.1|AF182120 Cryptotermes secundus cytochrome b (...	44	0.001
gb|AF182118.1|AF182118 Cryptotermes primus isolate 2 cytoch...	44	0.001
gb|AF182117.1|AF182117 Cryptotermes primus isolate 1 cytoch...	44	0.001
gb|AF182115.1|AF182115 Cryptotermes dudleyi cytochrome b (cy...	44	0.001
gb|AF112142.1|AF112142 Ovis canadensis cytochrome b gene, p...	44	0.001
gb|AF112132.1|AF112132 Ovis canadensis canadensis cytochrom...	44	0.001
gb|AF112129.1|AF112129 Ovis canadensis nelsoni cytochrome b ...	44	0.001
gb|AF291222.1|AF291222 Vireo ceasinii ceasinii specimen-vou...	44	0.001

gb|AF081989.1|AF081989	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081988.1|AF081988	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081987.1|AF081987	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081986.1|AF081986	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081985.1|AF081985	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081984.1|AF081984	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081983.1|AF081983	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081982.1|AF081982	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081981.1|AF081981	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081980.1|AF081980	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081979.1|AF081979	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081978.1|AF081978	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081977.1|AF081977	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081976.1|AF081976	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081975.1|AF081975	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081974.1|AF081974	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081973.1|AF081973	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081972.1|AF081972	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081971.1|AF081971	Vireo cassinii cassinii specimen-vou...	44	0.001
gb|AF081970.1|AF081970	Vireo solitarius alticola country US...	44	0.001
gb|AF081969.1|AF081969	Vireo solitarius alticola country US...	44	0.001
gb|AF081968.1|AF081968	Vireo solitarius alticola country US...	44	0.001
gb|AF081967.1|AF081967	Vireo solitarius alticola country US...	44	0.001
gb|AF081966.1|AF081966	Vireo solitarius solitarius specimen...	44	0.001
gb|AF081965.1|AF081965	Vireo solitarius solitarius specimen...	44	0.001
gb|AF081964.1|AF081964	Vireo solitarius solitarius specimen...	44	0.001
gb|AF081962.1|AF081962	Vireo flavifrons specimen-voucher LS...	44	0.001
gb|AF081961.1|AF081961	Vireo flavifrons specimen-voucher LS...	44	0.001
gb|AF081960.1|AF081960	Vireo leucophrys leucophrys specimen...	44	0.001
gb|AF081959.1|AF081959	Vireolanius leucotis leucotis cytoch...	44	0.001
gb|AF112405.2|AF112405	Barbus anoplus cytochrome b (cytb) g...	44	0.001
gb|AF144317.1|AF144317	Amphiprion ocellaris isolate 3 haplo...	44	0.001
gb|AF144316.1|AF144316	Amphiprion ocellaris haplotype 3DH11...	44	0.001
gb|AF144315.1|AF144315	Amphiprion ocellaris haplotype 3DH15...	44	0.001
gb|AF144314.1|AF144314	Amphiprion ocellaris isolate 2 haplo...	44	0.001
gb|AF144313.1|AF144313	Amphiprion ocellaris isolate 1 haplo...	44	0.001
gb|AF144312.1|AF144312	Amphiprion ocellaris haplotype 3DH12...	44	0.001
gb|AF144311.1|AF144311	Amphiprion ocellaris haplotype 3DH1 ...	44	0.001
gb|AF144310.1|AF144310	Amphiprion ocellaris isolate 2 haplo...	44	0.001
gb|AF144309.1|AF144309	Amphiprion ocellaris isolate 1 haplo...	44	0.001
ref|NC_001567.1|	Bos taurus mitochondrion, complete genome	44	0.001
gb|AF212124.1|AF212124	Anolis schwartzi cytochrome b gene, ...	44	0.001
gb|AF182706.1|AF182706	Phapitreron amethystina cytochrome b:...	44	0.001
gb|AF010406.1|AF010406	Ovis aries complete mitochondrial ge...	44	0.001
gb|AF096452.1|AF096452	Platysteira cyanea cytochrome b gene...	44	0.001
gb|AF281619.1|AF281619	Elaphe obsoleta LSUMZ39162 cytochrom...	44	0.001
gb|AF281618.1|AF281618	Elaphe obsoleta LSUMZ H15896 cytochr...	44	0.001
gb|AF281608.1|AF281608	Elaphe obsoleta LSUMZ H14782 cytochr...	44	0.001
gb|AF281602.1|AF281602	Elaphe obsoleta LSUMZ H3388 cytochro...	44	0.001
gb|AF310069.1|AF310069	Elaenia martinica cytochrome b gene,...	44	0.001
gb|AF146616.1|AF146616	Actophilornis africanus cytochrome b...	44	0.001
gb|AF271410.1|AF271410	Galago moholi cytochrome b (cyt b) g...	44	0.001
gb|AF290139.1|AF290139	Peucedramus taeniatus cytochrome b (...	44	0.001
ref|NC_002504.1|	Lama pacos mitochondrion, complete genome	44	0.001
gb|AF163901.1|AF163901	Microtus ochrogaster cytochrome b ge...	44	0.001
gb|AF119263.1|AF119263	Myopus schisticolor cytochrome b gen...	44	0.001
gb|AF119259.1|AF119259	Synaptomys borealis cytochrome b gen...	44	0.001
gb|AF288454.1|AF288454	Nyctereutes procyonoides koreensis c...	44	0.001
gb|AF163895.1|AF163895	Microtus gregalis cytochrome B (cytB...	44	0.001
gb|AF123642.1|AF123642	Machaeropterus regulus striolatus cy...	44	0.001
gb|AF123647.1|AF123647	Machaeropterus pyrocephalus cytochro...	44	0.001
gb|AF123646.1|AF123646	Xenopipo atronitens cytochrome b gen...	44	0.001
gb|AF123645.1|AF123645	Pipra fasciicauda cytochrome b gene,...	44	0.001
gb|AF123634.1|AF123634	Pyroderus scutatus cytochrome b gene...	44	0.001
gb|AF123632.1|AF123632	Cephalopterus ornatus cytochrome b g...	44	0.001
gb|AF123628.1|AF123628	Tyrdampsilis cryptolophus cytochrome ...	44	0.001
gb|AF123631.1|AF123631	Porphyrolaema porphyrolaema cytochro...	44	0.001
gb|AF123619.1|AF123619	Ampelioides tschudii cytochrome b ge...	44	0.001
gb|AF123618.1|AF123618	Pipreola chlorolepidota cytochrome b...	44	0.001
gb|AF123614.1|AF123614	Rupicola peruviana cytochrome b gene...	44	0.001
gb|AF123613.1|AF123613	Oxyruncus cristatus cytochrome b gene...	44	0.001

gb|AF127201.1|AF127201	Myrmothera campanisona cytochrome b ...	44	0.001
gb|AF127192.1|AF127192	Grallaria ruficapilla cytochrome b g...	44	0.001
gb|AF127189.1|AF127189	Grallaria varia cytochrome b gene, p...	44	0.001
gb|AF197849.1|AF197849	Sericornis frontalis cytochrome b ge...	44	0.001
gb|AF197847.1|AF197847	Pardalotus striatus cytochrome b gen...	44	0.001
ref|NC_000889.1|	Hippopotamus amphibius mitochondrion, comp...	44	0.001
ref|NC_002079.1|	Carassius auratus mitochondrion, complete ...	44	0.001
ref|NC_001794.1|	Macropus robustus mitochondrion, complete ...	44	0.001
ref|NC_001610.1|	Didelphis virginiana mitochondrion, comple...	44	0.001
gb|AF201612.1|AF201612	Stomatorhinus sp. CU79703 cytochrome...	44	0.001
gb|AF097931.1|AF097931	Amphiprion clarkii cytochrome b gene...	44	0.001
gb|AF097927.1|AF097927	Amphiprion ocellaris cytochrome b ge...	44	0.001
gb|J01394.1|BOVMT	Bos taurus mitochondrion, complete genome	44	0.001
gb|AF168760.1|AF168760	Apalone spinifera isolate TXsc cytoc...	44	0.001
gb|AF168759.1|AF168759	Apalone spinifera isolate TXki cytoc...	44	0.001
gb|AF168758.1|AF168758	Apalone spinifera isolate TXcc cytoc...	44	0.001
gb|AF168756.1|AF168756	Apalone spinifera isolate NMrg cytoc...	44	0.001
gb|AF182381.1|AF182381	Petrochelidon rufocollaris isolate E...	44	0.001
gb|AF182380.1|AF182380	Petrochelidon rufocollaris isolate E...	44	0.001
gb|U89187.1|MMU89187	Momotus mexicanus cytochrome b (cytb) ...	44	0.001
gb|AF193833.1|AF193833	Botaurus lentiginosus cytochrome b g...	44	0.001
gb|AF193822.1|AF193822	Ardea alba cytochrome b gene, partia...	44	0.001
gb|AF193821.1|AF193821	Ardea herodias cytochrome b gene, pa...	44	0.001
gb|AF217837.1|AF217837	Paranaja multifasciata cytochrome b ...	44	0.001
gb|AF217835.1|AF217835	Naja kaouthia cytochrome b gene, com...	44	0.001
gb|AF217834.1|AF217834	Laticauda colubrina cytochrome b gen...	44	0.001
gb|AF217831.1|AF217831	Calliophis japonicus cytochrome b ge...	44	0.001
gb|AF217823.1|AF217823	Micruroides euryxanthus cytochrome b...	44	0.001
gb|AF217819.1|AF217819	Drysdalia coronata cytochrome b gene...	44	0.001
gb|AF217815.1|AF217815	Austrelaps superbus cytochrome b gen...	44	0.001
gb|AF118156.1|AF118156	Terenura humeralis specimen-voucher ...	44	0.001
gb|AF209938.1|AF209938	Euura atra isolate 62 cytochrome b g...	44	0.001
gb|AF209933.1|AF209933	Euura atra isolate C cytochrome b ge...	44	0.001
gb|AF059104.1|AF059104	Marmaronetta angustirostris cytochro...	44	0.001
gb|AF059102.1|AF059102	Lophonetta specularoides cytochrome ...	44	0.001
gb|AF059054.1|AF059054	Amazonetta brasiliensis cytochrome b...	44	0.001
gb|AF192646.1|AF192646	Hippocampus barbouri haplotype PH.22...	44	0.001
gb|AF192645.1|AF192645	Hippocampus barbouri haplotype PH.13...	44	0.001
gb|AF160614.1|AF160614	Cricetomys gambianus CgamS18 cytochr...	44	0.001
gb|AF160613.1|AF160613	Cricetomys emini Cemi531 cytochrome ...	44	0.001
gb|AF160612.1|AF160612	Cricetomys emini Cemi530 cytochrome ...	44	0.001
gb|AF160611.1|AF160611	Cricetomys emini Cemi637 cytochrome ...	44	0.001
gb|AF160610.1|AF160610	Cricetomys emini Cemi636 cytochrome ...	44	0.001
gb|AF160604.1|AF160604	Calomyscus bailwardi Cbal576 cytochr...	44	0.001
gb|AF160560.1|AF160560	Eliurus majori Emaj642 cytochrome b ...	44	0.001
gb|AF160559.1|AF160559	Eliurus majori Emaj641 cytochrome b ...	44	0.001
gb|AF160558.1|AF160558	Eliurus majori Emaj639 cytochrome b ...	44	0.001
gb|AF160557.1|AF160557	Eliurus majori Emaj638 cytochrome b ...	44	0.001
gb|AF160555.1|AF160555	Eliurus majori Emaj614 cytochrome b ...	44	0.001
gb|AF160554.1|AF160554	Eliurus majori Emaj617 cytochrome b ...	44	0.001
gb|AF160553.1|AF160553	Eliurus majori Emaj571 cytochrome b ...	44	0.001
gb|AF160552.1|AF160552	Eliurus majori Emaj556 cytochrome b ...	44	0.001
gb|AF160551.1|AF160551	Eliurus majori Emaj561 cytochrome b ...	44	0.001
gb|AF160550.1|AF160550	Eliurus majori Emaj443 cytochrome b ...	44	0.001
gb|AF160549.1|AF160549	Eliurus majori Emaj444 cytochrome b ...	44	0.001
gb|AF036287.1|AF036287	Damaliscus pygargus cytochrome b (cy...	44	0.001
gb|AF036286.1|AF036286	Oryx leucoryx cytochrome b (cytb) ge...	44	0.001
gb|AF036283.1|AF036283	Antilope cervicapra cytochrome b (cy...	44	0.001
gb|AF036281.1|AF036281	Antidorcas marsupialis cytochrome b ...	44	0.001
gb|AF036278.1|AF036278	Tragelaphus oryx cytochrome b (cytb)...	44	0.001
gb|AF036276.1|AF036276	Tragelaphus eurycerus cytochrome b (...	44	0.001
gb|AF036274.1|	Tetracerus quadricornis cytochrome b (cytb) ...	44	0.001
ref|NC_001941.1|	Ovis aries mitochondrion, complete genome	44	0.001
gb|AF108698.1|AF108698	Microcyzomys minutus cytochrome B (c...	44	0.001
gb|AF108682.1|AF108682	Rhipidomys nitela cytochrome B (cytB...	44	0.001
gb|AF108671.1|AF108671	Thomasomys daphne cytochrome B (cytB...	44	0.001
gb|AF108552.1|AF108562	Scapteromys tumidus cytochrome B (cy...	44	0.001
gb|AF042720.1|AF042720	Megamuntiacus vuquangensis cytochrom...	44	0.001
gb|AF042718.1|	Muntiacus muntjak cytochrome b gene, mitocho...	44	0.001
gb|AF099093.1|AF099093	Stenella coeruleoalba cytochrome b g...	44	0.001
gb|AF099091.1|AF099091	Stenella coeruleoalba cytochrome b ...	44	0.001

gb|AF084074.1|AF084074	Lagenorhynchus albirostris cytochrom...	44	0.001
gb|AF090750.1|AF090750	Gobio gobio balcanicus cytochrome b ...	44	0.001
gb|AF157939.1|AF157939	Spermophilus columbianus columbianus...	44	0.001
gb|AF157937.1|AF157937	Spermophilus washingtoni isolate S89...	44	0.001
gb|AF157936.1|AF157936	Spermophilus washingtoni isolate S88...	44	0.001
gb|AF157915.1|AF157915	Spermophilus richardsoni isolate S63...	44	0.001
gb|AF157914.1|AF157914	Spermophilus richardsoni isolate S62...	44	0.001
gb|AF157912.1|AF157912	Spermophilus undulatus isolate S60 c...	44	0.001
gb|AF157906.1|AF157906	Spermophilus undulatus isolate S55 c...	44	0.001
gb|AF157891.1|AF157891	Spermophilus elegans elegans isolate...	44	0.001
gb|AF157882.1|AF157882	Spermophilus columbianus columbianus...	44	0.001
gb|AF157859.1|AF157859	Spermophilus citellus isolate S118 c...	44	0.001
gb|AF157858.1|AF157858	Spermophilus citellus isolate S117 c...	44	0.001
gb|AF157839.1|AF157839	Spermophilus elegans elegans isolate...	44	0.001
gb|AF030497.1|AF030497	Crocidura brunnea cytochrome b (cyt ...	44	0.001
gb|U03541.2|LAU03541	Lenoxus apicalis cytochrome b gene, pa...	44	0.001
gb|AF009951.2|AF009951	Heros appendiculatus cytochrome b (c...	44	0.001
gb|AF009941.1|AF009941	Tomocichla tuba cytochrome b (cytb) ...	44	0.001
gb|AF009925.1|AF009925	Archocentrus sajica cytochrome b (cy...	44	0.001
gb|AF094633.1|AF094633	Stachyris whiteheadi cytochrome b ge...	44	0.001
gb|AF094621.1|AF094621	Eminia lepida cytochrome b gene, par...	44	0.001
gb|AF094618.1|AF094618	Hypergerus atriceps cytochrome b gen...	44	0.001
gb|AF166348.1|AF166348	Phascolarctos cinereus cytochrome b ...	44	0.001
gb|AF158697.1|AF158697	Geomys bursarius ozarkensis cytochro...	44	0.001
gb|AF158694.1|AF158694	Geomys bursarius majusculus cytochro...	44	0.001
gb|AF158693.1|AF158693	Geomys bursarius bursarius cytochrom...	44	0.001
gb|AF158688.1|AF158688	Geomys bursarius missouriensis cytoc...	44	0.001
gb|AF100720.1|AF100720	Spermophilus citellus cytochrome b (...	44	0.001
gb|AF091632.1|AF091632	Bubalus depressicornis cytochrome b ...	44	0.001
gb|AF102815.1|AF102815	Dromiciops gliroides cytochrome b ge...	44	0.001
gb|AF102814.1|AF102814	Vombatus ursinus cytochrome b gene, ...	44	0.001
gb|AF022065.1|	Tragelaphus euryceros cytochrome b (cytb) ge...	44	0.001
gb|AF022059.1|	Kobus ellipsiprymnus cytochrome b (cytb) gen...	44	0.001
gb|AF022058.1|	Antilope cervicapra cytochrome b (cytb) gene...	44	0.001
gb|AF022057.1|	Tragelaphus oryx cytochrome b (cytb) gene, m...	44	0.001
gb|AF022054.1|	Antidorcas marsupialis cytochrome b (cytb) g...	44	0.001
gb|AF016637.1|AF016637	Connochaetes gnou cytochrome b (cytb...	44	0.001
gb|U69863.1|PSU69863	Python sebae cytochrome b (cytb) gene,...	44	0.001
gb|U69844.1|LTU69844	Lichanura trivirgata cytochrome b (cyt...	44	0.001
gb|AF143193.1|AF143193	Epinephelus sp. cytochrome b (cytb) ...	44	0.001
gb|AF121222.1|AF121222	Amphiprion ocellaris isolate 8 cytoc...	44	0.001
gb|AF096625.1|AF096625	Kobus ellipsiprymnus defassa cytochr...	44	0.001
gb|AF096624.1|AF096624	Kobus ellipsiprymnus ellipsiprymnus c...	44	0.001
gb|AF081052.1|AF081052	Eulemur rubriventer cytochrome b (cy...	44	0.001
gb|AF081049.1|AF081049	Eulemur macaco macaco cytochrome b (...	44	0.001
gb|AF081048.1|AF081048	Eulemur fulvus albifrons cytochrome ...	44	0.001
gb|AF082063.1|AF082063	Elminia longicauda cytochrome b gene...	44	0.001
emb|AJ010957.1|HAAJ10957	Hippopotamus amphibius complete mi...	44	0.001
gb|U76506.1|CLU76506	Chlamydera lauterbachii cytochrome b g...	44	0.001
gb|U76504.1|CCU76504	Chlamydera cerviniventris cytochrome b...	44	0.001
gb|U76505.1|ASU76505	Amblyornis subalaris cytochrome b gene...	44	0.001
gb|U76503.1|APU76503	Archboldia papuensis cytochrome b gene...	44	0.001
gb|U76508.1|AIU76508	Amblyornis inornatus cytochrome b gene...	44	0.001
gb|AF034969.1|AF034969	Connochaetes taurinus cytochrome b g...	44	0.001
gb|AF051876.1|AF051876	Rhodeus ocellatus cytochrome b (cytb...	44	0.001
gb|AF082007.1|AF082007	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082006.1|AF082006	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082005.1|AF082005	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082004.1|AF082004	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082003.1|AF082003	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082002.1|AF082002	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082001.1|AF082001	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF082000.1|AF082000	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081999.1|AF081999	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081998.1|AF081998	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081997.1|AF081997	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081996.1|AF081996	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081995.1|AF081995	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081994.1|AF081994	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081993.1|AF081993	Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|AF081992.1|AF081992	Vireo plumbeus plumbeus specimen-vou...	44	0.001

gb|AF081991.1|AF081991 Vireo plumbeus plumbeus specimen-vou...	44	0.001
gb|S73150.1|S73150 cytochrome b [Spermophilus richardsonii-...	44	0.001
gb|AF012235.1|AF012235 Cryptomys hottentotus natalensis cyt...	44	0.001
gb|US3580.1|NCUS3580 Nycticebus coucang cytochrome b (cyt b...	44	0.001
gb|US3577.1|EFUS3577 Eulemur fulvus rufus cytochrome b (cyt...	44	0.001
gb|US3576.1|EFUS3576 Eulemur fulvus collaris cytochrome b (...	44	0.001
gb|U95512.1|ESERCYTB2 Eptesicus serotinus 3' cytochrome b (...	44	0.001
gb|U95508.1|PKUHLCYTB2 Pipistrellus kuhli 5' cytochrome b (...	44	0.001
gb|U17868.1|BTU17868 Budorcas taxicolor taxicolor cytochrom...	44	0.001
gb|U17867.1|BTU17867 Budorcas taxicolor bedfordi cytochrome...	44	0.001
gb|U17860.1|ODU17860 Ovis dalli cytochrome b gene, mitochon...	44	0.001
gb|U17859.1|OCU17859 Ovis canadensis cytochrome b gene, mit...	44	0.001
emb|AJ010556.1|ASP010556 Acomys spinosissimus mitochondrial...	44	0.001
gb|AF034736.1|AF034736 Capra falconeri cytochrome b (cytb) ...	44	0.001
gb|AF034730.1|AF034730 Ovis aries cytochrome b (cytb) gene,...	44	0.001
gb|AF034729.1|AF034729 Ovis vignei cytochrome b (cytb) gene...	44	0.001
gb|AF034728.1| Ovis dalli dalli cytochrome b (cytb) gene, m...	44	0.001
gb|AF034727.1| Ovis ammon darwini cytochrome b (cytb) gene,...	44	0.001
gb|AF034724.1|AF034724 Pantholops hodgsoni cytochrome b (cy...	44	0.001
gb|AF034722.1|AF034722 Addax nasomaculatus cytochrome b (cy...	44	0.001
gb|U72038.1|MMU72038 Monodon monoceros cytochrome b (cytb),...	44	0.001
gb|U72037.1|DLU72037 Delphinapterus leucas cytochrome b (cy...	44	0.001
gb|M99455.1|MUXMTCYTB Murexia longicaudata cytochrome b gen...	44	0.001
gb|L29055.1|SHPMTDLOOP Sheep mitochondrial cytochrome b (Cy...	44	0.001
gb|AF082047.1|AF082047 Coccyzus americanus cytochrome b gen...	44	0.001
gb|AF038286.1|AF038286 Antechinus minimus cytochrome b gene...	44	0.001
gb|AF038284.1|AF038284 Antechinus swainsonii cytochrome b g...	44	0.001
gb|AF059093.1|AF059093 Anas undulata cytochrome b gene, par...	44	0.001
gb|AF059092.1|AF059092 Anas superciliosa rogersi cytochrome...	44	0.001
gb|AF059091.1|AF059091 Anas sparsa cytochrome b gene, parti...	44	0.001
gb|AF059080.1|AF059080 Anas melleri cytochrome b gene, part...	44	0.001
gb|AF059078.1|AF059078 Anas laysanensis cytochrome b gene, ...	44	0.001
gb|AF052240.1|AF052240 Anairetes flavirostris cytochrome b ...	44	0.001
gb|AF006240.1|AF006240 Mitrospingus cassinii cytochrome b (...	44	0.001
gb|AF006227.1|AF006227 Dacnis cayana cytochrome b (cytb) ge...	44	0.001
gb|AF047447.1|AF047447 Oryx leucoryx cytochrome b gene, mit...	44	0.001
gb|U07576.1|AHU07576 Antechinus habbema mitochondrion cytoc...	44	0.001
gb|AF028180.1|AF028180 Urocyon cinereoargenteus cytochrome ...	44	0.001
gb|AF028178.1|AF028178 Pseudalopex sechurae cytochrome b (c...	44	0.001
gb|AF028170.1|AF028170 Vulpes zerda cytochrome b (cytb) gen...	44	0.001
gb|M99454.1|ASWMTSCYTB Antechinus stuartii cytochrome b gen...	44	0.001
gb|M99453.1|ASWMTCYTB Antechinus swainsonii cytochrome b ge...	44	0.001
gb|U23461.1|ANU23461 Antechinus naso cytochrome b gene, mit...	44	0.001
gb|U87138.1|TVU87138 Trichosurus vulpecula cytochrome b (cy...	44	0.001
gb|U07590.1|PMU07590 Planigale maculata mitochondrion cytoc...	44	0.001
emb|AJ004326.1|PTAJ4326 Phylloscopus trochilus mitochondria...	44	0.001
gb|AF020255.1|AF020255 Cyclura nubila cytochrome b (cytb) g...	44	0.001
emb|Y19184.1|LPA19184 Lama pacos complete mitochondrial genome	44	0.001
gb|U88862.1| Amphilophus citrinellum cytochrome b (cytb) ge...	44	0.001
gb|U88859.1| Thorichthys aureum cytochrome b (cytb) gene, m...	44	0.001
gb|U88858.1| Thorichthys cf. aureum cytochrome b (cytb) gen...	44	0.001
gb|U88857.1| Herichthys labridens cytochrome b (cytb) gene,...	44	0.001
gb|U88856.1| Herichthys carpintis cytochrome b (cytb) gene,...	44	0.001
emb|Y10524.1|MIMRGEN Macropus robustus complete mitochondri...	44	0.001
gb|U81357.1|CSU81357 Chelydra serpentina cytochrome b gene,...	44	0.001
gb|U81356.1|CLU81356 Chelodina longicollis cytochrome b gen...	44	0.001
gb|U75354.1|LUU75354 Leptomyrmex unicolor cytochrome b gene...	44	0.001
gb|U77332.1|GCU77332 Gymnorhinus cyanocephala cytochrome-b ...	44	0.001
emb|Z29573.1|OVMTGNME Didelphis virginiana complete mitocho...	44	0.001
emb|AJ222679.1|BTCYTOB Boselaphus tragocamelus mitochondria...	44	0.001
emb|AJ222680.1|TSCYTOB Tragelaphus spekii mitochondrial cyt...	44	0.001
emb|AJ222685.1|ODCYTOB Oryx dammah mitochondrial cytochrome...	44	0.001
gb|M29466.1|PMLMTCYTB Perameles nasuta cytochrome b gene, c...	44	0.001
gb|M29452.1|THNMTCYTB Thylacinus cynocephalus cytochrome b...	44	0.001
gb|M29450.1|DAVMTCYTB Dasyurus hallucatus cytochrome b gene...	44	0.001
gb|U25717.1|PMU25717 Paradisaea minor cytochrome b gene, mi...	44	0.001
gb|U15201.1|PRU15201 Paradisaea rudolphi mitochondrion cyto...	44	0.001
gb|U15205.1|EAU15205 Epimachus albertisi mitochondrion cyto...	44	0.001
gb|U15200.1|DRU15200 Diphyllodes respublica mitochondrion c...	44	0.001
emb|AJ000424.1|STAJ424 Sorex tundrensis partial mitochondri...	44	0.001
emb|AJ000421.1|STAJ421 Sorex tundrensis partial mitochondri...	44	0.001

emb|AJ000438.1|SIAJ438	Sorex isodon partial mitochondrial c...	44	0.001
emb|AJ000437.1|SIAJ437	Sorex isodon partial mitochondrial c...	44	0.001
emb|AJ000428.1|SAAJ428	Sorex arcticus partial mitochondrial...	44	0.001
emb|AJ000427.1|SAAJ427	Sorex arcticus ssp. maritimensis par...	44	0.001
emb|AJ000426.1|SAAJ426	Sorex asper partial mitochondrial cy...	44	0.001
emb|AJ000425.1|SAAJ425	Sorex asper partial mitochondrial cy...	44	0.001
emb|AJ000418.1|SGAJ418	Sorex granarius partial mitochondria...	44	0.001
emb|AJ000417.1|SGAJ417	Sorex granarius partial mitochondria...	44	0.001
emb|AJ000416.1|SAAJ416	Sorex araneus partial mitochondrial ...	44	0.001
emb|AJ004793.1|HCAJ4793	Hippolais caligata ssp. caligata mi...	44	0.001
emb|AJ004792.1|HCAJ4792	Hippolais caligata ssp. rama mitoch...	44	0.001
gb|U15718.1|RSU15718	Ramphocelus sanguinolentus cytochrome ...	44	0.001
gb|L11905.1|CGYMTCYTBD	Cratogeomys gymnurus mitochondrial c...	44	0.001
gb|U34679.1|POU34679	Philander opossum cytochrome b light s...	44	0.001
gb|L11907.1|CGYMTCYTBF	Cratogeomys goldmani rubellus mitoch...	44	0.001
gb|L11906.1|CGYMTCYTBE	Cratogeomys merriami mitochondrial c...	44	0.001
gb|L11902.1|CGYMTCYTBA	Cratogeomys castanops castanops mito...	44	0.001
emb|X92524.1|SLCYTB	S.longirostris cytochrome b gene (compl...	44	0.001
gb|U46771.1|ACU46771	Anthus campestris cytochrome b gene, m...	44	0.001
dbj|AB021773.1|AB021773	Anguilla interioris mitochondrial c...	44	0.001
dbj|AB006953.1|AB006953	Carassius auratus langsdorfi mitoch...	44	0.001
emb|Z73492.1|MTPTRCYTB	P.trochilus mitochondrial cytochrome...	44	0.001
dbj|AB035239.1|AB035239	Osteoglossum ferreirai mitochondria...	44	0.001
emb|X92532.1|MMCYTB2	M.monoceros cytochrome b gene (complet...	44	0.001
emb|X74260.1|MIVOCYTB	V.olivaceus mitochondrion gene for cy...	44	0.001
emb|X56293.1|MISLCYTBB	S.longiroshis mitochondrion cytb gen...	44	0.001
emb|X56292.1|MISLCYTBA	S.longirostris mitochondrion cytb ge...	44	0.001
emb|X74256.1|MIPVCYTB	P.violaceus mitochondrion gene for cy...	44	0.001
emb|X82304.1|MIPHCYTBG	P.hispida mitochondrial cytochrome b...	44	0.001
emb|X82302.1|MIPFCYTBG	P.fasciata mitochondrial cytochrome ...	44	0.001
emb|X56284.1|MIOACYTB	O.aries mitochondrion cytb gene for c...	44	0.001
emb|X74252.1|MIMKCYTB	M.kervaudrenii mitochondrion gene for ...	44	0.001
emb|X72005.1|MILWCYTB	L.weddelli mitochondrial gene for cyt...	44	0.001
emb|X74259.1|MILLCYTB	L.ludovicianus mitochondrion gene for...	44	0.001
emb|Y08814.1|MIHLCYTBG	H.liberiensis mitochondrial cytochro...	44	0.001
emb|Y08813.1|MIHACYTB	H.amphibius mitochondrial cytochrome ...	44	0.001
emb|X56287.1|MIGCCYTB	G.camelopardalis mitochondrion cytb g...	44	0.001
emb|X74253.1|MIEFCYTB	E.fastuosus mitochondrion gene for cy...	44	0.001
emb|X60941.1|MIZAC333	Epimachus albertisii mitochondrial ge...	44	0.001
emb|X74255.1|MIDMCYTB	D.magnificus mitochondrion gene for c...	44	0.001
emb|X56289.1|MICHCYTB	C.hircus mitochondrion cytb gene for ...	44	0.001
emb|V00654.1|MIBTCX	Bos taurus complete mitochondrial genome	44	0.001
emb|X60940.1|MIAMC333	A.macgregoriae mitochondrial gene for...	44	0.001
emb|X92530.1|LACYTB	L.albirostris cytochrome b gene (comple...	44	0.001
gb|U09265.1|CAU09265	Coccyzus americanus mitochondrion cyto...	44	0.001
dbj|AB023906.1|AB023906	Petaurista leucogenys mitochondrial...	44	0.001
dbj|AB023905.1|AB023905	Petaurista leucogenys mitochondrial...	44	0.001
dbj|AB023904.1|AB023904	Petaurista leucogenys mitochondrial...	44	0.001
dbj|AB023903.1|AB023903	Petaurista leucogenys mitochondrial...	44	0.001
dbj|D88983.1|D88983	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88638.1|D88638	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88636.1|D88636	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88635.1|D88635	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88633.1|D88633	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88632.1|D88632	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88630.1|D88630	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88628.1|D88628	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88627.1|D88627	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D84204.1|GOTMTCBD	Capra aegagrus mitochondrial DNA for ...	44	0.001
dbj|D84202.1|GOTMTCBB	Capra falconeri mitochondrial DNA for...	44	0.001
dbj|D82891.1|D82891	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D82892.1|D82892	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D82889.1|D82889	Bos javanicus mitochondrial DNA for cyt...	44	0.001
dbj|D32121.1|BBUMTCBZJ	Bubalus arnee bubalis mitochondrial ...	44	0.001
dbj|D32637.1|BBUMTCBA	Bubalus bubalis mitochondrial gene fo...	44	0.001
dbj|AB004974.1|AB004974	Capra hircus mitochondrial DNA for ...	44	0.001
dbj|AB004972.1|AB004972	Capra hircus mitochondrial DNA for ...	44	0.001
dbj|AB004971.1|AB004971	Capra hircus mitochondrial DNA for ...	44	0.001
dbj|AB004952.1|AB004952	Capra aegagrus mitochondrial DNA fo...	44	0.001
dbj|D88540.1|D88540	Anoa depressicornis mitochondrial DNA f...	44	0.001
dbj|D88537.1|D88537	Bubalus bubalis mitochondrial DNA for c...	44	0.001

dbj|D88634.1|D88634	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88631.1|D88631	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D88629.1|D88629	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D84205.1|SHPMTCBE	Sheep mitochondrial DNA for cytochrom...	44	0.001
dbj|D84203.1|SHPMTCBC	Ovis musimon mitochondrial DNA for cy...	44	0.001
dbj|D84201.1|GOTMTCBA	Goat mitochondrial DNA for cytochrome...	44	0.001
dbj|D82894.1|D82894	Bubalus bubalis mitochondrial DNA for c...	44	0.001
dbj|D82891.1|D82891	Bubalus quarlesi mitochondrial DNA for ...	44	0.001
dbj|D34638.1|BBUMTCBB	Bubalus bubalis mitochondrial gene fo...	44	0.001
dbj|D34636.1|BOVMTCBB	Bos javanicus mitochondrial gene for ...	44	0.001
dbj|AB037602.1|AB037602	Talpa altaica mitochondrial cytb ge...	44	0.001
dbj|AB018985.1|AB018985	Cichlasoma citrinellum mitochondria...	44	0.001
dbj|AB004075.1|AB004075	Capra hircus mitochondrial DNA for ...	44	0.001
dbj|AB004073.1|AB004073	Capra hircus mitochondrial DNA for ...	44	0.001
dbj|AB004070.1|AB004070	Capra hircus mitochondrial DNA for ...	44	0.001
emb|X92531.1|DLCYTB	D.leucas cytochrome b gene (complete se...	44	0.001
gb|U07565.1|HAU07565	Hippopotamus amphibius mitochondrion c...	44	0.001
gb|U10367.1|PVU10367	Ptilonorhynchus violaceus mitochondrio...	44	0.001
gb|U10364.1|CMU10364	Chlamydera maculata mitochondrion cyto...	44	0.001
emb|Z96068.1|ASZ96068	Acomys spinosissimus DNA for mitochon...	42	0.005
gb|U76507.1|AIU76507	Amblyomis inornatus cytochrome b gene...	40	0.021
gb|AF157466.1|AF157466	Lepus timidus cytochrome b (Cyb) gen...	40	0.021
gb|AF157464.1|AF157464	Lepus corsicanus haplotype 1 cytochr...	40	0.021
gb|AF157463.1|AF157463	Lepus corsicanus haplotype 3 cytochr...	40	0.021
gb|AY016019.1|AY016018S3	Mullerornis agilis cytochrome b ge...	40	0.021
gb|AF027330.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027329.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027328.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027327.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027326.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027325.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027324.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027323.1|	Akodon olivaceus canescens museum catalog nu...	40	0.021
gb|AF027322.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027321.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027320.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027319.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027318.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027317.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027316.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027315.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027314.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027313.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027312.1|	Akodon olivaceus beatus museum catalog numbe...	40	0.021
gb|AF027311.1|	Akodon olivaceus brachiotis museum catalog n...	40	0.021
gb|AF027310.1|	Akodon olivaceus brachiotis museum catalog n...	40	0.021
gb|AF027309.1|	Akodon olivaceus brachiotis museum catalog n...	40	0.021
gb|AF027308.1|	Akodon olivaceus brachiotis museum catalog n...	40	0.021
gb|AF027307.1|	Akodon olivaceus brachiotis museum catalog n...	40	0.021
gb|AF266188.1|AF266188	Gillichchys mirabilis cytochrome b m...	40	0.021
gb|AF324014.1|AF324014	Phyllobates aurotaenia isolate Cueb...	40	0.021
gb|AF272619.1|AF272619	Clethrionomys gapperi specimen-vouch...	40	0.021
gb|AF272616.1|AF272616	Clethrionomys gapperi specimen-vouch...	40	0.021
gb|AF272614.1|AF272614	Clethrionomys gapperi specimen-vouch...	40	0.021
gb|AF272613.1|AF272613	Clethrionomys gapperi specimen-vouch...	40	0.021
gb|AF182711.1|AF182711	Geopelia cuneata cytochrome b gene. ...	40	0.021
gb|AF182687.1|AF182687	Columbina picui cytochrome b gene. p...	40	0.021
gb|AF155422.1|AF155422	Sigmodon ochrognathus cytochrome b (...	40	0.021
gb|AF155400.1|AF155400	Peromyscus pectoralis lacelanus cyto...	40	0.021
gb|AF155385.1|AF155385	Peromyscus attwateri isolate 1b cyto...	40	0.021
gb|AF155384.1|AF155384	Peromyscus attwateri isolate 1a cyto...	40	0.021
gb|AF155592.1|AF155592	Sigmodon ochrognathus isolate AcizAC...	40	0.021
gb|AF155591.1|AF155591	Sigmodon ochrognathus isolate MtLiv7...	40	0.021
gb|AF155590.1|AF155590	Sigmodon ochrognathus isolate Durang...	40	0.021
gb|AF155589.1|AF155589	Sigmodon ochrognathus isolate ElePtB...	40	0.021
gb|AF155588.1|AF155588	Sigmodon ochrognathus isolate BbendA...	40	0.021
gb|AF121511.1|AF121511	Trachyphonus darnaudii cytochrome b ...	40	0.021
gb|AF254947.1|AF254947	Ursus spelaeus cytochrome b gene. co...	40	0.021
gb|AF295511.1|AF295511	Podarcis sicula cytochrome b gene. p...	40	0.021
gb|AF127705.1|AF127705	Hippocampus zosterae haplotype FK.14...	40	0.021
ref|NC_000884.1|	Cavia porcellus complete mitochondrial genome	40	0.021

gb|AF004572.1|AF004572 Arvicanthis niloticus cytochrome b (...	40	0.021
gb|AF088932.1|AF088932 Sminthopsis psammophila cytochrome b...	40	0.021
gb|U62697.1|ORUCYTB2 Oreopholus ruficollis cytochrome b (cy...	40	0.021
gb|U62681.1|CACYTB2 Charadrius australis cytochrome b (cyt ...	40	0.021
gb|U62707.1|CVERCYTB2 Charadrius veredus cytochrome b (cytb...	38	0.084
emb|AJ004315.1|HCAJ4315 Hippolais caligata mitochondrial cy...	38	0.084

Alignments

```
tmpseq_0   1      cctcctagtttgttagggattgatcg 26
AF189111   797    ........................... 772
U86834     858    ........................... 833
AF123633   56     ........................... 31
AF123617   104    ........................... 79
AF127202   107    ........................... 82
AF127194   107    ........................... 82
AF217828   845    ........................... 820
AF160578   869    ........................... 844
AF009931   869    ........................... 844
AF091629   869    ........................... 844
AF034967   869    ........................... 844
AF038290   869    ........................... 844
U07577     869    ........................... 844
U81343     791    ........................... 766
AJ222681   869    ........................... 844
M99464     869    ........................... 844
AJ225116   869    ........................... 844
U25738     872    ........................... 847
U25736     872    ........................... 847
U15202     872    ........................... 847
U15204     872    ........................... 847
X56290     869    ........................... 844
X56286     869    ........................... 844
D88639     869    ........................... 844
D82890     869    ........................... 844
AF119261   869    ........................... 847
AF123615   101       ........................ 79
AF160603   866       ........................ 844
U62687     179    ........................... 157
U62685     179    ........................... 157
AF022071   866       ........................ 844
AF022070   866       ........................ 844
U83317     872    ........................... 850
U37293     774    ........................... 752
U37292     774    ........................... 752
U37291     774    ........................... 752
AF082055   51        ........................ 29
U72770     798    ........................... 776
U07578     869    ........................... 847
AF031908   187    ........................... 165
AJ004231   773    ........................... 751
AJ004230   773    ........................... 751
AJ004229   773    ........................... 751
AJ004232   773    ........................... 751
U88865     850    ........................... 828
U90091     536    ........................... 514
U63057     773    ........................... 751
AB036404   173    ........................... 151
AB036402   173    ........................... 151
AB036400   173    ........................... 151
AB036398   173    ........................... 151
U19511     774    ........................... 752
X92519     869    ........................... 847
L08014     872    ........................... 850
L08011     872    ........................... 850
AX016012   11937  ...................a..... 11912
AF074591   677    ..............t............ 652
AX005212   761    ...................g..... 736
AX005211   761    ...................g..... 736
AF182122   797    .....c..................... 772
AF182120   797    ..............t............ 772
```

AF189118	797	.....a.....	772
AF189117	797	.....a.....	772
AF189116	797	.....g.....	772
AF112140	310	.....g.....	285
AF112139	310	.....g.....	285
AF112138	310	.....g.....	285
AF081990	872	.....t.....	847
AF081989	872	.....t.....	847
AF081988	872	.....t.....	847
AF081987	872	.....t.....	847
AF081986	872	.....t.....	847
AF081985	872	.....t.....	847
AF081984	872	.....t.....	847
AF081983	872	.....t.....	847
AF081982	872	.....t.....	847
AF081981	872	.....t.....	847
AF081980	872	.....t.....	847
AF081979	872	.....t.....	847
AF081978	872	.....t.....	847
AF081977	872	.....t.....	847
AF081976	872	.....t.....	847
AF081975	872	.....t.....	847
AF081974	872	.....t.....	847
AF081973	872	.....t.....	847
AF081972	872	.....t.....	847
AF081971	872	.....t.....	847
AF081970	872	.....t.....	847
AF081969	872	.....t.....	847
AF081968	872	.....t.....	847
AF081967	872	.....t.....	847
AF081966	872	.....t.....	847
AF081965	872	.....t.....	847
AF081964	872	.....t.....	847
AF081962	754	.....t.....	729
AF081961	872	.....t.....	847
AF081960	872	.....g.....	847
AF081959	872	.....t.....	847
AF112405	869	.....c.....	844
AF144317	161	.....g.....	136
AF144316	161	.....g.....	136
AF144315	161	.....g.....	136
AF144314	161	.....g.....	136
AF144313	161	.....g.....	136
AF144312	161	.....g.....	136
AF144311	161	.....g.....	136
AF144310	161	.....g.....	136
AF144309	161	.....g.....	136
NC_001567	15382	.....g.....	15357
AF212124	425	.....t.....	400
AF182706	739	.....a.....	714
AF010406	15027	.....a.....	15002
AF096452	735	.....t.....	710
AF283619	845	.....a.....	820
AF283618	845	.....a.....	820
AF283608	845	.....a.....	820
AF283602	845	.....a.....	820
AF110069	770	.....a.....	745
AF146616	95	.....g.....	70
AF271410	869	.....g.....	844
AF290119	752	.....g.....	727
NC_002504	15022	.....g.....	14997
AF161901	869	.....g.....	844
AF119261	869	.....g.....	844
AF119259	869	.....g.....	844
AF288454	91	.....a.....	66
AF161825	869	.....c.....	844
AF121642	68	.....g.....	43
AF121647	68	.....g.....	43
AF121646	104	.....g.....	77
AF121645	68	.....g.....	43
AF121644	84	.....g.....	59

[illegible]	[illegible]	.....c.....	79
AF123628	104	.....g.....	79
AF123621	85	.....g.....	60
AF123619	104	.....g.....	79
AF123618	104	.....g.....	79
AF123614	104	.....g.....	79
AF123613	101	.....g.....	76
AF127201	107	.....g.....	82
AF127192	107	.....t.....	82
AF127189	107	.....g.....	82
AF197849	872	.....g.....	847
AF197847	872	.....t.....	847
NC_000889	15040	.....g.....	15015
NC_002079	16164	.....g.....	16139
NC_001794	15052	.....a.....	15027
NC_001610	15045	.....t.....	15020
AF201612	520	.....t.....	495
AF097931	869	.....a.....	844
AF097927	869	.....g.....	844
J01394	15382	.....g.....	15357
AF168760	507	.....a.....	482
AF168759	507	.....a.....	482
AF168758	507	.....a.....	482
AF168756	507	.....a.....	482
AF182381	692	.....t.....	667
AF182380	692	.....t.....	667
U89187	872	.....a.....	847
AF193833	773	.....g.....	748
AF193822	773	.....g.....	748
AF193821	773	.....a.....	748
AF217837	845	.....t.....	820
AF217835	845	.....t.....	820
AF217834	845	.....a.....	820
AF217831	845	.....g.....	820
AF217823	845	.....a.....	820
AF217819	845	.....a.....	820
AF217815	845	.....c.....	820
AF118156	101	.....g.....	76
AF209938	418	.....a.....	393
AF209933	418	.....a.....	393
AF059104	776	.....c.....	751
AF059102	776	.....c.....	751
AF059054	776	.....c.....	751
AF192646	869	.....t.....	844
AF192645	869	.....t.....	844
AF160614	869	.....g.....	844
AF160613	869	.....g.....	844
AF160612	869	.....g.....	844
AF160611	238	.....g.....	213
AF160610	869	.....g.....	844
AF160604	869	.....g.....	844
AF160560	869	.....a.....	844
AF160559	869	.....a.....	844
AF160558	869	.....a.....	844
AF160557	869	.....a.....	844
AF160555	869	.....a.....	844
AF160554	869	.....a.....	844
AF160553	869	.....a.....	844
AF160552	869	.....a.....	844
AF160551	869	.....a.....	844
AF160550	869	.....a.....	844
AF160549	869	.....a.....	844
AF016287	869	.....g.....	844
AF016286	869	.....g.....	844
AF016281	869	.....a.....	844
AF016280	869	.....a.....	844
AF016278	869	.....g.....	844
AF016276	869	.....a.....	844
AF016274	869	.....g.....	844
NC_001941	15027	.....a.....	15002
AF198628	869	.....a.....	844

AF108682	869	.....a.....	844
AF108673	869	.....g.....	844
AF108669	857	.....g.....	832
AF042720	869	.....a.....	844
AF042718	869	.....a.....	844
AF084082	869	.....a.....	844
AF084081	869	.....a.....	844
AF084074	869	.....a.....	844
AF090750	869	.....a.....	844
AF157939	869	.....a.....	844
AF157937	869	.....a.....	844
AF157936	869	.....a.....	844
AF157915	869	.....a.....	844
AF157914	869	.....a.....	844
AF157912	869	.....g.....	844
AF157906	869	.....g.....	844
AF157891	869	.....g.....	844
AF157882	869	.....a.....	844
AF157859	869	.....a.....	844
AF157858	869	.....a.....	844
AF157839	869	.....g.....	844
AF030497	50	.....a.....	25
U03541	869	.....g.....	844
AF009951	866	.....a.....	841
AF009941	869	.....g.....	844
AF009925	869	.....a.....	844
AF094633	737	.....g.....	712
AF094621	737	.....t.....	712
AF094618	737	.....t.....	712
AF166348	869	.....g.....	844
AF158697	869	.....a.....	844
AF158694	869	.....a.....	844
AF158693	869	.....a.....	844
AF158688	869	.....a.....	844
AF100720	869	.....a.....	844
AF091632	869	.....a.....	844
AF102815	869	.....a.....	844
AF102814	869	.....t.....	844
AF022065	869	.....a.....	844
AF022059	869	.....g.....	844
AF022058	869	.....a.....	844
AF022057	869	.....g.....	844
AF022054	869	.....a.....	844
AF016637	869	.....c.....	844
U69863	845	.....t.....	820
U69844	845	.....t.....	820
AF143193	869	.....a.....	844
AF121222	140	.....g.....	115
AF096625	869	.....g.....	844
AF096624	869	.....g.....	844
AF081052	869	.....a.....	844
AF081049	869	.....a.....	844
AF081048	869	.....g.....	844
AF082063	54	.....g.....	29
AJ010957	15040	.....g.....	15015
U76506	773	.....g.....	748
U76504	773	.....g.....	748
U76505	773	.....t.....	748
U76501	773	.....t.....	748
U76508	773	.....t.....	748
AF014969	869	.....g.....	844
AF051876	869	.....t.....	844
AF082007	872	.....t.....	847
AF082006	872	.....t.....	847
AF082005	872	.....t.....	847
AF082004	872	.....t.....	847
AF082003	872	.....t.....	847
AF082002	872	.....t.....	847
AF082001	872	.....t.....	847
AF082000	872	.....t.....	847
AF081999	872	.....t.....	847

AF081998	872	.....t.....	847
AF081997	872	.....t.....	847
AF081996	872	.....t.....	847
AF081995	872	.....t.....	847
AF081994	872	.....t.....	847
AF081993	872	.....t.....	847
AF081992	872	.....t.....	847
AF081991	872	.....t.....	847
S71150	869	.....a.....	844
AF012235	860	.....a.....	835
U51580	869	.....g.....	844
U51577	869	.....g.....	844
U51576	869	.....a.....	844
U95512	31	.....g.....	6
U95508	31	.....a.....	6
U17868	869	.....g.....	844
U17867	869	.....g.....	844
U17860	869	.....g.....	844
U17859	800	.....g.....	775
AJ010556	869	.....g.....	844
AF034736	869	.....g.....	844
AF034730	869	.....a.....	844
AF034729	869	.....a.....	844
AF034728	869	.....g.....	844
AF034727	869	.....a.....	844
AF034724	869	.....g.....	844
AF034722	869	.....g.....	844
U72038	869	.....g.....	844
U72037	869	.....g.....	844
M99455	869	.....a.....	844
L29055	260	.....a.....	235
AF082047	54	.....g.....	29
AF038286	869	.....t.....	844
AF038284	869	.....t.....	844
AF059093	776	.....t.....	751
AF059092	776	.....t.....	751
AF059091	776	.....t.....	751
AF059080	776	.....t.....	751
AF059078	776	.....t.....	751
AF052240	61	.....a.....	36
AF006240	774	.....t.....	749
AF006227	774	.....g.....	749
AF047447	41	.....g.....	16
U07576	869	.....g.....	844
AF028180	65	.....g.....	40
AF028178	69	.....g.....	44
AF028170	77	.....g.....	52
M99454	869	.....a.....	844
M99453	869	.....t.....	844
U23461	869	.....c.....	844
U87118	869	.....g.....	844
U07590	869	.....g.....	844
AJ004226	773	.....c.....	748
AF020255	819	.....g.....	794
X19184	15022	.....g.....	14997
U88862	843	.....a.....	818
U88859	867	.....g.....	842
U88858	843	.....c.....	818
U88857	863	.....g.....	838
U88856	867	.....g.....	842
X10524	15052	.....a.....	15027
U81357	791	.....t.....	766
U81356	791	.....a.....	766
U75354	452	.....a.....	427
U77332	872	.....g.....	847
Z29571	15045	.....t.....	15020
AJ222679	869	.....g.....	844
AJ222680	869	.....a.....	844
AJ222681	869	.....g.....	844
M99466	869	.....a.....	844
M99452	869	.....t.....	844

M99460	869	.....g.....	844
U25737	872	.....a.....	847
U15201	872	.....t.....	847
U15205	872	.....c.....	847
U15200	872	.....g.....	847
AJ000424	740	.....g.....	715
AJ000423	740	.....g.....	715
AJ000438	740	.....a.....	715
AJ000437	740	.....a.....	715
AJ000428	740	.....a.....	715
AJ000427	740	.....a.....	715
AJ000426	740	.....g.....	715
AJ000425	740	.....g.....	715
AJ000418	740	.....a.....	715
AJ000417	740	.....a.....	715
AJ000416	740	.....a.....	715
AJ004793	770	.....t.....	745
AJ004792	770	.....t.....	745
U15718	774	.....t.....	749
L11905	869	.....a.....	844
U34679	869	.....t.....	844
L11907	869	.....a.....	844
L11906	869	.....a.....	844
L11902	869	.....a.....	844
X92524	869	.....a.....	844
U46771	773	.....g.....	748
AB021773	869	.....a.....	844
AB006953	16164	.....g.....	16139
Z73492	770	.....c.....	745
AB035239	869	.....t.....	844
X92532	869	.....g.....	844
X74260	872	.....g.....	847
X56293	869	.....a.....	844
X56292	869	.....a.....	844
X74256	872	.....g.....	847
X82304	869	.....g.....	844
X82302	869	.....g.....	844
X56284	869	.....a.....	844
X74252	872	.....g.....	847
X72005	869	.....g.....	844
X74259	872	.....g.....	847
Y08814	869	.....c.....	844
Y08813	869	.....g.....	844
X56287	869	.....g.....	844
X74251	872	.....g.....	847
X60941	773	.....c.....	748
X74255	872	.....g.....	847
X56289	869	.....g.....	844
V00654	15382	.....g.....	15357
X60940	773	.....t.....	748
X92530	869	.....a.....	844
U09265	774	.....g.....	749
AB021906	842	.....a.....	817
AB021905	842	.....a.....	817
AB021904	842	.....a.....	817
AB021903	842	.....a.....	817
Q88981	869	.....a.....	844
Q88638	869	.....a.....	844
Q88636	869	.....a.....	844
Q88635	869	.....a.....	844
Q88631	869	.....a.....	844
Q88632	869	.....a.....	844
Q88630	869	.....a.....	844
Q88628	869	.....a.....	844
Q88627	869	.....a.....	844
Q84204	869	.....g.....	844
Q84203	869	.....g.....	844
Q82891	869	.....a.....	844
Q82892	869	.....a.....	844
Q82882	869	.....g.....	844
Q12121	869	.....a.....	844

D14637	869	.....a.....	844
AB004074	869	.....g.....	844
AB004072	869	.....g.....	844
AB004071	869	.....g.....	844
AB004069	869	.....g.....	844
D88640	869	.....a.....	844
D88637	869	.....a.....	844
D88634	869	.....a.....	844
D88631	869	.....a.....	844
D88629	869	.....a.....	844
D84205	869	.....a.....	844
D84203	869	.....a.....	844
D84201	869	.....g.....	844
D82894	869	.....a.....	844
D82891	869	.....a.....	844
D34638	869	.....a.....	844
D34636	869	.....g.....	844
AB037602	869	.....a.....	844
AB018985	869	.....a.....	844
AB004075	869	.....g.....	844
AB004073	869	.....g.....	844
AB004070	869	.....g.....	844
X92531	869	.....g.....	844
U07565	869	.....g.....	844
U10367	773	.....g.....	748
U10364	773	.....g.....	748
Z96068	869	.....g.....	844
U76507	773	.....t.....	749
AF157466	791	.....	772
AF157464	793	.....	774
AF157463	793	.....	774
AY016019	93	.....	74
AF027330	869	.....	850
AF027329	869	.....	850
AF027328	869	.....	850
AF027327	869	.....	850
AF027326	869	.....	850
AF027325	869	.....	850
AF027324	869	.....	850
AF027323	869	.....	850
AF027322	869	.....	850
AF027321	869	.....	850
AF027320	869	.....	850
AF027319	869	.....	850
AF027318	869	.....	850
AF027317	869	.....	850
AF027316	869	.....	850
AF027315	869	.....	850
AF027314	869	.....	850
AF027313	869	.....	850
AF027312	869	.....	850
AF027311	869	.....	850
AF027310	869	.....	850
AF027309	869	.....	850
AF027308	869	.....	850
AF027307	869	.....	850
AF266188	371	.....	352
AF134034	408	.....	389
AF272619	869	.....	850
AF272616	869	.....	850
AF272614	869	.....	850
AF272611	869	.....	850
AF182711	712	.....	693
AF182697	774	.....	755
AF155422	869	.....	850
AF155409	869	.....	850
AF155385	869	.....	850
AF155384	869	.....	850
AF155382	869	.....	850
AF155381	869	.....	850
AF155379	869	.....	850

AF155589	869	.....	850
AF155588	869	.....	850
AF123531	771	.....	752
AF264047	869	.....	850
AF206531	771	.....	752
AF192706	863	.....	844
NC_000884	15032	.....	15013
AF004572	869	.....	850
AF088932	869	.....	850
U62697	176	.....	157
U62681	179	.....	160
U62707	179	.....g.....n..	154
AJ004315	773	.....t.....n.....	748

Database: nt
  Posted date: Mar 2, 2001 12:20 AM
Number of letters in database: 2,863,827,885
Number of sequences in database: 807,597

Lambda K H
1.37 0.711 1.31

Gapped
Lambda K H
1.37 0.711 1.31

Matrix: blastn matrix:1 -3
Gap Penalties: Existence: 5, Extension: 2
Number of Hits to DB: 19068
Number of Sequences: 807597
Number of extensions: 19068
Number of successful extensions: 7580
Number of sequences better than 10.0: 2441
length of query: 26
length of database: 2,863,827,885
effective HSP length: 17
effective length of query: 9
effective length of database: 2,850,098,736
effective search space: 25650888624
effective search space used: 25650888624
T: 0
A: 30
X1: 6 (11.9 bits)
X2: 15 (29.7 bits)
S1: 12 (24.3 bits)
S2: 16 (32.2 bits)

Table 12. The other animals belonging to distantly related species analyzed by our primers to demonstrate its universal nature

SN.	Name of the animal
1.	Indian black buck no.1
2.	Indian black buck no 2
3	sheep
4	pig
5	dog
6	chimpanzee (chimss)
7	human (humsk)
8	Hamster
9	crocodile no1
10	crocodile no2
11	turtle no1
12	turtle no2
13	mouse
14	varanus
15	Naga-naga snake
16	Indian elephant
17	hen
18	dugong
19	lizard
20	weaver bird no1
21	weaver bird no2
22	buffalo no1
23	buffalo no 2

CLAIMS

1 Universal primers named as 'mcb 398' and 'mcb 869' capable of amplifying a fragment of cytochrome b gene of any animal species in polymerase chain reaction (PCR) and revealing the identity of the biological material of any animal of unknown origin at species and sub-species level, said primers, having the sequences:

primers name	**Sequence (5'-3')**
mcb 398	"TACCATGAGGACAAATATCATTCTG"
mcb 869	"CCTCCTAGTTTGTTAGGGATTGATCG

2. Primers as claimed in claim 1 wherein the fragment of mitochondrial cytochrome b gene is capable of significantly discriminating amongst various evolutionary lineages of different animal species.

3. Primers as claimed in claim 1 wherein the fragment of mitochondrial cytochrome b gene is flanked by the highly conserved sequences amongst a vast range of animal species.

4. Primers as claimed in claim 1 wherein the fragment on mitochondrial cytochrome b gene which is polymorphic inter-specifically, but monomorphic at intra species sources.

5. Primers as claimed in claim 1 wherein in *Antilope cervicapra* species, the sequences of the fragment mentioned under claim 1 are as follows:

Mitochondrial cytochrome b gene sequence (398-869 bp) of *Antilope cervicapra:*

"taccatgaggacaaatatctttttgaggagcaacagtcatcaccaatctcctttcagcaatcccatacatcggtacaaacctag
tagaatgaatctgaggagggttctcagtagataaagcaacccttacccgatttttcgccttccactttatcctcccatttatcattgc
agcccttaccatagtacacctactgtttctccacgaaacaggatccaacaaccccacaggaatctcatcagacgcagacaaa
attccattccacccctactacactatcaaagatatcctaggagctctactattaattttaaccctcatgcttctagtcctattctcacc
ggacctgcttggagacccagacaactatacaccagcaaacccacttaatacacccccacatatcaagcccgaatgatacttc
ctatttgcatacgcaatcctccgatcaattcctaacaaactaggagg"

6. A method for the identification of the animal from a biological sample, said method comprising the steps of:

a) isolating and amplifying the DNA from the biological sample to be tested using the primers as claimed in claim 1,

b) sequencing the amplified products,

c) blasting the sequence resolved in step (b) against mito database of National Centre for Biotechnology Information (NCBI) using BLAST program and determining the most likely family of the animal source of the biological sample.

d) blasting the sequence resolved in step (b) against non-redundant (nr) database of National Centre for Biotechnology Information (NCBI) using BLAST program and determining the most likely genus, species or more precisely the sub-species of the animal source of the biological sample,

e) identifying the most significant alignment of the sequence resolved with cytochrome b gene sequence of the animal identified in steps (c) and (d) respectively and selection of these animals as 'reference animals' for further studies,

f) isolating and amplifying and sequencing the DNA sequences from the reference animal on both strands in triplicate using the primers as claimed in claim 1,

g) aligning the sequences obtained using CLUSTRAL program and identifying the variable sites amongst the animals analyzed,

h) comparing the nucleotide sequences pair-wise to determine the variation among the animals resolved and identifying the nucleotide sequence to which the DNA sequence of the biological sample bears maximum similarity as the source animal of the biological sample.

7. A method as claimed in claim 6 wherein the universal PCR protocol works universally with the DNA template of any unknown animal origin and the universal primers mentioned under column 4.

8. A method as claimed in claim 6 wherein the Amplification reactions should be carried out in 20 µl reaction volume containing approximately 20 ηg of template DNA, 100µm each of dNTPs, 1.25 pmole of each primer, 1.5mM $MgCl_2$, 0.5 unit of Ampli*Taq* Gold (Perkin-Elmer-Cetus, USA) DNA polymerase and 1X PCR buffer (10mM Tris-HCl, pH 8.3, and 50mM KCl). The amplification profiles followed should be: an initial denaturation at 95^0C for 10 min, followed by 35 cycles each of denaturation at 95^0C for 45 s, annealing at 51^0C for 1 min, and extension at 72^0C for 2 min. The extension step at 35^{th} cycles should be held for 10 min.

9. A method as claimed in claim 6 wherein the method enables identification of species of analyzed material (i.e. the DNA isolated from confiscated animal remain of unknown origin) using the public databases such as GenBank, NCBI etc.

10. A method as claimed in claim 6 wherein the method is used for animal identification to establish the crime with the criminal beyond a reasonably doubt.

11. A method as claimed in claim 6 wherein the method is used to establish the identity of

biological materials such as skin, horns etc confiscated from animal poachers, if it is that of an endangered species.

12. A method as claimed in claim 6 wherein the method is used for establishment of the identity of confiscated animal parts and products of endangered animal species for the purpose of production of molecular evidence of animal hunting and related crime in the court of law, so that the human violation of the wildlife resources could be controlled.
13. A method as claimed in claim 6 wherein the method is used to have an idea of the geographical location of the commitment of wildlife crime based on the cytochrome b gene haplotype of poached animal identified by the universal primer invented.
14. A method as claimed in claim 6 wherein the method is used for animal identification to detect the adulteration of animal meat in food products for the purpose of food fortification, by the food fortification agencies.
15. A method as claimed in claim 6 wherein the method is used to provide a universal technique for detection of the origin of blood or blood stains etc collected from the scene of crime related to offences such as murder, rape etc, in order to establish the origin of blood found at scene of crime when it sounds as if criminals have wontedly spread the blood of an animal at the scene of crime, to confuse the crime investigation agencies and forensic scientists with human blood.
16. A method as claimed in claim 6 wherein the method is used so that it can be converted to a (a) COMMERCIAL 'MOLECUALR KIT' and (b) 'DNA CHIPS' based applications for wildlife identification in forensics.


Confiscated biological material of unknown animal origin (i.e. adil.flesh)
DNA
mcb398
1
1140
Mitochondrail cytochrome b gene (1140 bp)
mcb869
PCR amplicons (472 bp)
M 1
500 bp
472 bp
Sequencing using 'ABI Prism 3700' DNA Analyzer
Revealed sequence (328 bp)
TGAATCTGAGGAGGCTTCTCAGTAGACAAAGCTACCCTGACAC
GATTCTTTGCCTTCCACTTCATCCTTCCATTTATCATCTCAGC
TCTAGCAGCAGTCCACCTCCTATTCCTTCACGAGACAGGATCT
AACAACCCCTCAGGAATAGTATCCGACTCAGACAAAATTCCAT
TCCACCCATACTACACAATCAAAGATATCCTGGGCCTTCTAGT
ACTAATCCTAGCACTCATACTACTCGTCCTATTCTCACCAGAC
CTGTTAGGAGACCCCGATAACTACATCCCTGCCAACCCTCTAA
ATACCCCTCCCCATATCAAGCCTGAAT

Figure 1 a

Sequence of cytochrome b gene (328 bp) revealed from biological material of unknown origin i.e. *'adil.flesh'* using primers **'mcb398'** and **'mcb869'**

Homology search in *'nr'* database using *'BLAST'*

http://www.ncbi.nlm.nih.gov/BLAST/



Sequences producing significant alignments:	Score (bits)	E Value
gb|AY005809.1| *Panthera pardus* cytochrome b gene, partial c...	603	e-170
gb|AF053054.1|AF053054 *Panthera tigris sumatrae* isolate Su1...	527	e-147
gb|AF053053.1|AF053053 *Panthera tigris tigris* isolate B7 mi...	527	e-147
gb|AF053050.1|AF053050 *Panthera tigris corbetti* isolate C2 ...	476	e-132
gb|AF053049.1|AF053049 *Panthera tigris corbetti* isolate C1 ...	476	e-132

Selection of reference animals based on above information and further analysis using primers **'mcb398'** and **'mcb869'**

Multiple sequence alignments using *'Autoassembler'*



Figure 1 b

NJ-tree showing clustering of *'adil.flesh'* with 'gz1L' i.e.the known normal leopard (*Penthera pardus*)



Figure 1c


M 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
(bp)
2642
500
250
(bp)
472

Figure 2



Figure 3


M 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
(bp)
2642
500
250
(bp)
472

Figure 4

INTERNATIONAL SEARCH REPORT

Inte Application No
PC1/IN 01/00055

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)
BIOSIS, EPO-Internal, EMBL, WPI Data, PAJ, MEDLINE, EMBASE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	KOCHER T D ET AL: "DYNAMICS OF MITOCHONDRIAL DNA EVOLUTION IN ANIMALS AMPLIFICATION AND SEQUENCING WITH CONSERVED PRIMERS" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES, vol. 86, no. 16, 1989, pages 6196-6200, XP002189444 1989 ISSN: 0027-8424 the whole document ---	1-16
Y	WO 92 05277 A (DAVIDSON WILLIAM SCOTT ;BARTLETT SYLVIA ERNESTINE (CA)) 2 April 1992 (1992-04-02) the whole document ---	1-16

-/--

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
28 February 2002	12/03/2002

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Hagenmaier, S

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

-

Int[illegible]al Application No
PC[illegible]N 01/00055

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication,where appropriate, of the relevant passages	Relevant to claim No.
Y	IRWIN D M ET AL: "EVOLUTION OF THE CYTOCHROME BETA GENE OF MAMMALS" JOURNAL OF MOLECULAR EVOLUTION, SPRINGER VERLAG, NEW YORK, NY, US, vol. 2, no. 3, June 1995 (1995-06), pages 128-144, XP000892117 ISSN: 0022-2844 the whole document ---	1-16
Y	DATABASE EMBL 'Online! ID/AC AAF56513, 28 November 2000 (2000-11-28) ZH NIPPON KAGAKU SENI KENSA KYOKAI: "Animal fibre identification PCR primer #3" XP002191314 abstract ---	1-16
Y	WO 93 15215 A (HYDROCARBON RESEARCH INC) 5 August 1993 (1993-08-05) the whole document ---	1-16
Y	EP 0 807 690 A (KARL SCHMITZ SCHOLL FONDS FUER) 19 November 1997 (1997-11-19) the whole document ---	1-16
Y	MATTHEE CONRAD A ET AL: "Cytochrome b phylogeny of the family Bovidae: Resolution within the Alcelaphini, Antilopini, Neotragini, and Tragelaphini." MOLECULAR PHYLOGENETICS AND EVOLUTION, vol. 12, no. 1, June 1999 (1999-06), pages 31-46, XP001053239 ISSN: 1055-7903 the whole document ---	1-16
Y	SHANKARANARAYANAN PATTABHIRAMAN ET AL: "Mitochondrial DNA sequence divergence among big cats and their hybrids." CURRENT SCIENCE (BANGALORE), vol. 75, no. 9, 10 November 1998 (1998-11-10), pages 919-923, XP001063942 ISSN: 0011-3891 the whole document ---	1-16
A	THOMPSON JULIE D ET AL: "A comprehensive comparison of multiple sequence alignment programs." NUCLEIC ACIDS RESEARCH, vol. 27, no. 13, 1 July 1999 (1999-07-01), pages 2682-2690, XP002191669 ISSN: 0305-1048 the whole document -----	

INTERNATIONAL SEARCH REPORT

xrmation on patent family members

Int l Application No
P... 01/00055

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9205277 A	02-04-1992	CA 2026264 A1	27-03-1992
		AT 119943 T	15-04-1995
		AU 8515391 A	15-04-1992
		WO 9205277 A1	02-04-1992
		DE 69108249 D1	20-04-1995
		DE 69108249 T2	09-11-1995
		DK 550491 T3	24-07-1995
		EP 0550491 A1	14-07-1993
		ES 2072618 T3	16-07-1995
		FI 931318 A	24-05-1993
		NO 931124 A	21-05-1993
WO 9315215 A	05-08-1993	US 5372929 A	13-12-1994
		AU 3597993 A	01-09-1993
		WO 9315215 A1	05-08-1993
		US 5565320 A	15-10-1996
EP 0807690 A	19-11-1997	US 5786144 A	28-07-1998
		EP 0807690 A1	19-11-1997
		WO 9743618 A2	20-11-1997